### Search and Delete

#### **Execution Environment**

Host name gansat - NOTEEG-12802.nexus.local

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/HTML Builder/Search and Delete

Description

Total 5

Passed 2 Failed 3
Error 0 Incomplete 0

Start 2019-09-03 15:50:42 End 2019-09-03 15:52:42

Elapsed 2m - 0.074s

#	ID	Description	Status
1	Test Cases/Application - Login/Login - STA	Login in the application and check user element text	PASSED
2	Test Cases/Template Variables/Open Template Variable		FAILED
3	Test Cases/Template Variables/Search Template Variables		PASSED
4	Test Cases/Template Variables/Delete Template Variables		FAILED
5	Test Cases/Application - Login/Logout		FAILED

## Login - STA

#### Information

ID Test Cases/Application - Login/Login - STA

Description Login in the application and check user element text

Tag

Start 2019-09-03 15:50:43 End 2019-09-03 15:51:14

Elapsed 31.280s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	8.797s	PASSED
2	navigateToUrl("https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates")  Navigate to 'https://bt.adzu4-staging.codeworldwide.com/#Admin/Materials/Templates' successfully	1.934s	PASSED
3	setText(findTestObject("Login/login_username"), "satinder.gandhi@codeworldwide.com")  Text 'satinder.gandhi@codeworldwide.com' is set on object 'Object Repository/Login/login_username'	5.941s	PASSED
4	setEncryptedText(findTestObject("Login/login_password"), "yfq/9fVkW5+QvfzWq38qvg==")  Text ***** has been set on object 'Object Repository/Login/login_password'	3.790s	PASSED
5	click(findTestObject("Object Repository/Test1/button_Login"))  Object: 'Object Repository/Test1/button_Login' is clicked on	2.842s	PASSED
6	maximizeWindow()  Current window maximized	2.365s	PASSED

## Login - STA

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Login/span_Satinder"), "Satinder")	2.325s	PASSED

Actual text and expected text of test object 'Object Repository/Login/span\_Satinder' are matched.

## Open Template Variable

#### Information

ID Test Cases/Template Variables/Open Template Variable

Description

Tag

Start 2019-09-03 15:51:14 End 2019-09-03 15:51:27


Elapsed 12.881s Status FAILED

#	Description	Elapsed	Status
1	maximizeWindow()	1.009s	PASSED
	Current window maximized		
2	waitForPageLoad(10)	1.206s	PASSED
	Wait for page load successfully		
3	waitForElementVisible(findTestObject("Main Menu/Create Menu/a_Create"), 10)	2.248s	PASSED
	Object 'Object Repository/Main Menu/Create Menu/a_Create' is visible		
4	click(findTestObject("Main Menu/Create Menu/a_Create"))	2.292s	PASSED
	Object: 'Object Repository/Main Menu/Create Menu/a_Create' is clicked on		
5	waitForPageLoad(0)	1.022s	PASSED
	Wait for page load successfully		

# Open Template Variable

Click(findTestObject("Main Menu/Create Menu/span. Materials Templates"))  Unable to click on object (Root cause: com.kms.katalon.core.exception.  StepFailedException: Unable to click on object at com.kms.katalon.core.exception.  Step Gyory.86)  at com.kms.katalon.core.exception.click(ClickKeyword.dick(ClickKeyword.grooyy.87)  at com.kms.katalon.core.exception.click(exception.click(ClickKeyword.grooyy.87)  at com.kms.katalon.core.exception.click(exception.core.excep	#	Description	Elapsed	Status
Unable to click on object (Root cause: com.kms.katalon.core.exception.  StepFailedException: Unable to click on object at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.grooy):54) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.grooy):26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.grooy):26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.grooy):46) at com.kms.katalon.core.keyword.nternal.KeywordExecutor.  (ClickKeyword.grooy):47) at com.kms.katalon.core.keyword.nternal.KeywordExecutor.  executeKeywordSorgooy:46) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.Click (WebUlBuiltinKeywords.grooy):46) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.Sclick (WebUlBuiltinKeywords.grooy):46) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywordsSclick\$3.call (Unknown Source) at Open Template Variable run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:309) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:309) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:309) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:309) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuite	6	click(findTestObject("Main Menu/Create Menu/span_Materials Templates"))	1.435s	FAILED
StepFailedException: Unable to click on object at com.kms. katalon.core.webui.keyword.internal.WebUIKeywordMain.grooty;64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.grooty;26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.grooty;86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.grooty;67) at com.kms.katalon.core.keyword.executor.grooty;56) at com.kms.katalon.core.keyword.executor.grooty;56) at com.kms.katalon.core.webui.keyword.WebUISuiltInKeywords.grooty;610 at com.kms.katalon.core.webui.keyword.WebUISuiltInKeywords.grooty;610 at com.kms.katalon.core.webui.keyword.WebUISuiltInKeywords.grooty;610 at com.kms.katalon.core.webui.keyword.WebUISuiltInKeywords.grooty;610 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:327) at com.kms.katalon.core.main.TestCaseExecutor.grootesExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.grootesExecutor.grootesExecutor.java:329) at com.kms.katalon.core.main.TestCaseExecutor.grootesExecutor.grootesExecutor.java:2307) at com.kms.katalon.core.main.TestCaseExecutor.grootesExecutor.gro				
at com. kms. katalon. core. webui. keyword.internal. WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy;26) at com. kms. katalon.core. webui. keyword.internal. WebUIKeyword.dick(ClickKeyword. groovy;86) at com. kms. katalon.core. webui. keyword. builtin. ClickKeyword. click(ClickKeyword. groovy;86) at com. kms. katalon.core. webui. keyword. builtin. ClickKeyword. execute (ClickKeyword groovy;67) at com. kms. katalon.core. keyword.internal. KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy;56) at com. kms. katalon.core. webui. keyword. WebUIBuiltinKeywords. click (WebUIBuiltinKeywords. groovy;618) at com. kms. katalon.core. webui. keyword. WebUIBuiltinKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com. kms. katalon.core. main. ScriptEngine.run(ScriptEngine. java:194) at com. kms. katalon.core. main. ScriptEngine.runScriptCregine. java:194) at com. kms. katalon.core. main. TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com. kms. katalon.core.main. TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:307) at com. kms. katalon.core.main. TestCaseExecutor.gove.gove.gove.gove.gove.gove.gove.gove				
(WebUlKeywordMain_groovy:64) at com.kms.katalon.core.webul.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain_groovy:26) at com.kms.katalon.core.webul.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webul.keyword.builtin.ClickKeyword.execute (ClickKeyword groovy:67) at com.kms.katalon.core.keywordExecutor.groovy:56) at com.kms.katalon.core.webul.keyword.builtin.ClickKeyword.executor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webul.keyword.WebUlBuiltInKeywords.click (WebUlBuiltInKeywords.groovy:616) at com.kms.katalon.core.webul.keyword.WebUlBuiltInKeywords.\$click\$3.call (Unknown Source) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.jawa:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.jawa:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.jawa:194) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:199) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:199) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.mai				
(WebUlkeywordMain, groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy-67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core webui.keyword.WebUlBuiltInKeywords.click (WebUlBuiltInKeywords.groovy:616) at com.kms.katalon.core webui.keyword.WebUlBuiltInKeywords\$2click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.vnoScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSaseExecutor.java:299) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.ciick(ClickKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click\$3.call (Uknkown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:170) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:170) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:170) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:170) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:170) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:170) at com.kms.katalon.core.webui.keyword.buitin.ClickKeywo				
groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.intermal.KeywordExecutor. executeReywordForPathorm(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltinKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:191) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:199) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:199) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteParameter (Keyword.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:58) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:191) at com.kms.katalon.core.main.TestCaseExecutor.nusScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:230) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:230) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (C				
(ClickKeyword groovy:67) at com.kms .katalon.core.keyword.internal.KeywordExecutor. at com.kms .katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_				
executeKeywordForPlatform(KeywordExecutor.groovy;56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy;616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScriptGestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteFxecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy).75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)		(ClickKeyword.groovy:67)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword(plocyc): 150cccccccccccccccccccccccccccccccccccc				
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:291) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy.75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)				
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:293) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy)75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)				
at Open Template Variable.run(Open Template Variable:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:337) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 168) at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:338) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(DestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(DestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain(StartTestSuite(DestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain(StartTestSuite(DestCaseMain.java: 158) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy;75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call				
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call				
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$tartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$tartTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain*startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy):75)				
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
(TestCaseExecutor.java:299)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
(TestSuiteExecutor.java:169)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
(TestSuiteExecutor.java:142)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.IllegalArgumentException: Object is null     at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35)  Caused by: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter  (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.  doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call  (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  157)  at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown  Source)  at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35)  Caused by: java.lang.lllegalArgumentException: Object is null  at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter  (KeywordHelper.java:33)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.  doCall(ClickKeyword.groovy:75)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call  (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
Source) at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.  doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
(KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)				
(ClickKeyword.groovy)				
(WebUIKeywordMain.groovy:20)				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:86)				
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)				
at com.kms.katalon.core.keyword.internal.KeywordExecutor.				
executeKeywordForPlatform(KeywordExecutor.groovy:56)				

### Open Template Variable



Wait for page load successfully

### Search Template Variables

#### Information

ID Test Cases/Template Variables/Search Template Variables

Description

Tag

Start 2019-09-03 15:51:27 End 2019-09-03 15:51:42

Elapsed 14.869s Status PASSED

#	Description	Elapsed	Status
1	delay(1)  Delayed 1 second(s)	1.052s	PASSED
2	click(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle"))  Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Filter_Toggle' is clicked on	2.397s	PASSED
3	delay(1)  Delayed 1 second(s)	1.009s	PASSED
4	setText(findTestObject("Template_Variables/Search_TemplateVariables/TemplateVariable_Filter_Text"), "Test123")  Text 'Test123' is set on object 'Object Repository/Template_Variables/Search_TemplateVariables/TemplateVariable_Filter_Text'	3.420s	PASSED
5	delay(1)  Delayed 1 second(s)	1.010s	PASSED

## Search Template Variables

#	Description	Elapsed	Status
6	click(findTestObject("Template_Variables/Search_TemplateVariables/Template_Variable_Hi de_Button"))  Object: 'Object Repository/Template_Variables/Search_TemplateVariables/Template_Variable_Hide_Button' is clicked on	2.546s	PASSED
7	delay(1)	1.007s	PASSED

Delayed 1 second(s)

#### Information

ID Test Cases/Template Variables/Delete Template Variables

Description

Tag


Start 2019-09-03 15:51:42 End 2019-09-03 15:51:58

Elapsed 16.231s Status FAILED

#	Description	Elapsed	Status
1	delay(1)  Delayed 1 second(s)	1.007s	PASSED
2	click(findTestObject("Template_Variables/Delete_Template_Variables/Template_Variable_A ction Menu"))  Object: 'Object Repository/Template_Variables/Delete_Template_Variables/Template_Variable_Action Menu' is clicked on	2.373s	PASSED
3	delay(1)  Delayed 1 second(s)	1.009s	PASSED
4	click(findTestObject("Template_Variables/Delete_Template_Variables/Template_Variable_Delete_Button"))  Object: 'Object Repository/Template_Variables/Delete_Template_Variables/Template_Variable_Delete_Button' is clicked on	2.336s	PASSED
5	delay(1)  Delayed 1 second(s)	1.007s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Template_Variables/Delete_Template_Variables/Page_Template Variables BaseTenants/button_Yes"))	2.310s	PASSED
	Object: 'Object Repository/Template_Variables/Delete_Template_Variables/Page_Template Variables BaseTenants/button_Yes' is clicked on		

#	Description	Elapsed	Status
7	True = verifyElementText(findTestObject	3.633s	FAILED
,	("Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue"), "")	0.0003	TAILED
	Actual text 'Test123' and expected text " of test object 'Object		
	Repository/Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue' are NOT		
	matched. (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text		
	'Test123' and expected text " of test object 'Object		
	Repository/Template_Variables/Add_TemplateVariable/Grid_Name_FirstValue' are NOT		
	matched.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementTextKeyword\$_verifyElementText_closure1.doCall		
	(VerifyElementTextKeyword.groovy:57) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword.		
	groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.		
	verifyElementText(VerifyElementTextKeyword.groovy:72)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.		
	execute(VerifyElementTextKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementText(WebUiBuiltInKeywords.groovy:3663)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$verifyElementText\$5.call(Unknown Source)		
	at Delete Template Variables.run(Delete Template Variables:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
	java:119)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.$		
	java:337)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35)		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		



### Logout

#### Information

ID Test Cases/Application - Login/Logout

Description

Tag

Start 2019-09-03 15:51:58 End 2019-09-03 15:52:42

Elapsed 44.180s Status FAILED

#	Description	Elapsed	Status
1	click(findTestObject("Login/span_Satinder"))	2.305s	PASSED
	Object: 'Object Repository/Login/span_Satinder' is clicked on		
2	delay(1)	1.008s	PASSED
	Delayed 1 second(s)		
3	click(findTestObject("Login/Logout"))	2.256s	PASSED
	Object: 'Object Repository/Login/Logout' is clicked on		
4	delay(1)	1.008s	PASSED
	Delayed 1 second(s)		

### Logout

Elapsed


32.061s

Status

FAILED

#	Description
5	click(findTestObject("Login/Ok Button in Confirmation"))
	Unable to click on object 'Object Repository/Login/Ok Button in Confirmation' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/Ok Button in Confirmation'
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source)
	at Logout.run(Logout:24)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
	at TempTestSuite1567522238949.run(TempTestSuite1567522238949.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web
	element with id: 'Object Repository/Login/Ok Button in Confirmation' located by 'By.xpath: //* [@id="body"]/div[3]/div/div/div/div/div/div/div/div]] not found
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.
	doCall(ClickKeyword.groovy:77)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

### Logout



Browser is closed