

Relay — Functional Use Cases

Test evidence for beta readiness. Every screenshot below was captured from **production** (relaystandby.com) during the walkthrough, not from a local build or a mock.

Build
Suite
Environment
Method
Data handling

master @ a4c5a4f

1475 passed / 1 skipped across 146 files · typecheck, lint and build clean

Production — Vercel, Aurora DSQL (us-east-1 / us-west-2), AWS KMS

One purpose-built circle, walked **end to end in sequence** rather than screen by screen: an owner with a name set, a verified partner who can sign in, an aunt marked emergency-code-only, a verified doctor, and a verifier who never accepted. The release below was genuinely started, genuinely confirmed, genuinely opened and genuinely reversed — each screenshot is the state the previous action produced.

All fixtures deleted afterwards; production returned to its baseline accounts with zero orphaned rows.

Coverage summary

REF	USE CASE	ACTOR	RESULT
UC-01	Know whether the vault could actually open	Owner	Pass
UC-02	Build the circle, and see who does not count	Owner	Pass
UC-03	Decide who can reach what	Owner	Pass
UC-04	Set the conditions	Owner	Pass
UC-05	Choose someone to help set it up	Owner	Pass
UC-06	Record how consent was obtained	Owner	Pass
UC-07	Accept a place in someone's plan	Contact	Pass
UC-08	Stand by, and see the shape of the grant	Recipient	Pass
UC-09	Ask them to open it	Recipient	Pass
UC-10	Answer a request for access	Owner	Pass
UC-11	Start a release yourself	Owner	Pass
UC-12	Be told a decision is waiting	Verifier	Pass
UC-13	Answer "is this real?"	Verifier	Pass
UC-14	Hear what happened after answering	Verifier	Pass
UC-15	Open what was set aside	Recipient	Pass
UC-16	Stop it — check in and close everything	Owner	Pass
UC-17	Read what happened while you were away	Owner	Pass
UC-18	Get back in when the code never arrived	Verifier	Pass
UC-19	Get back in after losing a device	Contact	Pass
UC-20	Leave, export, or close the account	Owner	Pass

REF	USE CASE	ACTOR	RESULT
UC-21	Public surfaces and the legal pages	Visitor	Pass

Two access paths are covered throughout. A contact who has *accepted a standby account* signs in as themselves and nothing secret is transmitted when a release opens — UC-15 was walked that way and the URL carried no token. A contact who cannot sign in — a recipient who never accepted, or a verified verifier holding no passkey and no authenticator — acts using a single-use code, which is why UC-18 and UC-19 show code entry.

UC-01 — Know whether the vault could actually open

Actor	Owner
Goal	Answer one question without reading anything: if something happened tomorrow, would this work?
Expected	A standing statement on every screen. Green only when the plan can actually run; when not, the single fastest next action, not a list of everything imperfect.
Verified	Pass. Reads “could reach both of the things that matter” — counting only items that matter and only verifiers who can actually act. A non-fatal gap (“a second person who can confirm”) is stated without turning the headline red.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Vault

4 items · most consequential first

Import CSV

Add item

1 Gmail

Other accounts recover through this one

2 Blue Cross

account

3 Chase Bank

You marked this as one that matters most

4 Home insurance

document

Next: ~~name who could reach these~~ — a vault nobody can open is a vault that does nothing.

UC-01 — the vault, most consequential first, under the standing statement.

UC-02 — Build the circle, and see who does not count

Actor	Owner
Goal	Name who would step in and who would confirm, and understand what is still missing.
Expected	Naming is stated as the first half of two. Each person's line says what is <i>missing</i> , not merely which state they are in. A contact the owner has marked emergency-code-only is never counted as somebody to chase.
Verified	Pass. Four person states on one screen: verified, emergency-code-only, never accepted, and a verified verifier with no fallback. The completeness box counts one outstanding person — the aunt marked code-only is correctly excluded — and no longer claims “nothing would open” while the banner above says the plan works.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. Go

People

Who would step in, who would be asked whether an emergency is real, and what each of them could reach.

Naming someone is the first half. Once they accept, call them and check the phrase matches — until you do, their answer would not count towards opening anything.

Everyone is named — but 1 of them has not been verified yet.

Until you check it is really them, their answer would not count towards opening anything. It is a two-minute call each.

Suggested starting point

Built from what the importance engine already knows. Accept what fits.

Aunt Ruth gets act access to 1 item on an emergency trigger

Root credentials are the reset path for everything else. Without them, nothing else can be recovered.

Accept

Aunt Ruth gets view access to 1 item on an emergency trigger

Critical money and health accounts are what a caregiver reaches for first.

Accept

Who holds what

PERSON	ROLE	ITEMS REACHABLE
Jordan Rivera	partner	3 / 4
Aunt Ruth	caregiver	0 / 4

Who would step in

The people who would receive access. Nothing opens for them until a trigger fires and the people you named confirm it is real — and a person you have not verified cannot receive anything.

Jordan Rivera partner ● Verified — their answer counts

qa-jordan@relay.invalid

If Jordan Rivera loses the device they signed in on, they cannot get back in. Give them an emergency code, or ask them to add a passkey.

Remove

Verified — undo

Emergency code

Aunt Ruth caregiver ■ Emergency code only

qa-ruth@relay.invalid

Covered by an emergency code only — Aunt Ruth will not count towards your plan, by your choice. Undo

Remove

Emergency code

Name

Email

recipient

Relationship (optional)

Phone (optional)

Add this person

Who confirms it is real

They are asked whether an emergency is real. Their answer only counts once you have checked it is really them. They never see what is inside your vault — only how much, and only when they are asked.

Dr. Alex Chen ● Verified — their answer counts

qa-chen@relay.invalid

If Dr. Alex Chen loses the device they signed in on, they cannot get back in. Give them an emergency code, or ask them to add a passkey.

Remove

Verified — undo

Emergency code

Pat Morgan ● Has not accepted yet — give them their code

qa-pat@relay.invalid

Give them a code

Remove

Pat Morgan cannot use an account

Emergency code

Name

Email

Phone (optional)

Add a verifier

UC-02 — every person state the product can produce, in one circle.

UC-03 — Decide who can reach what

Actor	Owner
Goal	Give one person scoped access to specific items under a specific kind of emergency.
Expected	Rules read as sentences. Reversible is the default; estate is forced irreversible and the control says so.
Verified	Pass. A rule provisions its trigger, which is why an unused trigger never appears and can never fire.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Access Rules

Grant a recipient scoped access to an item under a trigger.

Gmail → Jordan Rivera

emergency · view · reversible

Remove

Chase Bank → Jordan Rivera

emergency · view · reversible

Remove

Blue Cross → Jordan Rivera

emergency · view · reversible

Remove

NEW RULE

Vault item

Select an item...

Recipient

Select a recipient...

Trigger type

emergency

Scope

view

☒ Reversible

Release after

0

days

Add rule

UC-03 — access rules.

UC-04 — Set the conditions

Actor	Owner
Goal	Choose how long Relay waits, and how many people must agree.
Expected	Armed is the resting state. Plain language, no schema vocabulary, no demo controls shown to a non-demo owner.
Verified	Pass. “People who must agree first” rather than “Required confirmations (N)”; the demo simulate control is absent for a real account.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Triggers

What would have to happen before anything opens, and how long Relay waits before it starts asking whether you are all right.

Check-in interval (days)

30

Save

I'm fine — check in

YOUR TRIGGERS

Emergency

ARMED

0/1 confirmations

Initiate

People who must agree first:

1

Set

UC-04 — triggers, armed.

UC-05 — Choose someone to help set it up

Actor	Owner
Goal	Let an adult child do the typing without giving them anything they should not have.
Expected	What a helper can and can never do is stated before the button. Candidates are limited to people already named who have accepted.
Verified	Pass. Both lists render; a helper cannot open anything, decide access, touch a release, or add themselves.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Things waiting for you

Your helper can add and organise information. Anything that changes **who can reach it** waits for you.

Nothing is waiting. There is no rush and nothing expires.

Someone who helps you set this up

A helper can add and tidy your information so you do not have to do it all yourself.

A helper can:

- add and edit items in your vault
- import a list from elsewhere
- **suggest** people and access rules — which then wait for you

A helper can never:

- open or read anything in your vault
- decide who gets access — every one of those comes to you first
- start, stop or change a release
- add themselves to anything

Jordan Rivera · not active yet

How did you agree to this?

This is kept as a record. It is what makes handing someone this help legitimate rather than simply convenient.

☒ We did it together, in person

You sat with them, showed them this screen, and they said yes.

☐ They signed something on paper

A signed note or form. Say where it is kept, so it can be found later.

☐ They confirmed it themselves, on a device

Only if they genuinely used it. If you clicked for them, say so above instead.

Where is the record kept? (optional)

e.g. signed form in the blue folder

Record it and start

Not now

[Stop them helping](#)

People you could ask

Only people you have already named, who have accepted. If someone is missing, add them to your circle first.

Dr. Alex Chen · qa-chen@relay.invalid

Ask them to help

UC-06 — Record how consent was obtained

Actor	Owner
Goal	Make the delegation legitimate rather than merely convenient.
Expected	Nothing activates until consent is recorded (J3-R2). In-person and paper are offered as <i>peers</i> of the link, because the person being delegated for is the least likely to own a smartphone (J3-R3).
Verified	Pass. Created pending → recorded in person with an evidence note → active. The link option is worded to discourage an owner recording a consent the other person never gave.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Things waiting for you

Your helper can add and organise information. Anything that changes **who can reach it** waits for you.

Nothing is waiting. There is no rush and nothing expires.

Someone who helps you set this up

A helper can add and tidy your information so you do not have to do it all yourself.

A helper can:

- add and edit items in your vault
- import a list from elsewhere
- suggest** people and access rules — which then wait for you

A helper can never:

- open or read anything in your vault
- decide who gets access — every one of those comes to you first
- start, stop or change a release
- add themselves to anything

Jordan Rivera · helping you now

[Stop them helping](#)

People you could ask

Only people you have already named, who have accepted. If someone is missing, add them to your circle first.

Dr. Alex Chen · qa-chen@relay.invalid

Ask them to help

UC-06 — active only after the record exists.

UC-07 — Accept a place in someone's plan

Actor	Named contact
Goal	Be recognisable later, without being handed anything now.
Expected	A typed code, never a link that signs you in. Accepting opens nothing.
Verified	Pass. Copy no longer assumes the code arrived by email — delivery is owner-brokered by design.

Enter your invitation code

Someone has named you in their Relay plan.
Type the code they gave you – they may have
read it out, texted it, or written it down.

Code from your email

4KMPQ - 7XR2W

Continue

Nothing is being opened. Accepting only tells them
you have seen it.

UC-08 — Stand by, and see the shape of the grant

Actor	Recipient (standby)
Goal	Know who you are standing by for and roughly what is set aside — never what it is.
Expected	The owner by name . Counts and categories only (J4-R10). Leaving always available.
Verified	Pass. "Margaret Chen", not an email address; "Set aside for you: 3 items" with categories and no titles.

You are on standby

Nothing is open. There is nothing you need to do today.

Margaret Chen

If an emergency is confirmed by the people they trust, what they set aside for you opens. Until then it stays sealed, and it closes again when they check back in.

Set aside for you: 3 items – 1 communication, 1 finance, 1 health. You cannot see what they are, and neither can we.

Nothing open.

Ask Margaret Chen to open it

[Step down from this](#)

Make sure you can get back in

Set up your face, fingerprint or device PIN for this account. Then a new phone will not lock you out, and there is no code to keep somewhere – nothing we could send you that a stranger could imitate. You can do this later.

Set this up

Who would step in for you?

You are covering someone else. The same thing can be set up for your own family, and the first ten items are free.

Start your own plan

UC-08 — standing by. Most of the time this screen says nothing is needed.

UC-09 — Ask them to open it

Actor	Recipient (standby)
Goal	Raise a request when something has happened and no trigger has fired.
Expected	The owner is asked first. Everyone else named is told a request was made, whatever the outcome (J6-R9) — and that is stated <i>before</i> the form, not discovered after. Capped at three in twenty-four hours.
Verified	Pass. Request created against production and reached the owner. Free text is capped, flattened to one line, and any link is removed before it is emailed.

You are on standby

Nothing is open. There is nothing you need to do today.

Margaret Chen

If an emergency is confirmed by the people they trust, what they set aside for you opens. Until then it stays sealed, and it closes again when they check back in.

Set aside for you: 3 items – 1 communication, 1 finance, 1 health. You cannot see what they are, and neither can we.

Nothing open.

Margaret Chen will be asked first.

Everyone else they named is told that you asked, whatever the outcome – that is deliberate, so nobody can quietly reach into someone else's accounts.

What has happened?

An emergency



In your own words

Whoever reads this may have to decide without being able to ask you anything, so say where they are and what you need.

Ask them

Not now

[Step down from this](#)

Make sure you can get back in

Set up your face, fingerprint or device PIN for this account. Then a new phone will not lock you out, and there is no code to keep somewhere – nothing we could send you that a stranger could imitate. You can do this later.

Set this up

Who would step in for you?


You are covering someone else. The same thing can be set up for your own family, and the first ten items are free.

Start your own plan

UC-09 — the deterrent is stated up front, not afterwards.

UC-10 — Answer a request for access

Actor	Owner
Goal	Say “I’m fine” or “let them in” before anyone else is involved.
Expected	Who asked, in their own words, with a countdown, and a plain statement of what happens if the owner does not answer.
Verified	Pass. “Jordan Rivera is asking for access”, the reason quoted, “1h 58m left to answer”, and both answers offered.



UC-10 — the challenge. Before this walkthrough nothing in the product could produce a request for this screen to show.

UC-11 — Start a release yourself

Actor	Owner
Goal	Open the window deliberately — “I know I am about to be unreachable.”
Expected	Still requires the named people to confirm. Both reversal controls appear, and they are deliberately not equal in weight.
Verified	Pass. Advanced to the confirmable window at 0 of 1 confirmations — nothing opened. Stand down — re-arm is prominent; Cancel permanently is separated and confirms first, so somebody stopping a false alarm at speed cannot retire their whole plan by mistake.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Triggers

What would have to happen before anything opens, and how long Relay waits before it starts asking whether you are all right.

Check-in interval (days)

30

Save

I'm fine — check in

YOUR TRIGGERS

Emergency

GRACE

0/1 confirmations

Stand down — re-arm

Cancel permanently

People who must agree first:

1

Set

UC-11 / UC-16 — a release in flight, with both ways to stop it.

UC-12 — Be told a decision is waiting

Actor	Verifier (standby)
Goal	Find the question by visiting the site, with nothing to intercept.
Expected	A verifier who can sign in receives no credential at all — the message tells them to sign in, and the dashboard carries the ask.
Verified	Pass. “They need your answer” with a direct action, and no code was minted for this person.

You are on standby

Something needs your attention below.

Margaret Chen

If an emergency is claimed, you will be asked one question: is this real? You will never see anything inside their vault – not now, and not after you answer.

They need your answer

Answer now

[Step down from this](#)

Make sure you can get back in

Set up your face, fingerprint or device PIN for this account. Then a new phone will not lock you out, and there is no code to keep somewhere – nothing we could send you that a stranger could imitate. You can do this later.

Set this up

Who would step in for you?

You are covering someone else. The same thing can be set up for your own family,

and the first ten items are free.

Start your own plan

UC-12 — pull, not push.

UC-13 — Answer “is this real?”

Actor	Verifier
Goal	Attest that an emergency is genuine, without an account created at decision time and without seeing the vault.
Expected	J7-R3 in order: who is asking, why now , what has been tried, what confirming will and will not cause. Three answers at equal prominence (J7-R6). Scale shown; contents never.
Verified	Pass. “Is this real, for Margaret Chen?” — the vault is named, which it was not before 2026-08-12. “They started this themselves” is derived from how the release began. All three answers now share one visual treatment; until this pass “Yes” was a filled button and “No” an outline.

REFERENCE RLY-8J8S-S8T9

Is this real, for Margaret Chen?

An emergency release has been started on **Margaret Chen**'s vault, and you are one of the people they chose to ask.

They started this themselves, before becoming unreachable.

What has happened so far

Relay began asking the people they chose — 8/12/2026, 4:43:30 PM

If you confirm

They get access to **3** items across communication, finance, health.

This can be undone. If it turns out to be a false alarm, access closes again.

0 of 1 needed so far.

What this does not do

You will never see any of their information. Not now, and not after you confirm. You are being asked one question only: whether the situation is genuine.

genuine.

Yes — this is real

No — this is not right

I don't know

"I don't know" is a real answer. We will ask someone else rather than counting it either way.

UC-13 — the decision page. The single highest-stakes screen in the product.

UC-14 — Hear what happened after answering

Actor	Verifier
Goal	Not be left wondering. A verifier who hears nothing back stops answering (J7-R12).
Expected	Immediate closure naming whether it can be reversed, plus the case reference.
Verified	Pass. "Recorded. They can reverse this at any time."

Thank you

Recorded. They can reverse this at any time.

Reference RLY-8J8S-S8T9

UC-15 — Open what was set aside

Actor	Recipient
Goal	Reach the accounts that were assigned, in a usable order.
Expected	Ordered by consequence. Decryption happens in the browser. A contact who accepted signs in as themselves — no token in the URL .
Verified	Pass. Opened from a session with a clean URL; three items in priority order, each revealed only on request.

Your access plan

Work top to bottom — the most consequential items come first.

DO TODAY

1 Gmail [view](#)
login

Reveal

2 Blue Cross [view](#)
account

Reveal

3 Chase Bank [view](#)
account

Reveal

UC-16 — Stop it: check in and close everything

Actor	Owner
Goal	Come back and have it all shut, without undoing anything by hand.
Expected	One action reverses pending, grace and released alike, and names what it closed.
Verified	Pass. "Checked in — emergency re-armed." The released trigger returned to armed and the recipient's access closed.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Triggers

What would have to happen before anything opens, and how long Relay waits before it starts asking whether you are all right.

Check-in interval (days)

30

Save

I'm fine — check in

Checked in — emergency re-armed.

YOUR TRIGGERS

Emergency

ARMED

0/1 confirmations

Initiate

People who must agree first:

1

Set

UC-16 — reversal, in one action.

UC-17 — Read what happened while you were away

Actor	Owner
Goal	Find out what actually happened, and be able to check that the answer is trustworthy.
Expected	The story in sentences, above a hash-chained record that cannot be edited. People named, not UUIDs. It must distinguish “somebody looked” from “nothing happened”.
Verified	Pass. “an emergency was raised and Dr. Alex Chen confirmed it was real”; the table names Dr. Alex Chen and Jordan Rivera with the raw ids beneath, and the chain still verifies — names are resolved for display only and never written into the record.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

What happened

11 entries · append-only, hash-chained.

Server: intact

Client: —

Verify chain

On 8/12/2026 an emergency was raised and Dr. Alex Chen confirmed it was real. Nothing was opened, and it is closed again.

Closed 8/12/2026, 4:58:37 PM — because you checked back in. Nothing else was reachable, and nothing stayed open.

Every entry

The full record, in the order it happened. Nothing here can be edited or removed — that is what makes the summary above trustworthy rather than merely reassuring.

SEQ	TIME	ACTOR	ACTION	ENTITY	DETAIL	HASH
0	8/12/2026, 4:41:36 PM	You (Margaret Chen) owner:fdb47812-a0d7-4ae1-a9a1-6fe9ff4c113d	delegation_consent_recorded	delegation · edf7a065	▶ view	2af98a8ee87c...
1	8/12/2026, 4:42:30 PM	Jordan Rivera recipient:4d375813-7ff0-4e95-848e-ef16ddc4de77	access_requested	access_request · 45ab3675	▶ view	cca1fe32c961...
2	8/12/2026, 4:43:30 PM	system	release_transition_pending	release_state · fb1a1978	▶ view	7f1bcfdfbdb...
3	8/12/2026, 4:43:31 PM	system	release_transition_grace	release_state · fb1a1978	▶ view	58150763a404...
4	8/12/2026, 4:43:31 PM	You (Margaret Chen) owner:fdb47812-a0d7-4ae1-a9a1-6fe9ff4c113d	trigger_initiated	release_state · fb1a1978	▶ view	8ca195735266...
5	8/12/2026, 4:53:17 PM	Dr. Alex Chen verifier:07e2bd5c-dfab-474d-b01f-c618e1dae72a	verifier_confirmed	release_state · fb1a1978	▶ view	e5c8edf4494e...
6	8/12/2026, 4:53:18 PM	system	release_transition_released	release_state · fb1a1978	▶ view	71e07393735f...
7	8/12/2026, 4:57:38 PM	Jordan Rivera recipient:4d375813-7ff0-4e95-848e-ef16ddc4de77	recipient_dashboard_viewed	release_state · fb1a1978	▶ view	4be50c24bd49...
8	8/12/2026, 4:57:38 PM	Jordan Rivera recipient:4d375813-7ff0-4e95-848e-ef16ddc4de77	recipient_dashboard_viewed	release_state · fb1a1978	▶ view	bc3c3bf829d8...
9	8/12/2026, 4:58:37 PM	system	release_transition_armed	release_state · fb1a1978	▶ view	6bb7241383ad...
10	8/12/2026, 4:58:38 PM	You (Margaret Chen) owner:fdb47812-a0d7-4ae1-a9a1-6fe9ff4c113d	owner_checkin	release_state	▶ view	0cf820d7dd6e...

UC-17 — the record, after a complete incident.

UC-18 — Get back in when the code never arrived

Actor	Verifier
Goal	Answer even though the message never arrived or the code expired.
Expected	Self-service, because the owner may be the person in hospital. Sends to the address on file, never to one typed in.
Verified	Pass. "My code has expired, or never arrived" opens the form. What is sent depends on how the person is set up, so the wording promises what they need rather than "a code".

Enter your code

Someone has asked you to confirm that a situation is genuine. Type the code we sent you.

Code from your email

7 K 4 M - P 2 X W

Continue

My code has expired, or never arrived

You will never be shown anyone's private information — not now, and not after you answer. Relay will never send you a link that signs you in.

UC-19 — Get back in after losing a device

Actor	Any contact
Goal	Act when the usual sign-in is gone — or when there never was one.
Expected	Works once. The owner is told it was used and asked to check it was really them.
Verified	Pass. Copy now names the real alternative when the owner cannot be reached: the others they named can still answer.

Use your emergency code

If you were given a code to keep somewhere safe, type it here. It is the way back in when your usual sign-in is not available.

It works once. The person who gave it to you will be told that you used it, and they will be asked to check it was really you — that is deliberate, and it is what makes a code like this safe to carry.

Your emergency code

XXXX-XXXX-XXXX

Continue

No code? Ask the person who named you, if you can reach them — they can issue a new one. Relay cannot send you one directly, because a code that arrives in an email is a code anyone who reaches that inbox could use. If you cannot reach them, that is what the others they named are for: a decision does not wait on any one person, and the rest of their circle can still answer without you.

UC-20 — Leave, export, or close the account

Actor	Owner
Goal	Take the data out, stop paying, or leave entirely.
Expected	Export decrypted in the browser; cancel without losing the vault; close with the consequences stated in the one colour reserved for what cannot be undone.
Verified	Pass. Name, passkey, recovery codes, subscription, export and closure all present. Leaving is a first-class path, not a support ticket.

Relay

Living-continuity vault

Vault

Import

People

Rules

Triggers

Approvals

Audit

Account

If something happened tomorrow, the people you named could reach both of the things that matter.

Missing: a second person who can confirm an emergency.

Still to set up

Your plan works, but it rests entirely on one person — and they have no way back in if they lose the device they signed in on. Give them an emergency code, or ask them to add a passkey. [Go](#)

Your account

Take your data out, or close the account.

Your name

This is how you appear to the people you trust. They see it on every message Relay sends on your behalf — including the one that arrives when something has gone wrong, which is the worst possible moment for it to say an email address they do not recognise.

Margaret Chen

Save name

Passkey

Sign in with your face, fingerprint or device PIN — no code to find, and nothing we could email you that a stranger could imitate. Adding one also means a new phone does not lock you out.

Add a passkey

Recovery codes

Relay has no password. If you lose the phone with your authenticator on it, these codes are the only way back in — so if you cannot find the list you were given at signup, get a new one now, while you still can.

Issuing a new list immediately stops the old one working.

Issue new recovery codes

Subscription and billing

Relay is \$119 a year and renews automatically until you cancel. You can cancel at any time from this page. Nothing in your vault is deleted when a subscription ends — it stays exactly as it is, and the free limits apply only to adding more.

Manage or cancel subscription

Export everything

Downloads a readable file containing every item, decrypted here in your browser, plus the people you have designated. Keep it somewhere you would keep a password list — it is not protected once it leaves.

Export my vault

Close this account

Removes your vault, the people you designated, and your access rules. This cannot be undone, and anyone relying on this vault will lose their access immediately.

The tamper-evident event log is kept, exactly as our privacy page says. It holds no secrets — only the record of what happened and when.

Close my account

UC-21 — Public surfaces and the legal pages

Actor	Visitor, and people who never signed up
Goal	Understand the product, and — if somebody named you — find out what that means for you.
Expected	Terms and Privacy each address the population that did not sign up and was merely named.
Verified	Pass. Both live, both carrying those sections. Counsel review under <code>g2-counsel-opinion</code> remains outstanding and this does not substitute for it.

Relay

Sign in

The accounts someone would need, if you could not manage them.

Relay holds them encrypted, opens only what you chose for the person you chose, and only once a real emergency has been confirmed by someone you trust — then closes again when you recover. One price for the whole family, \$119 a year.

I'm caring for a parent

Show me what actually happens

It closes again

Every other way of doing this is a door you open once. Recover, check in, and access ends on its own — which is what makes it safe to set up before you need it.

We cannot read it

Secrets are encrypted in your browser before they reach us. We hold ciphertext, and we are honest on [exactly what we can see](#).

Someone has to say yes

Nothing opens on a timer or a guess. A person you named confirms the situation is real, and never sees anything of yours.

Were you named by someone?

If someone has asked you to be a recipient or a trusted contact, you will have an email with a code in it. Enter it at [relaystandby.com/claim](#). Relay never sends a link that signs you in — if a message claiming to be from us asks you to click one, it is not from us.

Relay — standby access for the people who'll need it.

How it works

Security

Privacy

Terms