




Supporting R in the Binder Community

Sarah Gibson

Pronouns: she/her



@drsarahlgibson @mybinderteam
<DOI>

What is Binder?



- Project Binder is a global community of data scientists and software engineers dedicated to reproducible research
- The mybinder.org service allows anyone to launch **complete, interactive computing environments** in the cloud by clicking a link in their browser







mybinder.org



- Launched by Jeremy Freeman in 2015
- First Binder and Jupyter meeting in January 2017
- First half of 2017 spent redeveloping the backend into what is now BinderHub
- Sept 24, 2017 – Moore Foundation Binder proposal accepted





mybinder.org

BinderHub

Build and launch a repository

GitHub repository name or URL
 GitHub ▾

Git branch, tag, or commit
 

Path to a notebook file (optional)
 File ▾



Redirect User to
mybinder.org/some_url

6

Make image accessible at
mybinder.org/some_url

5



Allocate
computational
resources

4

1

Clone GitHub Repo



2

Build image
according to
instructions
contained within the
repo




3

Execute image



- Trustworthy systems
- Transparent reporting
- Inclusive interoperable design
- Ethical integrity
- Respectful co-creation
- Leadership in open research



My Fellowship



Expand and Diversify the Binder Community



Issues

```
1  var evt = 'contextmenu dblclick drag dragend dragenter'
2  var loghuman = function() {
3      if (window.wfLogHumanRan) { return; }
4      var wfscr = document.createElement('script');
5      wfscr.type = 'text/javascript';
6      wfscr.async = true;
7      wfscr.src = url + '&r=' + Math.random();
8      (document.getElementsByTagName('head')[0]||document.getElementsByTagName('body'))[0].appendChild(wfscr);
9      for (var i = 0; i < evt.length; i++) {
10          removeEvent(evt[i], loghuman);
11      }
12  };
13  for (var i = 0; i < evt.length; i++) {
14      addEvent(evt[i], loghuman);
15  }
16  addEvent(evt[i], loghuman);
17  https://safe.com/?wordfence_lh=1&hid=A957C90CB285F093A67A272100A33E
18  <script><noscript><style>.main-content { position: relative; }
19  <script><ref>
20  <script><ref>
21  <script><ref>
22  <script><ref>
23  <script><ref>
24  <script><ref>
25  <script><ref>
26  <script><ref>
27  <script><ref>
28  <script><ref>
29  <script><ref>
30  <script><ref>
31  <script><ref>
32  <script><ref>
33  <script><ref>
34  <script><ref>
35  <script><ref>
36  <script><ref>
37  <script><ref>
38  <script><ref>
39  <script><ref>
40  <script><ref>
41  <script><ref>
42  <script><ref>
43  <script><ref>
44  <script><ref>
45  <script><ref>
46  <script><ref>
47  <script><ref>
48  <script><ref>
49  <script><ref>
50  <script><ref>
51  <script><ref>
52  <script><ref>
53  <script><ref>
54  <script><ref>
55  <script><ref>
56  <script><ref>
57  <script><ref>
58  <script><ref>
59  <script><ref>
60  <script><ref>
61  <script><ref>
62  <script><ref>
63  <script><ref>
64  <script><ref>
65  <script><ref>
66  <script><ref>
67  <script><ref>
68  <script><ref>
69  <script><ref>
70  <script><ref>
71  <script><ref>
72  <script><ref>
73  <script><ref>
74  <script><ref>
75  <script><ref>
76  <script><ref>
77  <script><ref>
78  <script><ref>
79  <script><ref>
80  <script><ref>
81  <script><ref>
82  <script><ref>
83  <script><ref>
84  <script><ref>
85  <script><ref>
86  <script><ref>
87  <script><ref>
88  <script><ref>
89  <script><ref>
90  <script><ref>
91  <script><ref>
92  <script><ref>
93  <script><ref>
94  <script><ref>
95  <script><ref>
96  <script><ref>
97  <script><ref>
98  <script><ref>
99  <script><ref>
100 <script><ref>
```

Motivations



The Binder Community

Issues

Motivations

- # – Python-centric



The Binder Community

Issues

- Python-centric
- Small number of active maintainers



Motivations



mybinder.org user survey

What did R users say?

If it was possible to have the pre-built images launch faster, that would be awesome. Sometimes I wait 5-15 minutes for a binder instance to launch and then when I come to the binder instance, it has already expired. It's one barrier I have convincing my R friends to try binder instead of shiny-apps.

mybinder.org user survey

What did R users say?

If it was possible to have the pre-built images launch faster, that would be awesome. Sometimes I wait 5-15 minutes for a binder instance to launch and then when I come to the binder instance, it has already expired. It's one barrier I have convincing my R friends to try binder instead of shiny-apps.

rocker

Overview

This repository contains Dockerfiles for different Docker containers of interest to R users.

Getting Started

To get started right away, ensure you have [Docker installed](#) and start a container with `docker rocker/r-base` (see [here](#) for the `docker run` command options). In this case we are starting a container (the base package to build from) in an interactive mode, see below for details of the currently available. To get started on the `rstudio` container or its derivative containers (e.g. `ropensci`) you need to open a port, see the [instructions in the wiki](#). The [wiki](#) also contains information on the project, including how to extend these images and contribute to development.

Hole punch

 R-CMD-check failing

 coverage 75%  lifecycle maturing  CRAN not published

What this package does

holepunch will read the contents of your R project on GitHub, create a [DESCRIPTION](#) file, write a Dockerfile, add a badge to your README, and build a Docker image. The reader can click the badge and within minutes, be dropped into a free, live, Python scripts and notebooks and see how everything works.

mybinder.org user survey

What did R users say?

If it was possible to have the pre-built images launch faster, that would be awesome. Sometimes I wait 5-15 minutes for a binder instance to launch and then when I come to the binder instance, it has already expired. It's one barrier I have convincing my R friends to try binder instead of shiny-apps.

UPSTREAM



docker



kubernetes

mybinder.org user survey

What did R users say?

If it was possible to have the pre-built images launch faster, that would be awesome. Sometimes I wait 5-15 minutes for a binder instance to launch and then when I come to the binder instance, it has already expired. It's one barrier I have convincing my R friends to try binder instead of shiny-apps.

Solution?



r-conda

[launch](#) [binder](#)

R and RStudio in repo2docker without waiting for packages to compile!

Jupyter+R: [launch](#) [binder](#)

RStudio: [launch](#) [binder](#)

Binder supports using R and RStudio, with libraries pinned to a specific versions.

Install R itself and your required R packages via conda packages. Installing conda packages is faster than installing CRAN packages. This is because CRAN packages need compiling during the install process and conda packages do not.

<https://github.com/binder-examples/r-conda>

<https://github.com/sgibson91/mybinder.org-user-survey-nlp>

mybinder.org user survey

What did R users say?

If it was possible to have the pre-built images launch faster, that would be awesome. Sometimes I wait 5-15 minutes for a binder instance to launch and then when I come to the binder instance, it has already expired. It's one barrier I have convincing my R friends to try binder instead of shiny-apps.

Solution?



renv

lifecycle stable CRAN 0.10.0 build error build passing codecov 75%



Overview

The `renv` package helps you create reproducible environments for your R projects. Use `renv` to make your R projects more:

Isolated: Installing a new or updated package for one project won't break your other projects, and vice versa. That's because `renv` gives each project its own private package library.

Portable: Easily transport your projects from one computer to another, even across different platforms. `renv` makes it easy to install the packages your project depends on.

<https://github.com/rstudio/renv>

<https://github.com/sgibson91/mybinder.org-user-survey-nlp>

The Binder Community

Issues

- Python-centric
- Small number of active maintainers



Motivations



The Binder Community

Issues

- Python-centric
- Small number of active maintainers



Motivations

- Shape the roadmap of Binder



The Binder Community

Issues

- Python-centric
- Small number of active maintainers



Motivations

- Shape the roadmap of Binder
- Improve support for language/domain



The Binder Community

Issues

- Python-centric
- Small number of active maintainers



Motivations

- Shape the roadmap of Binder
- Improve support for language/domain
- Be a part of a welcoming and supportive community!



Find out more and get involved

- Email: sgibson@turing.ac.uk
- GitHub: <https://github.com/jupyterhub/binderhub>
- Website: <https://mybinder.readthedocs.io> and <https://mybinder.org>
- Discourse: <https://discourse.jupyter.org/c/binder>
- Gitter: <https://gitter.im/jupyterhub/binder>
- Twitter: [@mybinderteam](https://twitter.com/mybinderteam)
- Binder tutorial in R: bit.ly/zero-to-binder-r

The
Alan Turing
Institute

jupyter

binder

