




```

4 ● CREATE TABLE student_marks (
5     roll_no INT PRIMARY KEY,
6     name VARCHAR(50),
7     subject VARCHAR(50),
8     marks DECIMAL(5,2)
9 );

```

```

4 19:32:00 CREATE TABLE student_marks ( roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2)) 0 row(s) affected

```

```

10 ● INSERT INTO student_marks (roll_no, name, subject, marks) VALUES
11 (1, 'Ravi', 'Math', 85.50),
12 (2, 'Sita', 'Math', 92.75),
13 (3, 'Anil', 'Math', 78.40),
14 (4, 'Priya', 'Math', 88.90),
15 (5, 'Vijay', 'Math', 80.25),
16 (6, 'subbusir', 'aws', 98.50),
17 (7, 'dwaraka', 'dbms', 95.75),
18 (8, 'ranjani', 'english', 97.40),
19 (9, 'kavithamam', 'aws1', 99.90),
20 (10, 'seetha', 'azure', 82.25);

```

Output:

#	Time	Action	Message
1	19:31:08	CREATE DATABASE IF NOT EXISTS student_db	1 row(s) affected
2	19:31:19	USE student_db	0 row(s) affected
3	19:31:30	DROP TABLE IF EXISTS student_marks	0 row(s) affected, 1 warning(s): 1051 Unknown table 'student_db.student_marks'
4	19:32:00	CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))	0 row(s) affected
5	19:32:29	INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3, 'Anil', 'Math', 78.40), (4, 'Priya', 'Math', 88.90), (5, 'Vijay', 'Math', 80.25), (6, 'subbusir', 'aws', 98.50), (7, 'dwaraka', 'dbms', 95.75), (8, 'ranjani', 'english', 97.40), (9, 'kavithamam', 'aws1', 99.90), (10, 'seetha', 'azure', 82.25);	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0

21 • `SELECT * FROM student_marks;`

<				
Result Grid				
Filter Rows:				
	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	3	Anil	Math	78.40
	4	Priya	Math	88.90
	5	Vijay	Math	80.25
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
	10	seetha	azure	82.25
▲	NULL	NULL	NULL	NULL

22 • `SELECT COUNT(*) AS total_students FROM student_marks;`

	total_students
▶	10

`SELECT SUM(marks) FROM student_marks;`

	SUM(marks)
▶	899.60

`SELECT AVG(marks) FROM student_marks;`

	AVG(marks)
▶	89.960000

```
SELECT MAX(marks) FROM student_marks;
```

	MAX(marks)
▶	99.90

```
SELECT MIN(marks) FROM student_marks;
```

	MIN(marks)
▶	78.40

```
SELECT * FROM student_marks WHERE marks > 85;
```

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	4	Priya	Math	88.90
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
•	NULL	NULL	NULL	NULL

```
28 • SELECT * FROM student_marks WHERE marks >= 90;
```

```
29 • SELECT * FROM student_marks WHERE marks < 80;
```

Result Grid				
Filter Rows:				
	roll_no	name	subject	marks
▶	2	Sita	Math	92.75
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
•	NULL	NULL	NULL	NULL

- 29 • `SELECT * FROM student_marks WHERE marks < 80;`
- 30 • `SELECT * FROM student_marks WHERE marks BETWEEN 80 AND 90;`

Result Grid				
Filter Rows:				
	roll_no	name	subject	marks
▶	3	Anil	Math	78.40
•	NULL	NULL	NULL	NULL

- 29 • `SELECT * FROM student_marks WHERE marks < 80;`
- 30 • `SELECT * FROM student_marks WHERE marks BETWEEN 80 AND 90;`

Result Grid				
Filter Rows:				
	roll_no	name	subject	marks
▶	3	Anil	Math	78.40
•	NULL	NULL	NULL	NULL

- 31 • `SELECT * FROM student_marks WHERE name LIKE 'P%';`
- 32 • `SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay');`

Result Grid				
Filter Rows:				
	roll_no	name	subject	marks
▶	4	Priya	Math	88.90
•	NULL	NULL	NULL	NULL

```
32 • SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay');
33 • SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
```

Result Grid				
Filter Rows:				
Edit:				
Export/Import:				
Wrap Cell Content:				
	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	5	Vijay	Math	80.25
•	NULL	NULL	NULL	NULL

```
33 • SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
```

Result Grid				
Filter Rows:				
Edit:				
Export/Import:				
Wrap Cell Content:				
	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	4	Priya	Math	88.90
•	NULL	NULL	NULL	NULL

```
UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3;
```

19 19:37:37 UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

```
35 • UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80;
```

#	Time	Action	Message
15	19:36:09	SELECT * FROM student_marks WHERE marks BETWEEN 80 AND 90 LIMIT 0, 1000	4 row(s) returned
16	19:36:22	SELECT * FROM student_marks WHERE name LIKE 'P%'; LIMIT 0, 1000	1 row(s) returned
17	19:36:37	SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000	3 row(s) returned
18	19:36:49	SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%') LIMIT 0, 1000	3 row(s) returned
19	19:37:37	UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
20	19:37:58	UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses...

```
DELETE FROM student_marks WHERE roll_no = 5;
DELETE FROM student_marks WHERE marks < 75;
```

25 19:39:46 DELETE FROM student_marks WHERE roll_no = 5 0 row(s) affected

26 19:39:49 DELETE FROM student_marks WHERE marks < 75 0 row(s) affected

```
UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3;
```

```
UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80;
```

27 19:40:18 UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3 0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0

28 19:40:22 UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0

```
DELETE FROM student_marks WHERE roll_no = 5;
DELETE FROM student_marks WHERE marks < 75;
```


- 29 19:41:11 DELETE FROM student_marks WHERE roll_no = 5 0 row(s) affected
- 30 19:41:14 DELETE FROM student_marks WHERE marks < 75 0 row(s) affected

44 • `SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject;`

	subject	total_marks
▶	Math	357.15
	aws	98.50
	dbms	95.75
	english	97.40
	aws1	99.90
	azure	82.25

- 45 • `SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject;`
- 46 • `SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject;`

	subject	avg_marks
▶	Math	89.287500
	aws	98.500000
	dbms	95.750000
	english	97.400000
	aws1	99.900000
	azure	82.250000

- 45 • `SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject;`
- 46 • `SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject;`

Result Grid				 Filter
	subject	avg_marks		
▶	Math	89.287500		
	aws	98.500000		
	dbms	95.750000		
	english	97.400000		
	aws1	99.900000		
	azure	82.250000		

```
47 • SELECT subject, AVG(marks) AS avg_marks
48 FROM student_marks
49 GROUP BY subject
50 HAVING AVG(marks) > 90;
```

Result Grid				 Filter Rows:
	subject	avg_marks		
▶	aws	98.500000		
	dbms	95.750000		
	english	97.400000		
	aws1	99.900000		

```
52 • SELECT subject, COUNT(*) AS num_students
53 FROM student_marks
54 GROUP BY subject
55 HAVING COUNT(*) > 1;
```

Result Grid				 Filter Rows:
	subject	num_students		
▶	Math	4		