



Young Frac – Traffic Control Plan

The following information must be reviewed by any heavy traffic drivers who will be providing services to the Young frac.

Young frac designated staging area for **sand** is Love's/Speedco Truck Stop, as needed.

Address: **66320 Belmont Morristown Rd, Belmont, OH 43718**

Directions for entering the frac:

- 1) From Morristown, enter onto **OH-149** (Morristown-Flushing Rd)
- 2) Take **OH-149** for 1.8 miles & turn right onto **Mt. Hope Rd** (Twp Rd 72)
- 3) Stay on **Mt. Hope Rd (20 MPH)** for 2.1 miles. Entrance to Young is on the left.
- 4) Young Pad has dual lease roads. Inbound traffic will stay to the right.

*To exit the frac, follow the same route outbound.

Young 911 Address:

42435 Mt Hope Rd., Flushing, Ohio 43977

No other routes are approved for entry or exit.

CB Channel 12 will be utilized for communications inbound and outbound from the frac.

There are (4) Inbound and (4) Outbound Callout Points placed along the approved route for location reference on the radio. Please keep chatter to a minimum and communicate your position. There is (1) 90 degree turn at Callout #3 with minimal visibility.


NO JAKE BRAKES INBOUND OR OUTBOUND NEAR RESIDENTS

Refer to topographic maps for visual reference of the approved route.

Please call Gulfport Dispatch if you have any questions: **740-552-4350**




Topo: Entire Route View





Topo: Callouts (Mt Hope Rd)





Topo: On-Pad Traffic Flow

