

Bishop Well Pad

Permitted Wells

- Bishop TML 2A (34-157-2-5563-00-00)
- Bishop TML 4A (34-157-2-5564-00-00)
- Bishop TML 6A (34-157-2-5565-00-00)
- Bishop TML 8A (34-157-2-5566-00-00)

TRAFFIC REQUIREMENTS

- **ALL COMMERCIAL TRAFFIC MUST USE SR 800 TO ENTER/EXIT CR 36 (FEED SPRINGS RD SE)**
- **TRAFFIC CANNOT STAGE ON RUMA ROUTE. TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS**
- **LIMIT SPEED AND AVOID JAKE BRAKE**
- **DO NOT USE GPS**
- **ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY**
- **OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING**
 - **ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG- APPROVED LOCAL ROADS**
- **SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY.JONES@EOGRESOURCES.COM)**

EMERGENCY RESPONSE ONLY: 9063 KLESKI RD SE, UHRICHSVILLE, OH 44683

Well Pad Directions

A. From I-77

1. Use Exit 65 for US 36 toward Port Washington
2. Take US 36 E for 14.3 miles through Uhrichsville
3. Stay straight at US 36/US 250 interchange
4. Take US 250/SR 800 1.3 miles towards Dennison
5. Turn right to for SR 800 South
6. Take SR 800 South for 3.2 miles (through Dennison)
7. Turn left onto CR 36 (Feed Springs RD SE)
8. Take CR 36 (Feed Springs RD SE) southeast for 0.4 miles
9. Turn right onto TR 30 (Latto RD SE)
10. Take TR 30 (Latto RD SE) south for 1.3 miles
11. Turn right onto Kleski RD SE
12. Take Kleski RD SE for 0.4 miles
13. Pad entrance will be on right

B. From Carrollton

1. Take SR 332 (Scio RD) south for 12.6 miles
2. Turn right onto SR 151 (Scio-Bowerston RD)
3. Take SR 151 (Scio-Bowerston RD) west for 10.2 miles
4. Turn right onto US 250 (Cadiz-Dennison RD)
5. Take US 250 (Cadiz-Dennison RD) west for 4.4 miles towards Dennison
6. Stay straight at US 250/SR 800 interchange to take SR 800
7. Take SR 800 south for 13.8 miles (through Dennison)
8. Turn left onto CR 36 (Feed Springs RD SE)
9. Take CR 36 (Feed Springs RD SE) southeast for 0.4 miles
10. Turn right onto TR 30 (Latto RD SE)
11. Take TR 30 (Latto RD SE) south for 1.3 miles
12. Turn right onto Kleski RD SE
13. Take Kleski RD SE for 0.4 miles
14. Pad entrance will be on right

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

C. From The Wright Way Pad (Drilling Move) (45.7 miles)

1. Exit The Wright Way Pad by turning right onto TR 228 (Lilly RD NW)
2. Take TR 228 (Lilly RD NW) west for 1.5 miles
3. TR 228 (Lilly RD NW) become TR 224 (Lemon RD NW)
4. Take TR 224 (Lemon RD NW) west for 1.5 miles
5. Turn left onto SR 43 (Canton RD NW)
6. Take SR 43 (Canton RD NW) south for 8.7 miles
7. Turn left onto SR 39/43 (West Main ST)
8. Take SR 39/43 (West Main ST) for 0.4 miles in Carrollton
9. Turn right onto Public Square, for 335 feet
10. Follow traffic pattern through Public Square for SR 332 (Scio RD)
11. Take SR 332 (Scio RD) south for 12.6 miles
12. Turn right onto SR 151 (Scio-Bowerston RD)
13. Take SR 151 (Scio-Bowerston RD) west for 10.2 miles
14. Turn right onto US 250 (Cadiz-Dennison RD)
15. Take US 250 (Cadiz-Dennison RD) west for 4.4 miles towards Dennison
16. Stay straight at US 250/SR 800 interchange to take SR 800
17. Take SR 800 south for 13.8 miles (through Dennison)
18. Turn left onto CR 36 (Feed Springs RD SE)
19. Take CR 36 (Feed Springs RD SE) southeast for 0.4 miles
20. Turn right onto TR 30 (Latto RD SE)
21. Take TR 30 (Latto RD SE) south for 1.3 miles
22. Turn right onto Kleski RD SE
23. Take Kleski RD SE for 0.4 miles
24. Pad entrance will be on right

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

D. From Timberwolf Pad (Completions Move)(47.3 miles)

1. Exit Timberwolf Pad by turning left onto TR 224A (Licking RD NW)
2. Take TR 224 A (Licking RD NW) for 350 feet
3. Turn left onto SR 183 (Alliance RD NW)
4. Take SR 183 (Alliance RD NW) for 0.9 miles
5. Turn left onto SR 43 (Canton RD NW)
6. Take SR 43 (Canton RD NW) south for 9.3 miles
7. Turn left onto SR 39/43 (West Main ST)
8. Take SR 39/43 (West Main ST) for 0.4 miles in Carrollton
9. Turn right onto Public Square, for 335 feet
10. Follow traffic pattern through Public Square for SR 332 (Scio RD)

11. Take SR 332 (Scio RD) south for 12.6 miles
12. Turn right onto SR 151 (Scio-Bowerston RD)
13. Take SR 151 (Scio-Bowerston RD) west for 10.2 miles
14. Turn right onto US 250 (Cadiz-Dennison RD)
15. Take US 250 (Cadiz-Dennison RD) west for 4.4 miles towards Dennison
16. Stay straight at US 250/SR 800 interchange to take SR 800
17. Take SR 800 south for 13.8 miles (through Dennison)
18. Turn left onto CR 36 (Feed Springs RD SE)
19. Take CR 36 (Feed Springs RD SE) southeast for 0.4 miles
20. Turn right onto TR 30 (Latto RD SE)
21. Take TR 30 (Latto RD SE) south for 1.3 miles
22. Turn right onto Kleski RD SE
23. Take Kleski RD SE for 0.4 miles
24. Pad entrance will be on right

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

Bishop RUMA Route

Mill TWP, Tuscarawas County

Driving Directions

1. From SR 800, take CR 36 (Feed Springs RD SE) 0.4 miles
2. Turn right onto TR 30 (Latto RD SE). Take for 1.3 miles
3. Turn right onto Kleski RD SE. Take for 0.4 miles
4. Pad will be on right

Legend

- Bishop RUMA Route
- EOG Pads
- Feature 2
- NO EOG TRAFFIC

