

Cobalt Well Pad

- Cobalt CBR 1A (34-019-2-2956-00-00)
- Cobalt CBR 3A (34-019-2-2957-00-00)
- Cobalt CBR 5A (34-019-2-2958-00-00)
- Cobalt CBR 7A (34-019-2-2959-00-00)
- Cobalt CBR 9A (34-019-2-2960-00-00)

TRAFFIC REQUIREMENTS

- ALL COMMERCIAL TRAFFIC MUST USE SR 171 (WAYNESBURG RD NE) TO ENTER/EXIT TR 204 (KNIGHT RD NW)
- DO NOT ENTER/EXIT USING CR 68 (CITRUS RD NW)
- TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS
- TRUCKS WHICH CANNOT TURN RIGHT ONTO TR 204 (KNIGHT RD NW) FROM SR 171N WITHOUT CROSSING THE CENTERLINE MUST ENTER VIA SR 171S (i.e. NORTH ROUTE).
- ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY
- OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING
 - ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG- APPROVED LOCAL ROADS
- USING NON-EOG APPROVED ROUTES WILL NOT BE TOLERATED. DO NOT USE GPS. FOR ANY QUESTIONS ON THESE DIRECTIONS OR APPROPRIATE ROUTING, UTILIZE YOUR EOG CONTACT OR [JODY JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)
- SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)

EMERGENCY RESPONSE ONLY: 6275 JUNE RD, MALVERN, OH 44644

Well Pad Directions

A. North Routes

1. From Waynesburg
 - a. Take SR 171 (E Lisbon ST/Ross RD/Waynesburg RD NE) south 1.1 miles
 - b. Turn left onto TR 204 (Knight RD NW)
 - c. Take TR 204 (Knight RD NW) east for 1.8 miles
 - d. Turn left onto TR 200 (June RD)
 - e. Take TR 200 (June RD) north for 475 feet
 - f. Well pad entrance will be on left
2. From Malvern
 - a. Take SR 43/SR 183 (W. Canal ST/Alliance RD NW/Minerva RD) west for 4.4 miles
 - b. Turn left onto SR 183 (Waynesburg DR SE)
 - c. Take SR 183 (Waynesburg DR SE/Mill ST/Canal ST/N Main ST) south for 0.6 miles
 - d. Turn left onto SR 171 (E Lisbon ST)
 - e. Take SR 171 (E Lisbon ST/Ross RD/Waynesburg RD NE) south 1.1 miles
 - f. Turn left onto TR 204 (Knight RD NW)
 - g. Take TR 204 (Knight RD NW) east for 1.8 miles
 - h. Turn left onto TR 200 (June RD)
 - i. Take TR 200 (June RD) north for 475 feet
 - j. Well pad entrance will be on left

B. South Route (**Only for vehicles which can turn right onto Knight RD without crossing centerline of SR 171 (Waynesburg RD NE)**)

1. From Carrollton
 - a. Take SR 43 (Canton RD NW) north for 3.0 miles
 - b. Turn left onto SR171 (Waynesburg RD NE)
 - c. Take SR 171 (Waynesburg RD NE) north for 8.7 miles
 - d. Turn right onto TR204 (Knight RD NW)
 - e. Take TR 204 (Knight RD NW) east for 1.8 miles
 - f. Turn left onto TR 200 (June RD)
 - g. Take TR 200 (June RD) north for 475 feet
 - h. Well pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

C. From Sunfish Pad (Drilling and Completions)(61.1 Miles)

1. Turn right onto CR 450 (Old National RD) to exist Sunfish Pad
2. Take CR 450 (Old National RD) west for 0.4 miles
3. Turn right onto US 40 (E. Pike RD)
4. Take US 40 (E. Pike RD) for 1.2 miles
5. Turn right to merge onto I-77 North (.5 miles)
6. Take I-77 North for 36.6 miles
7. Take exit 83 for SR 39 toward SR211/Sugarcreek/Dover (0.2 miles)
8. Turn right on SR 39/211 (200 feet)
9. Stay straight to continue on SR 211 for 1.0 mile
10. Turn left onto SR 211 (W Front ST)
11. Take SR 211 (W Front ST) for 0.8 miles
12. Turn right onto SR 800 (S Johnson AVE)
13. Take SR 800 (S Johnson AVE) for 0.1 miles
14. SR 800 becomes East AVE
15. Take SR 800 (East Ave) for 11.4 miles
16. Turn right onto SR 183 (Alliance RD NW)
17. Take SR 183 (Alliance RD NW) for 3.2 miles
18. In Magnolia, turn left onto N Main ST to stay on SR 183
19. Take SR 183 (N Main ST) for 0.2 miles
20. Turn right onto Harrison ST to stay on SR 183
21. Take SR 183 (Harrison ST) for 0.5 miles
22. Harrison ST become Minerva RD SE
23. Take SR 183 (Minerva RD SE) for 2.1 miles
24. Continue straight to stay on SR 183 (E Lisbon ST) for 0.4 miles
25. E Lisbon ST turns right and becomes SR 171 (Ross RD)
26. Take SR 171 (Ross RD/Waynesburg RD NE) for 0.8 miles
27. Turn left onto TR 204 (Knight RD NW)
28. Take TR 204 (Knight RD NW) east for 1.8 miles
29. Turn left onto TR 200 (June RD)
30. Take TR 200 (June RD) north for 475 feet
31. Well pad entrance will be on left

Cobalt Route Map

Brown Township, Carroll County

Legend

- EOG-Approved Local Roads
- NO EOG TRAFFIC
- EOG Locations



Cobalt Route Map

Brown Township, Carroll County

Legend

- EOG-Approved Local Roads
- NO EOG TRAFFIC
- EOG Locations

NO EOG TRAFFIC

**All EOG Traffic Must Use
TR 204 (Knight RD NW)**

