

Hanchin HGE Well Pad

Permitted Wells

Hanchin HGE 206H (34-019-2-1865-00-00)
Hanchin HGE 8H (34-067-2-1866-00-00)
Hanchin HGE 210H (34-067-2-1867-00-00)

Existing Wells

Hanchin 9-11-4 1H (34-067-2-1529-00-00)
Hanchin 9-11-4 3H (34-067-2-1169-00-00)
Hanchin 9-11-4 5H (34-067-2-1530-00-00)

TRAFFIC REQUIREMENTS

- **ALL COMMERCIAL TRAFFIC MUST USE SR 646 (ANNAPOLIS RD) TO ENTER/EXIT HANCHIN PAD**
- **TRAFFIC CANNOT STAGE ON SR 646 (ANNAPOLIS RD). TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS**
- **LIMIT SPEED AND AVOID JAKE BRAKE**
- **DO NOT USE GPS**
- **ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY**
- **OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING**
 - **ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG- APPROVED LOCAL ROADS**
- **SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY.JONES@EOGRESOURCES.COM)**

EMERGENCY RESPONSE ONLY: 91250 DAWSON RD, HOPEDALE, OH 43976

Well Pad Directions

A. From I-77

1. Use Exit 65 for US 36 to Newcomerstown/Port Washington
2. Turn right onto US 36 E
3. Take US 36 E for 14.1 miles
4. US 36 E becomes US 250 E in Uhrichsville
5. Take US 250 E for 5.7 miles
6. Turn left onto SR 151 (Patterson RD)
7. Take SR 151 (Patterson RD/Boyce DR/Scio-Bowerston RD) for 11.8 miles to Scio
8. Turn left to take SR 646 (Scio-New Rumley RD) in Scio
9. Take SR 646 (Scio-New Rumley RD) for 8.2 miles
10. Slight right to stay on SR 646/9 for 0.6 miles
11. Turn left to stay on SR 646 (Annapolis RD)
12. Take SR 646 (Annapolis RD) for 3.9 miles
13. Pad entrance will be on left

B. From Carrollton

1. Take SR 39/43/9 (E Main St/Steubenville RD SE) southeast for 0.5 miles
2. Bear right to stay on SR 43/9 (Steubenville RD SE)
3. Take SR 43/9 (Steubenville RD SE) for 4.9 miles
4. Bear right to take SR 9 (Germano RD SE)
5. Take SR 9 (Germano RD SE) for 9.7 miles
6. Continue straight to stay on SR 646/9 for 0.6 miles
7. Turn left to stay on SR 646 (Annapolis RD)
8. Take SR 646 (Annapolis RD) for 3.9 miles
9. Pad entrance will be on left

C. From Walters Pad (Drilling Move)(13.0 miles)

1. Exit Walters pad by going straight onto CR 58 (Cashmere RD)
2. Take CR 58 (Cashmere RD) north for 0.4 miles
3. Turn right onto CR 17 (Aster RD)
4. Take CR 17 (Aster RD) east for 3.3 miles
5. Turn left onto SR 164 (Amsterdam RD)
6. Take SR 164 (Amsterdam RD) east for 0.4 miles to Kilgore
7. Turn right onto SR 9 (Germano RD SE) in Kilgore

8. Take SR 9 (Germano RD SE) south for 4.5 miles
9. Continue straight to stay on SR 646/9 for 0.6 miles
10. Turn left to stay on SR 646 (Annapolis RD)
11. Take SR 646 (Annapolis RD) east for 3.9 miles
12. Pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

D. From Indigo Pad (Completion Move) (35.4 miles)

1. Exit Indigo Pad by turning left onto TR 200 (June RD NW)
2. Take TR 200 (June RD NW) north for 0.2 miles
3. Turn left onto CR 68 (Citrus RD NW)
4. Take CR 68 (Citrus RD NW) west for 1.7 miles
5. Turn left onto TR 205 (Krone RD NW)(by Blackbird GGS)
6. Take TR 205 (Krone RD NW) south for 0.5 miles
7. Turn right onto TR 204 (Knight RD NW)
8. Take TR 204 (Knight RD NW) west for 1.2 miles
9. **Sharp left turn onto SR 171 (Waynesburg RD NE)**
 - a. **Trucks incapable of safely turning left onto SR 171 should turn right and route through Waynesburg and Malvern using SR 171, 183 and 43 to Carrollton**
10. Take SR 171 (Waynesburg RD NE) south/east for 8.7 miles
11. Turn right onto SR 43 (Canton RD NW)
12. Take SR 43 (Canton RD NW) south for 3.0 miles
13. Turn left onto SR 43/39 (W Main ST)
14. Take SR 43/39 (W Main ST) for 0.4 miles
15. Continue straight onto SR 39/43/9 (E Main St/Steubenville RD SE) southeast for 0.5 miles
16. Bear right to stay on SR 43/9 (Steubenville RD SE)
17. Take SR 43/9 (Steubenville RD SE) for 4.9 miles
18. Bear right to take SR 9 (Germano RD SE)
19. Take SR 9 (Germano RD SE) for 9.7 miles
20. Continue straight to stay on SR 646/9 for 0.6 miles
21. Turn left to stay on SR 646 (Annapolis RD)
22. Take SR 646 (Annapolis RD) for 3.9 miles
23. Pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

Hanchin RUMA Route

German Township, Harrison County

Legend

 EOG Pad

 Local roads under RUMA

 NO EOG TRAFFIC

