

Honus Wagner Well Pad

Permitted

Honus Wagner HMN 1E (34-067-2-1899-00-00)
Honus Wagner HMN 203E (34-067-2-1900-00-00)
Honus Wagner HMN 5W (34-067-2-1901-00-00)
Honus Wagner HMN 207W (34-067-2-1902-00-00)

Existing (Adjacent Pad)

Wagner 1-18HD (34-067-2-1160-00-00)
Wagner 2-18HD (34-067-2-1161-01-00)

TRAFFIC REQUIREMENTS

- ALL COMMERCIAL TRAFFIC MUST USE US-250 (CADIZ-DENNISON RD) TO ENTER/EXIT HONUS WAGNER PAD
- TRAFFIC CANNOT STAGE ON US-250 (CADIZ-DENNISON RD). TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS
- DO NOT DEVIATE FROM EOG-APPROVED LOCAL ROADS, EVEN WHEN HAULING EMPTY
- AVOID JAKE BRAKING, REDUCE SPEED AND BE RESPECTFUL OF LOCAL TRAFFIC AND RESIDENTS
- ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY
- OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE/FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING
 - ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG-APPROVED LOCAL ROADS
- USING NON-EOG APPROVED ROUTES WILL NOT BE TOLERATED. DO NOT USE GPS. FOR ANY QUESTIONS ON THESE DIRECTIONS OR APPROPRIATE ROUTING, UTILIZE YOUR EOG CONTACT OR [JODY JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)
- SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)

EMERGENCY RESPONSE ONLY: 29565 CADIZ-DENNISON RD, DENNISON, OH 44621

Well Pad Directions

A. From I-77

1. New Philadelphia (16.4 miles)

- a. Take Exit 81 for US 250E toward Uhrichsville (0.5 miles)
- b. Continue on US 250E for 9.3 miles toward Uhrichsville
- c. Use right lane to take US 36E ramp (0.7 miles)
- d. Take US 250E/SR 800 for 1.3 miles
- e. Turn left to stay on US 250E (Cadiz-Dennison RD)
- f. Take US 250E (Cadiz-Dennison RD) for 4.6 miles
- g. Well pad entrance will be on right

2. Newcomerstown (20.3 miles)

- a. Take Exit 65 for US 36E toward Newcomerstown/Port Washington (0.3 miles)
- b. Turn right onto US 36E
- c. Take US 36E for 14.1 miles towards Uhrichsville
- d. US 36E becomes US 250/SR800
- e. Take US 250E/SR 800 for 1.3 miles
- f. Turn left to stay on US 250E (Cadiz-Dennison RD)
- g. Take US 250E (Cadiz-Dennison RD) for 4.6 miles
- h. Well pad entrance will be on right

B. From Malvern Field Office (33.3 miles)

1. Turn right onto SR 43S/183S (Alliance RD NW)
2. Take SR 43S/183S (Alliance RD NW) 0.1 miles
3. Turn left onto SR 43S (Canton RD NW)
4. Take SR 43S (Canton RD NW) southeast for 9.3 miles toward Carrollton
5. In Carrollton, turn right to take SR 39W (Roswell RD SW)
6. Take SR 39W (Roswell RD SW) southwest for 7.5 miles toward Sherrodsville
7. In Sherrodsville, turn left onto S Sherrod AVE to take SR 212E
8. Take SR 212E (S Sherrod AVE/Cumberland RD SW) southeast for 4.1 miles toward Leesville
9. In Leesville, proceed south on Union ST and take the second exit at the traffic circle to continue south on Union ST (SR 212E)
10. Turn left onto E Green ST to stay on SR 212E
11. Take SR 212E (E Green ST/Cumberland RD SW/Leesville RD) southeast for 2.1 miles toward Bowerston
12. In Bowerston, turn right onto Boyce DR (SR 151W)

13. Take SR 151W (Boyce DR/Patterson RD) southwest for 4.9 miles
14. Turn left onto US 250E (Cadiz-Dennison RD)
15. Take US 250E (Cadiz-Dennison RD) south for 0.2 miles
16. Pad entrance will be on right

If ODOT provides a different route during permitting, use that route and inform EOG

C. From Chapman Pad (Drilling) (45.5 miles)

1. Turn left onto TR 652 (Zane/Sundew RD) to exit Chapman Pad
2. Take TR 652 (Zane/Sundew RD) south for 0.4 miles
3. Turn right onto US 40W (E Pike RD)
4. Take US 40W (E Pike RD) west for 6.0 miles
5. Turn right to merge onto I-77N
6. Take I-77N for 18.6 miles
7. Take Exit 65 for US 36E toward Newcomerstown/Port Washington (0.3 miles)
8. Turn right onto US 36E
9. Take US 36E for 14.1 miles towards Uhrichsville
10. US 36E becomes US 250/SR800
11. Take US 250E/SR 800 for 1.3 miles
12. Turn left to stay on US 250E (Cadiz-Dennison RD)
13. Take US 250E (Cadiz-Dennison RD) for 4.6 miles
14. Well pad entrance will be on right

If ODOT provides a different route during permitting, use that route and inform EOG

D. From Whitacre Pad (Completions)(31.9 miles)

1. Turn right onto TR 204 (Knight RD SW) to exit Whitacre Pad
2. Take TR 204 (Knight RD NW) west for 0.7 miles
3. Turn right onto SR 171W (Waynesburg RD NE)
4. Take SR 171W (Waynesburg RD NE) northwest for 0.8 miles toward Waynesburg
5. SR 171 turns left and become Lisbon ST in Waynesburg
6. Take SR 171W (Lisbon ST) west for 0.3 miles
7. Stay straight to take SR 183 in Waynesburg
8. Take SR 183W (W Lisbon ST/Minerva RD SE) for 2.2 miles toward Magnolia
9. In Magnolia, SR 183W (Minerva RD SE) turns right and becomes Harrison ST
10. Take SR 183 (Harrison ST) west for 0.6 miles
11. Turn left onto N Main ST to stay on SR 183
12. Take SR 183 (N Main ST) south for 0.2 miles
13. Continue straight onto SR 542 (S Main ST)
14. Take SR 542 (S Main ST) south for 10.6 miles toward Dellroy
15. Continue straight onto SR 39 W (S Smith ST) in Dellroy

16. Take SR 39 W (S Smith ST) south for 5.1 miles toward Sherrodsville
17. In Sherrodsville, turn left onto S Sherrod AVE to take SR 212E
18. Take SR 212E (S Sherrod AVE/Cumberland RD SW) southeast for 4.1 miles toward Leesville
19. In Leesville, proceed south on Union ST and take the second exit at the traffic circle to continue south on Union ST (SR 212E)
20. Turn left onto E Green ST to stay on SR 212E
21. Take SR 212E (E Green ST/Cumberland RD SW/Leesville RD) southeast for 2.1 miles toward Bowerston
22. In Bowerston, turn right onto Boyce DR (SR 151W)
23. Take SR 151W (Boyce DR/Patterson RD) southwest for 4.9 miles
24. Turn left onto US 250E (Cadiz-Dennison RD)
25. Take US 250E (Cadiz-Dennison RD) south for 0.2 miles
26. Pad entrance will be on right

If ODOT provides a different route during permitting, use that route and inform EOG

Honus Wagner

US 250 (Cadiz-Dennison Rd)
Monroe TWP, Harrison County

Legend

Honus Wagner Pad Directions

- From US 250/US 36/SR 800 Interchange take US 250 E (Cadiz-Dennison Rd) east for 5.9 miles. Pad will be on right.
- From US 250/US 22 Interchange, take US 250 W (Cadiz-Dennison Rd) west for 16.7 miles. Pad will be on left.