

Landman Well Pad

Permitted

Landman GY CEN 310H (34-059-2-4738-00-00)

Landman GY CEN 410H (34-059-2-4739-00-00)

Landman GY CEN 510H (34-059-2-4740-00-00)

Existing

Landman GY CEN 6H (34-059-2-4679-00-00)

Landman GY CEN 8H (34-059-2-4680-00-00)

Landman GY CEN 10H (34-059-2-4681-00-00)

Landman GY CEN 206H (34-059-2-4682-00-00)

Landman GY CEN 210H (34-059-2-4683-00-00)

TRAFFIC REQUIREMENTS

- **ALL COMMERCIAL TRAFFIC MUST USE US 22 (CADIZ RD) TO ENTER/EXIT TR 50 (LAKE RIDGE RD)**
- **TRAFFIC CANNOT STAGE ON LAKE RIDGE RD (TR 50). TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS**
- **DO NOT USE GPS**
- **ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG-APPROVED LOCAL ROADS ONLY**
- **OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING**
 - **ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG-APPROVED LOCAL ROADS**
- **SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY.JONES@EOGRESOURCES.COM)**

EMERGENCY RESPONSE ONLY: 66995 LAKDE RIDGE RD, LORE CITY, OH 43755

Well Pad Directions

A. From I-77 (8.1 miles)

1. Take Exit 47 for US 22 toward Cambridge/Cadiz (0.4 miles)
2. Take US 22 East (Cadiz RD) for 6.7 miles
3. Turn right onto Lake Ridge RD (TR 50)
4. Take Lake Ridge RD (TR 50) south for 1.0 miles
5. Pad entrance is on right

B. From I-70 (9.0 miles)

1. Take Exist 186 for SR 285/US 40 toward Senecaville/Old Washington
2. Take SR 285/US 40 (Morgan Way) north for 0.4 miles
3. Turn left onto SR 285 (Old National RD)
4. Take SR 285 (Old National RD) west for 500 feet
5. Turn right onto SR 285 (Butternut LN/Wintergreen RD)
6. Take SR 285 (Butternut LN/Wintergreen RD) north for 5.0 miles
7. Turn left onto US 22 (Cadiz RD)
8. Take US 22 West (Cadiz RD) for 2.5 miles
9. Turn left onto Lake Ridge RD (CR 50)
10. Take Lake Ridge RD (TR 50) south for 1.0 miles
11. Pad entrance is on right

C. From Deersville Pad (Drilling/Completions) (43.2 miles)

1. Exit pad by turning right onto CR 2 (Moravian Trail RD)/Main ST
2. Take Main ST east for 0.5 miles through Deersville
3. Main ST becomes Deersville Ridge RD (CR 2)
4. Take Deersville Ridge RD (CR 2) east for 2.2 miles
5. Deersville Ridge RD (CR 2) becomes Deersville RD (CR 55)
6. Take Deersville RD (CR 55) east for 1.8 miles
7. Turn right onto US 250 E (Cadiz-Dennison RD)
8. Take US 250 E (Cadiz-Dennison RD) for 7.0 miles
9. Turn right to take ramp onto US 22 W (Cadiz-Piedmont RD)
10. Take US 22 W (Cadiz-Piedmont RD) for 30.6 miles
11. Turn left onto Lake Ridge RD (CR 50)
12. Take Lake Ridge RD (TR 50) south for 1.0 miles
13. Pad entrance is on right

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

Landman GY CEN RUMA Route

Center TWP, Guernsey CO

Legend

- EOG Pads
- EOG-Approved Local Roads
- NO EOG TRAFFIC

NO EOG TRAFFIC

US 22 (Cadiz Rd)

Lake Ridge RD (TR 50)

Landman Pad


SR 285 (Wintergreen RD)

Google Earth

Image © 2025 Airbus



3000 ft




Approved Route - 1/31/2024

From the intersection of IR77 and US22 near Cambridge
Travel 6.5 miles east on US22
Turn right onto CR50 (1.01 miles)
Pad is on the right.

From the intersection of US250 and US22 near Cadiz
Travel 30.25 miles west on US22
Turn left onto CR50 (1.01 miles)
Pad is on the right.

**LANDMAN GY CEN PAD**


Approved Route

EAP Approved Roads



Utica Field Office

**Approved Haul Route
LANDMAN GY CEN PAD**

	CARROLL	Updated: 1/31/2024
	HARRISON	Scale: 1 inch = 2 miles
	BELMONT	Author: cminx

Projection: NAD 1983 StatePlane Ohio South FIPS 3402 Feet

