

# Mammoth Well Pad

## New Wells

Mammoth NSH 201D (34-121-TBD)

Mammoth NSH 273D (34-121-TBD)

## Existing Wells

FREC NOBL Sharon A-1H (34-121-2-4348-01-00)

## TRAFFIC REQUIREMENTS

- **ALL COMMERCIAL TRAFFIC MUST SR 78 (MCCONNELSVILLE RD) TO ENTER/EXIT APPROVED ROUTE TO MAMMOTH PAD**
- **TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS**
- **THE MAMMOTH PAD IS FORMERLY NAMED FREC NOBL SHARON**
- **DO NOT USE GPS**
- **ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY**
- **OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING**
  - **ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG- APPROVED LOCAL ROADS**
- **USING NON-EOG APPROVED ROUTES WILL NOT BE TOLERATED. FOR ANY QUESTIONS ON THESE DIRECTIONS OR APPROPRIATE ROUTING, UTILIZE YOUR EOG CONTACT OR [JODY\\_JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)**
- **SEND INFORMATION ON ROAD CLOSURES TO [JODY\\_JONES@EOGRESOURCES.COM](mailto:JODY_JONES@EOGRESOURCES.COM)**

**Emergency Response Only: 42985 Forest Grove Ridge RD, Caldwell, OH 43724**

## Well Pad Directions

### A. From I-77

1. From I-77 use Exit 25 for SR 78 (Caldwell/Woodsfield)
2. Head west on SR 78 (McConnelsville RD) for 4.3 miles
3. Turn left onto Forest Grove Ridge RD (CR 9)
4. Take Forest Grove Ridge RD (CR 9) south for 1.5 miles
5. Pad entrance will be on right/Production facility on left.

***Please Note: If ODOT provides a different route during permitting, use that route and inform EOG***

### B. From Carrollton

1. Take SR 39 (Roswell RD SW) west for 7.5 miles toward Dellroy
2. Turn left onto S Smith ST to continue on SR 39 in Dellroy
3. Take SR 39 (S Smith ST/Roswell RD SW) south for 5.1 miles toward Sherrodsville
4. Turn left onto S Sherrod AVE to take SR 212 in Sherrodsville
5. Take SR 212 (S Sherrod AVE/Cumberland RD SW) south for 4.1 miles
6. Continue straight (2<sup>nd</sup> exit) through traffic circle in Leesville to stay on SR 212
7. Continue on SR 212 (E Green ST/Cumberland RD SW) for 2.1 miles
8. Turn right onto SR 151 (Boyce DR)
9. Take SR 151 (Boyce DR/Patterson RD) west for 5.0 miles
10. Turn right onto US 250 W (Cadiz-Dennison RD)
11. Take US 250 W (Cadiz-Dennison RD) for 4.4 miles
12. Turn right to stay on US 250W at US 250/SR 800 interchange
13. Take US 250 W/SR 800/US 36W for 1.1 miles
14. Keep left to stay on US 36 W
15. Take US 36 W for 14.4 miles
16. Merge onto I-77 S toward Marietta
17. Take I-77 S for 39.9 miles
18. use Exit 25 for SR 78 (Caldwell/Woodsfield)
19. Head west on SR 78 (McConnelsville RD) for 4.3 miles
20. Turn left onto Forest Grove Ridge RD (CR 9)
21. Take Forest Grove Ridge RD (CR 9) south for 1.5 miles
22. Pad entrance will be on right/Production facility on left.

***Please Note: If ODOT provides a different route during permitting, use that route and inform EOG***

C. From Timberwolf Pad (Drilling)(98.6 miles)

1. Turn left onto TR 225A (Licking RD NW) to exit the Timberwolf Pad
2. Take TR 225A (Licking RD NW) for 350 feet
3. Turn left onto SR 183 (Alliance RD NW)
4. Take SR 183 (Alliance RD NW) west for 0.9 miles
5. Turn left onto SR 43 (Canton RD NW)
6. Take SR 43 (Canton RD NW) south for 9.3 miles towards Carrollton
7. Turn right onto SR 39 (Roswell RD SW) in Carrollton
8. Take SR 39 (Roswell RD SW) west for 7.5 miles toward Dellroy
9. Turn left onto S Smith ST to continue on SR 39 in Dellroy
10. Take SR 39 (S Smith ST/Roswell RD SW) south for 16.9
11. Turn right onto E High AVE to take US 250-BUS
12. Take US 250-BUS (High AVE) west for 2.2 miles
13. Turn left to merge onto I-77 S
14. Take I-77 S for 55.5 miles
15. Use Exit 25 for SR 78 (Caldwell/Woodsfield)
16. Head west on SR 78 (McConnelsville RD) for 4.3 miles
17. Turn left onto Forest Grove Ridge RD (CR 9)
18. Take Forest Grove Ridge RD (CR 9) south for 1.5 miles
19. Pad entrance will be on right/Production facility on left.

***Please Note: If ODOT provides a different route during permitting, use that route and inform EOG***

D. From Bishop Pad (Completions)(67.6 miles)

1. Turn left onto Kleski RD SE to exit the Bishop Pad
2. Take Kleski RD SE east for 0.4 miles
3. Turn left onto TR 30 (Latto RD SE)
4. Take TR 30 (Latto RD SE) north for 1.3 miles
5. Turn left onto CR 36 (Feed Springs RD SE)
6. Take CR 36 (Feed Springs RD SE) northwest for 0.4 miles
7. Turn right onto SR 800
8. Take SR 800 north for 2.7 miles towards Dennison
9. Turn left onto Taylor AVE for 0.1 miles to stay on SR 800 in Dennison
10. Turn right onto Jewett Ave for 0.4 miles to stay on SR 800
11. Turn right onto Stillwater AVE to stay on SR 800
12. Take SR 800 (Stillwater AVE) north for 0.6 miles
13. Turn left at SR 800/US 250 interchange to take US 250 W/SR 800 N
14. Take US 250 W/SR 800 N for 1.1 miles
15. After 1.1 miles keep left to continue on US 36 W

16. Take US 36 W for 14.4 miles
17. Merge onto I-77 S for 0.3 miles
18. Take I-77 S for 39.6 miles
19. Use Exit 25 for SR 78 (Caldwell/Woodsfield)
20. Head west on SR 78 (McConnelsville RD) for 4.3 miles
21. Turn left onto Forest Grove Ridge RD (CR 9)
22. Take Forest Grove Ridge RD (CR 9) south for 1.5 miles
23. Pad entrance will be on right/Production facility on left.

***Please Note: If ODOT provides a different route during permitting, use that route and inform EOG***



# Mammoth RUMA Route

Sharon TWP, Noble County  
(formerly known as Sharon Pad)

## Legend

- EOG Pads
- EOG-Approved Local Roads
- NO EOG TRAFFIC

Mammoth(fka Sharon)

Production Facility

NO EOG TRAFFIC

NO EOG TRAFFIC

Forest Grove Cemetery RD  
(TR 277)

Cheetah