

The Wright Way Well Pad

Permitted Wells

- The Wright Way CBR 2A (34-019-2-2961-00-00)
- The Wright Way CBR 204A (34-019-2-2962-00-00)
- The Wright Way CBR 6B (34-019-2-2963-00-00)
- The Wright Way CBR 208B (34-019-2-2964-00-00)
- The Wright Way CBR 10B (34-019-2-2965-00-00)

TRAFFIC REQUIREMENTS

- **ALL COMMERCIAL TRAFFIC MUST USE SR 39 (CANTON RD NW) TO ENTER/EXIT TR 224 (LEMON RD NW)**
- **TRAFFIC CANNOT STAGE ON RUMA ROUTE. TRAFFIC CONTROL MAY BE IMPLEMENTED DURING HIGH USE PERIODS**
- **LIMIT SPEED AND AVOID JAKE BRAKE**
- **DO NOT USE GPS**
- **ALL POINTS OF TRAVEL FROM DEPARTURE TO ARRIVAL AT WELL SITE MUST BE ON STATE/FEDERAL HIGHWAY AND EOG- APPROVED LOCAL ROADS ONLY**
- **OVER-WEIGHT AND/OR OVER-DIMENSIONAL LOADS MUST OBTAIN PERMITS FOR THE TRANSPORTATION ON STATE AND FEDERAL HIGHWAYS FROM THE OHIO DEPARTMENT OF TRANSPORTATION (ODOT). TRANSPORTER IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND KNOWING THE REGULATIONS OF THE JURISDICTION(S) THEY ARE TRAVELING**
 - **ANY SPECIAL CONDITIONS APPLIED TO ODOT PERMITS MUST CONTINUE ON EOG- APPROVED LOCAL ROADS**
- **SEND INFORMATION ON ROAD CLOSURES TO [JODY JONES@EOGRESOURCES.COM](mailto:JODY.JONES@EOGRESOURCES.COM)**

EMERGENCY RESPONSE ONLY: 741 LILLY RD NW, MINERVA, OH 44657

Well Pad Directions

A. From I-77

1. Use Exit 93 for SR 212 toward Zoar/Bolivar
2. Exit onto SR 212 E
3. Take SR 212 E for 5.8 miles
4. Turn left to take SR 212/800
5. Take SR 212/800 northeast for 5.2 miles
6. Turn right onto SR 183 (Alliance RD NW)
7. Take SR 183 (Alliance RD NW) east for 3.2 miles
8. Turn left to stay on SR 183 (N Main ST) in Magnolia
9. Take SR 183 (N Main ST) for 0.2 miles
10. Turn right to stay on SR 183 (Harrison ST)
11. Take SR 183 (Harrison ST) for 0.5 miles
12. SR 183 (Harrison ST) bears left and becomes Minerva RD SE
13. Take SR 183 (Minerva RD SE) for 2.1 miles
14. Turn left to stay on SR 183 (N Main ST) in Waynesburg
15. Take SR 183 (N Main ST) for 800 feet
16. Turn left to stay on SR 183 (Canal ST)
17. Take SR 183 (Canal ST) for 200 feet
18. Turn right to stay on SR 183 (Mill ST)
19. Take SR 183 (Mill ST/Waynesburg DR SE) for 0.4 miles
20. Turn right to take SR 43/183 (Minerva RD)
21. Take SR 43/183 (Minerva RD/Alliance RD NW) for 5.4 miles
22. Turn right to take SR 43 (Canton RD NW)
23. Take SR 43 (Canton RD NW) for 0.6 miles
24. Turn left on TR 224 (Lemon RD NW)
25. Take TR 224 (Lemon RD NW) for 1.5 miles
26. TR 224 (Lemon RD NW) become TR 228 (Lilly RD NW)
27. Take TR 228 (Lilly RD NW) for 1.5 miles
28. Pad entrance will be on left

B. From Carrollton

1. Take SR 39/43 (W Main ST) northwest for 0.4 miles
2. Turn right onto SR 43 (Canton RD NW)
3. Take SR 43 (Canton RD NW) for 8.7 miles
4. Turn right onto TR 224 (Lemon RD NW)
5. Take TR 224 (Lemon RD NW) for 1.5 miles

6. TR 224 (Lemon RD NW) become TR 228 (Lilly RD NW)
7. Take TR 228 (Lilly RD NW) for 1.5 miles
8. Pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

- C. From Good Shepherd Pad (Drilling Move) (30.8 miles)
1. Turn right onto CR 52 (Fleming RD) to exit Good Shepherd Pad
 2. Take CR 52 (Fleming RD) 0.6 miles
 3. Turn left onto CR 51 (Amsterdam RD)
 4. Take CR 51 (Amsterdam RD) for 400 feet
 5. Turn left onto CR 19 (Brown Hill RD)
 6. Take CR 19 (Brown Hill RD) for 0.6 miles
 7. Turn right onto SR 9 (Jewett-Germano RD)
 8. Take SR 9 (Jewett-Germano RD) for 17.3 miles to Carrollton
 9. Continue straight on SR 43/39 (Main ST for 0.4 miles)
 10. Turn right to onto SR 43 (Canton RD NW)
 11. Take SR 43 (Canton RD NW) for 8.7 miles
 12. Turn right onto TR 224 (Lemon RD NW)
 13. Take TR 224 (Lemon RD NW) for 1.5 miles
 14. TR 224 (Lemon RD NW) become TR 228 (Lilly RD NW)
 15. Take TR 228 (Lilly RD NW) for 1.5 miles
 16. Pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

- D. From Grove Pad (Completions Move)(24.3 miles)
1. Turn right onto S 12th ST to exit Grove Pad
 2. Take S 12th ST south for 0.2 miles
 3. Turn left onto TR 804 (Bowman ST SE)
 4. Take TR 804 (Bowman ST SE) east for 0.2 miles
 5. Continue straight to take CR 400 (Georgetown RD)
 6. Take CR 400 (Georgetown RD) east for 1.2 miles
 7. Turn right onto CR 402 (Rochester RD)
 8. Take CR 402 (Rochester RD) south for 3.8 miles
 9. Turn right onto SR 172 (New Garden Ave)
 10. Take SR 172 (New Garden Ave) west for 5.5 miles
 11. Turn left onto SR 183 (Union Ave SE)

12. Take SR 183 (Union Ave SE) south for 4.3 miles
13. Turn right onto US 30W/SR 183 (Lincoln HWY)
14. Take US 30W/SR 183 (Lincoln HWY) for 1.0 miles
15. Turn left onto N. Market ST to stay on SR 183 for 0.3 miles
16. Turn right onto McKinley ST to stay on SR 183 for 350 feet
17. Turn left onto Valley ST to stay on SR 183
18. Take SR 183 (Valley ST/Alliance RD NW) for 4.0 miles
19. Turn left onto SR 43 (Canton RD NW)
20. Take SR 43 (Canton RD NW) for 0.6 miles
21. Turn left on TR 224 (Lemon RD NW)
22. Take TR 224 (Lemon RD NW) for 1.5 miles
23. TR 224 (Lemon RD NW) become TR 228 (Lilly RD NW)
24. Take TR 228 (Lilly RD NW) for 1.5 miles
25. Pad entrance will be on left

Please Note: If ODOT provides a different route during permitting, use that route and inform EOG

The Wright Way RUMA Route

Brown TWP, Carroll County

Legend

- EOG Pad
- NO EOG TRAFFIC
- Wright Way RUMA Route

Timberwolf

NO EOG TRAFFIC

The Wright Way

The Wright Way
RUMA Route

Bowling

NO EOG TRAFFIC

