

EXECUTIVE SUMMARY

Target: http://large-payloads.com
Scan ID: TORTURE-P13-143c5016
Scan Date: 2026-03-04 17:11:23
Scan Duration: N/A
Total Requests Sent: 32
Avg Latency: N/A
Peak Concurrency: N/A
Findings: 8 vulnerabilities detected

Severity Breakdown: Critical: 0 | High: 5 | Medium: 3 | Low: 0
AI Inference Calls: 0
LLM Avg Latency: N/A
Circuit Breaker Activations: 0

- Detected 8 security issue(s) requiring attention.
- Immediate remediation recommended for critical findings.
- Review each finding below for detailed impact analysis.
- Prioritize fixes based on severity and exploitability.

EXECUTIVE STRATEGIC IMPACT

Multiple vulnerabilities were identified that could potentially be chained for increased impact. Review each finding for cross-component risks.

DETAILED FINDINGS

FILTER: UNCATEGORIZED

Finding #1: Server-Side Request Forgery

CRITICAL

CWE: CWE-918
CVSS Score: 9.6 (CRITICAL)

THREAT SCORE: 96/100

Description:

- Vulnerability 'Server-Side Request Forgery' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'SSRF' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: GET | Param: param_0
URL: http://test-target-torture-.com/api/v1/endpoint_0
Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_0	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

Vector Category:	Server-Side Request Forgery
Raw Payload:	AA
Encoded:	41
Encoding Type:	None

Reproduction Command:

```
curl -X GET 'http://test-target-torture-.com/api/v1/endpoint_0'
```

HTTP Traffic Snapshot:

Request:

```
GET http://test-target-torture-.com/api/v1/endpoint_0 HTTP/1.1
Host: target
{}

```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

CWE: CWE-918

CVSS Score: 9.6 (CRITICAL)

THREAT SCORE: 96/100

Description:

- Vulnerability 'Server-Side Request Forgery' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'SSRF' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: GET | Param: param_2

URL: http://test-target-torture-.com/api/v1/endpoint_2

Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_2	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

Vector Category: Server-Side Request Forgery

[illegible]

Encoded: 41

Encoding Type: None

Reproduction Command:

```
curl -X GET 'http://test-target-torture-.com/api/v1/endpoint_2'
```

HTTP Traffic Snapshot:

Request:

```
GET http://test-target-torture-.com/api/v1/endpoint_2 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

CWE: CWE-352

CVSS Score: 7.5 (HIGH)

THREAT SCORE: 75/100

Description:

- Vulnerability 'Cross-Site Request Forgery' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'CSRF' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: POST | Param: param_3

URL: <http://test-target-torture-.com/api/v1/endpoint> 3

Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_3	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

Vector Category: Cross-Site Request Forgery

[illegible]

Encoded: 41

Encoding Type: None

Reproduction Command:

```
curl -X POST 'http://test-target-torture-.com/api/v1/endpoint_3'
```

HTTP Traffic Snapshot:

Request:

```
POST http://test-target-torture-.com/api/v1/endpoint_3 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

FILTER: OBJECT REFERENCES (IDOR)

CWE: CWE-601

CVSS Score: 5.7 (MEDIUM)

THREAT SCORE: 57/100



Description:

- Vulnerability 'Open Redirect' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'OPEN REDIRECT' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: GET | Param: param_1

URL: http://test-target-torture-.com/api/v1/endpoint_1

Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_1	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

[illegible]

Reproduction Command:

```
curl -X GET 'http://test-target-torture-.com/api/v1/endpoint_1'
```

HTTP Traffic Snapshot:

Request:

```
GET http://test-target-torture-.com/api/v1/endpoint_1 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

CWE: CWE-639

CVSS Score: 9.6 (CRITICAL)

THREAT SCORE: 96/100

Description:

- Vulnerability 'Insecure Direct Object Reference (IDOR)' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'IDOR' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: POST | Param: param_5

URL: `http://test-target-torture-.com/api/v1/endpoint_5`

Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_5	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

[illegible]

Reproduction Command:

```
curl -X POST 'http://test-target-torture-.com/api/v1/endpoint_5'
```

HTTP Traffic Snapshot:

Request:

```
POST http://test-target-torture-.com/api/v1/endpoint_5 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```



```
curl -X POST 'http://test-target-torture-.com/api/v1/endpoint_6'
```

HTTP Traffic Snapshot:

Request:

```
POST http://test-target-torture-.com/api/v1/endpoint_6 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

CWE: CWE-639

CVSS Score: 9.6 (CRITICAL)

THREAT SCORE: 96/100

Description:

- Vulnerability 'Insecure Direct Object Reference (IDOR)' detected in target endpoint.

Impact:

- Unauthorized access to system resources confirmed.

Explanation:

Agent Gamma flagged this interaction based on high-confidence heuristic anomalies. Pattern 'IDOR' was intercepted to protect system integrity.

FORENSIC ANALYSIS

Method: POST | Param: param_7

URL: <http://test-target-torture-.com/api/v1/endpoint> 7

Analysis: Insufficient input validation or output encoding on the server-side.

Table 1: Payload Decomposition

Component	Value	Technical Function
param_7	AAAAAAAAAAAAAAAAAAAAAAAAAAAA	Direct reference to target resource.
Access Check	Missing	Application fails to verify authorization.
Result	200 OK	Server returns data for unauthorized request.

Payload Specifications:

Vector Category: Insecure Direct Object Reference (IDOR)

[illegible]

Encoded: 41

Encoding Type: None

Reproduction Command:

```
curl -X POST 'http://test-target-torture-.com/api/v1/endpoint_7'
```

HTTP Traffic Snapshot:

Request:

```
POST http://test-target-torture-.com/api/v1/endpoint_7 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

FILTER: AUTHENTICATION GATES


```
curl -X GET 'http://test-target-torture-.com/api/v1/endpoint_4'
```

HTTP Traffic Snapshot:

Request:

```
GET http://test-target-torture-.com/api/v1/endpoint_4 HTTP/1.1
Host: target
{}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json

{"status": "vulnerable", "data": "revealed"}
```

Remediation:

- Implement strict input validation.

Recommended Code Fix:

```
# Remediation: Use parameterized queries and context-aware encoding.
```

SCAN TIMELINE

[Orchestrator] TARGET_ACQUIRED - 2026-03-04 17:11:23

[Sigma] JOB_ASSIGNED - 2026-03-04 17:11:23

[Gamma] LOG - 2026-03-04 17:11:24

[Gamma] LOG - 2026-03-04 17:11:24

[Kappa] LOG - 2026-03-04 17:11:24

[Alpha] LOG - 2026-03-04 17:11:24

[Kappa] LOG - 2026-03-04 17:11:24

[Beta] LOG - 2026-03-04 17:11:24

[Alpha] LOG - 2026-03-04 17:11:24

[Gamma] LOG - 2026-03-04 17:11:24

[Gamma] LOG - 2026-03-04 17:11:25

[Kappa] LOG - 2026-03-04 17:11:25

[Kappa] LOG - 2026-03-04 17:11:25

[Beta] LOG - 2026-03-04 17:11:25

[Kappa] LOG - 2026-03-04 17:11:25

[Gamma] LOG - 2026-03-04 17:11:25

[Beta] LOG - 2026-03-04 17:11:25

[Gamma] LOG - 2026-03-04 17:11:25

[Kappa] LOG - 2026-03-04 17:11:25

[Alpha] LOG - 2026-03-04 17:11:25

[Gamma] LOG - 2026-03-04 17:11:26

[Alpha] LOG - 2026-03-04 17:11:26

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:25

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:26

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:26

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:27

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:27

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:28

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:28

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:29

[Gamma] VULN_CONFIRMED - 2026-03-04 17:11:29

[Kappa] GI5_LOG - 2026-03-04 17:11:33