Sameer Gupta
OS Lab
October 15, 2025

OS LAB 4

Question 1. To study and implement shell programs in Linux.

```
mca@mca-HP-ProOne-440-23-8-inch-G9-All-in-One-Desktop-PC:~$ touch my_script.sh
mca@mca-HP-ProOne-440-23-8-inch-G9-All-in-One-Desktop-PC:~$ nano my_script.sh
```

FIGURE 1. Creating and editing the shell file

```
 GNU nano 7.2                          my_script.sh
#!/bin/bash

clear
echo "Current User : "
whoami
echo

echo "List of directories :"
ls
echo

echo "System Info :"
uname
echo

echo "Disk Space Usage :"
df
echo


                        [ Read 19 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execu
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justi
```

FIGURE 2. Content inside the shell file

We execute the file using the command : sh my_script.sh

```
Current User :
mca

List of directories :
Android                                 Music
android-studio                          my_script.sh
AndroidStudioProjects                   Pictures
atharva                                 Public
Desktop                                 SAurabh
Documents                               snap
Downloads                               spark-3.5.3-bin-hadoop3.tgz.sha512
express-app                             spark-3.5.3-bin-hadoop3.tgz.sha512.1
google-chrome-stable_current_amd64.deb  Templates
malloc-code                             Videos
malloc-code.zip

System Info :
Linux

Disk Space Usage :
Filesystem     1K-blocks     Used Available Use% Mounted on
tmpfs             779236     2368    776868   1% /run
/dev/nvme0n1p2 243937628 39380804 192092648  18% /
tmpfs            3896180    56840   3839340   2% /dev/shm
tmpfs               5120        8      5112   1% /run/lock
efivarfs             246      145        97  60% /sys/firmware/efi/efivars
/dev/nvme0n1p1   1098632     6288   1092344   1% /boot/efi
tmpfs             779236      124    779112   1% /run/user/1000
```

FIGURE 3. Output