Ethical Hacking
Sameer Gupta – 252010036
April 29, 2026

1. nmap -sn ipaddress



2. nmap -T4 -F ipaddress



3. nmap -T4 -A -v ipaddress



4. nmap -sS -sU -T4 -A -v ipaddress

Zenmap

Scan Tools Profile Help

Target: localhost Profile: Intense scan plus UDP

Command: nmap -sS -sU -T4 -A -v localhost

Hosts | Services

OS	Host
	localhost (127.0.

Nmap Output | Ports / Hosts | Topology | Host Details | Scans

nmap -sS -sU -T4 -A -v localhost

```
Other addresses for localhost (not scanned): ::1
Not shown: 1000 closed udp ports (port-unreach), 998 closed tcp ports (reset)
PORT     STATE SERVICE VERSION
80/tcp   open  http    Apache httpd 2.4.65 ((Debian))
|_http-title: Apache2 Debian Default Page: It works
|_http-server-header: Apache/2.4.65 (Debian)
| http-methods:
|   Supported Methods: POST OPTIONS HEAD GET
3306/tcp open  mysql?
|_ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=MariaDB Server
| Issuer: commonName=MariaDB Server
| Public Key type: rsa
| Public Key bits: 4096
| Signature Algorithm: sha256WithRSAEncryption
| Not valid before: 2026-04-28T10:21:45
| Not valid after:  2036-04-25T10:21:45
| MD5:     770c 1d50 0a7b c86d dd67 1d4f ca88 7d2a
| SHA-1:   ce7b b1af 4e5a eafd 8c20 51c0 d5f8 9681 eb1b b8fd
|_SHA-256: 8b7d f293 1969 4528 3491 0c43 52aa 2886 5714 fd14 8903 f2cb 3a2d 417a f386 06c7
| fingerprint-strings:
|   GenericLines:
|     11.8.3-MariaDB-1+b1 from Debian
|     C-YW)d@O
|     Mu%U_]78Ruxx
|     mysql_native_password
|     #HY000Proxy header is not accepted from 127.0.0.1
|   LDAPBindReq:
|     11.8.3-MariaDB-1+b1 from Debian
|     ?(JxB|k%
|     q07cn|F(3f*=
|     mysql_native_password
|   NULL:
|     11.8.3-MariaDB-1+b1 from Debian
```



5. nmap -sV -T4 -O -F --version-light ipaddress

Zenmap

Scan Tools Profile Help

Target: localhost | Profile: Quick scan plus

Command: nmap -sV -T4 -O -F --version-light localhost

Hosts | Services

OS | Host

localhost (127.0.

192.168.0.180

Nmap Output | Ports / Hosts | Topology | Host Details | Scans

nmap -sV -T4 -O -F --version-light localhost

```
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-28 07:49 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.000051s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 98 closed tcp ports (reset)
PORT     STATE SERVICE VERSION
80/tcp   open  http    Apache httpd 2.4.65 ((Debian))
3306/tcp open  mysql?
1 service unrecognized despite returning data. If you know the service/version, please submit the follo
SF-Port3306-TCP:V=7.99%I=2%D=4/28%Time=69F09ECC%P=x86_64-pc-linux-gnu%r(NU
SF:LL,67,"c\0\0\0\n11\.8\.3-MariaDB-1\+b1\x20from\x20Debian\0\xde\x06\0\0\
SF:(/R1<ym:\0\xfe\xff-\x02\0\xff\x81\x15\0\0\0\0\0\0=\0\0\0t\]UpV>q\?&\?L>
SF:\0mysql_native_password\0")%r(GenericLines,9F,"c\0\0\0\n11\.8\.3-MariaD
SF:B-1\+b1\x20from\x20Debian\0\xde\x06\0\0\(/R1<ym:\0\xfe\xff-\x02\0\xff\x
SF:81\x15\0\0\0\0\0\0=\0\0\0t\]UpV>q\?&\?L>\0mysql_native_password\x004\0\
SF:0\x01\xffj\x04#HY000Proxy\x20header\x20is\x20not\x20accepted\x20from\x2
SF:0127\.0\.0\.1");
Device type: general purpose
Running: Linux 5.X|6.X
OS CPE: cpe:/o:linux:linux_kernel:5 cpe:/o:linux:linux_kernel:6
OS details: Linux 5.0 - 6.2
Network Distance: 0 hops

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.77 seconds
```

6. nmap --script vuln ipaddress



1. nmap -p 3306 -sV target_ip



2. nmap --script=mysql-info target_ip



3. nmap --script=mysql-brute target_ip


Zenmap
Scan Tools Profile Help
Target: localhost
Profile:
Command: nmap --script mysql-brute localhost
Hosts Services
OS Host
localhost (127.0.
Nmap Output Ports / Hosts Topology Host Details Scans
nmap --script mysql-brute localhost
Starting Nmap 7.99 (https://nmap.org) at 2026-04-29 06:13 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000080s latency).
Other addresses for localhost (not scanned): ::1
Not shown: 998 closed tcp ports (reset)
PORT STATE SERVICE
80/tcp open http
3306/tcp open mysql
| mysql-brute:
| Accounts: No valid accounts found
|_ Statistics: Performed 50009 guesses in 17 seconds, average tps: 2941.7
Nmap done: 1 IP address (1 host up) scanned in 17.21 seconds
Screenshot sav
Edit with Super +
Screenshot sav
Edit with Super +