Yes. You want the full master checklist, not the simplified version. This should be the checklist engine inside your Founder OS, where each product can have hundreds of tasks/subtasks depending on its type.

🚀 MASTER PRODUCT BUILD & LAUNCH CHECKLIST

0. PRODUCT SETUP

[ ] Create product

[ ] Product name

[ ] Product type

[ ] Product category

[ ] Product description

[ ] Product status

[ ] Target launch date

[ ] Owner

[ ] Team/AI agents

[ ] Repository

[ ] Domain

[ ] Production URL

[ ] Target platforms

[ ] Target countries

[ ] Target audience

[ ] Product version

[ ] MVP definition

[ ] Project goals

[ ] Project non-goals

[ ] Constraints

[ ] Budget

[ ] Timeline

---

1. IDEA & DISCOVERY

[ ] Define problem

[ ] Define target user

[ ] Identify pain point

[ ] Problem severity

[ ] Problem frequency

[ ] Existing alternatives

[ ] Current workaround

[ ] Why existing solutions fail

[ ] Define desired outcome

[ ] Define value proposition

[ ] Define unique angle

[ ] Identify assumptions

[ ] Validate assumptions

[ ] Identify risks

[ ] Identify potential misuse

[ ] Define success criteria

[ ] Go/no-go decision

---

2. MARKET RESEARCH

[ ] Market size research

[ ] Target market research

[ ] Customer research

[ ] Competitor discovery

[ ] Direct competitors

[ ] Indirect competitors

[ ] Substitute products

[ ] Competitor pricing

[ ] Competitor features

[ ] Competitor positioning

[ ] Competitor business models

[ ] Competitor reviews

[ ] Competitor weaknesses

[ ] Competitor strengths

[ ] Competitor traffic/demand signals

[ ] App Store research

[ ] Google Play research

[ ] Product Hunt research

[ ] GitHub research

[ ] Reddit research

[ ] Community research

[ ] Search demand research

[ ] Social media research

[ ] Customer complaint research

[ ] 1-star review analysis

[ ] 2-star review analysis

[ ] 3-star review analysis

[ ] Feature-gap analysis

[ ] Opportunity analysis

[ ] Market validation

[ ] Research report

---

3. CUSTOMER RESEARCH

[ ] User personas

[ ] User demographics

[ ] User goals

[ ] User frustrations

[ ] User motivations

[ ] User objections

[ ] User buying behavior

[ ] User willingness to pay

[ ] User journey

[ ] Jobs-to-be-done

[ ] Customer interview questions

[ ] Customer interviews

[ ] Survey

[ ] Feedback collection

[ ] Pain-point ranking

[ ] Customer validation

---

4. BUSINESS MODEL

[ ] Business model

[ ] Revenue model

[ ] Free vs paid strategy

[ ] Pricing model

[ ] Pricing tiers

[ ] Free tier

[ ] Trial

[ ] Subscription

[ ] One-time purchase

[ ] Usage-based pricing

[ ] Marketplace model if applicable

[ ] Revenue assumptions

[ ] Cost assumptions

[ ] Unit economics

[ ] Customer acquisition assumptions

[ ] Break-even analysis

[ ] Refund strategy

[ ] Cancellation strategy

[ ] Revenue tracking

---

5. PRD

[ ] Product overview

[ ] Product goals

[ ] Non-goals

[ ] Target users

[ ] User stories

[ ] Functional requirements

[ ] Non-functional requirements

[ ] MVP requirements

[ ] Post-MVP requirements

[ ] Future requirements

[ ] Feature priorities

[ ] Dependencies

[ ] Constraints

[ ] Success metrics

[ ] KPIs

[ ] Acceptance criteria

[ ] Definition of Done

---

6. FEATURE SPECIFICATION

For every feature:

[ ] Feature purpose

[ ] Feature description

[ ] User story

[ ] User flow

[ ] Inputs

[ ] Outputs

[ ] UI requirements

[ ] Backend requirements

[ ] Database requirements

[ ] API requirements

[ ] Permissions

[ ] Validation

[ ] Error states

[ ] Empty states

[ ] Loading states

[ ] Success states

[ ] Edge cases

[ ] Security implications

[ ] Privacy implications

[ ] Analytics events

[ ] Acceptance criteria

[ ] Test cases

[ ] Definition of Done

---

7. USER FLOWS

[ ] First launch

[ ] Onboarding

[ ] Registration

[ ] Login

[ ] Logout

[ ] Password reset

[ ] Account recovery

[ ] Main user journey

[ ] Core feature flow

[ ] Secondary feature flows

[ ] Search flow

[ ] Profile flow

[ ] Settings flow

[ ] Payment flow

[ ] Subscription flow

[ ] Cancellation flow

[ ] Refund flow

[ ] Support flow

[ ] Feedback flow

[ ] Account deletion

[ ] Data deletion

[ ] Permission denial

[ ] Network failure

[ ] Offline flow

[ ] Error recovery

[ ] Exit flow

---

8. INFORMATION ARCHITECTURE

[ ] Sitemap

[ ] Navigation structure

[ ] Content hierarchy

[ ] Screen hierarchy

[ ] Navigation paths

[ ] Deep links

[ ] Back navigation

[ ] Search architecture

[ ] Settings architecture

[ ] Account architecture

---

9. SCREEN INVENTORY

For every screen:

[ ] Screen name

[ ] Purpose

[ ] Layout

[ ] Components

[ ] Buttons

[ ] Inputs

[ ] Navigation

[ ] API calls

[ ] Database interactions

[ ] Validation

[ ] Loading state

[ ] Empty state

[ ] Error state

[ ] Success state

[ ] Offline state

[ ] Permission state

[ ] Accessibility

[ ] Analytics

[ ] Acceptance criteria

---

10. UX/UI

[ ] Design philosophy

[ ] Brand identity

[ ] Color system

[ ] Typography

[ ] Font sizes

[ ] Spacing system

[ ] Grid system

[ ] Icons

[ ] Buttons

[ ] Inputs

[ ] Forms

[ ] Cards

[ ] Tables

[ ] Navigation

[ ] Tabs

[ ] Modals

[ ] Dialogs

[ ] Bottom sheets

[ ] Toasts

[ ] Alerts

[ ] Tooltips

[ ] Empty states

[ ] Error states

[ ] Loading states

[ ] Skeleton screens

[ ] Animations

[ ] Dark mode

[ ] Light mode

[ ] Responsive design

[ ] Mobile design

[ ] Tablet design

[ ] Desktop design

[ ] Accessibility

[ ] Touch targets

[ ] Keyboard navigation

[ ] Screen reader support

---

11. TECH STACK

[ ] Frontend framework

[ ] Backend framework

[ ] Programming language

[ ] Database

[ ] Authentication

[ ] File storage

[ ] API architecture

[ ] Hosting

[ ] CDN

[ ] Caching

[ ] Search

[ ] Background jobs

[ ] Queue

[ ] Email

[ ] SMS

[ ] Push notifications

[ ] Analytics

[ ] Crash reporting

[ ] Logging

[ ] Monitoring

[ ] Payments

[ ] AI/LLM

[ ] Maps/location

[ ] Third-party APIs

[ ] Dependency management

[ ] Version management

For each:

[ ] Why chosen

[ ] Alternative

[ ] Cost

[ ] Free-tier limits

[ ] Scaling limits

[ ] Security

[ ] Privacy

[ ] Vendor lock-in

---

12. ARCHITECTURE

[ ] High-level architecture

[ ] Client architecture

[ ] Backend architecture

[ ] Database architecture

[ ] API architecture

[ ] Authentication architecture

[ ] Authorization architecture

[ ] Storage architecture

[ ] Caching architecture

[ ] Queue architecture

[ ] Background workers

[ ] Third-party integrations

[ ] AI architecture

[ ] Notification architecture

[ ] Monitoring architecture

[ ] Disaster recovery architecture

[ ] Architecture diagram

[ ] Data-flow diagram

---

13. DATABASE

[ ] Database selection

[ ] Tables/collections

[ ] Fields

[ ] Data types

[ ] Primary keys

[ ] Foreign keys

[ ] Relationships

[ ] Constraints

[ ] Validation

[ ] Indexes

[ ] Unique constraints

[ ] Timestamps

[ ] Soft deletion

[ ] Audit fields

[ ] Database permissions

[ ] Row-level security

[ ] Migration strategy

[ ] Backup strategy

[ ] Restore strategy

[ ] Data retention

[ ] Data deletion

[ ] Data minimization

---

14. API

[ ] API architecture

[ ] Endpoint inventory

[ ] HTTP methods

[ ] Authentication

[ ] Authorization

[ ] Request schemas

[ ] Response schemas

[ ] Validation

[ ] Error handling

[ ] HTTP status codes

[ ] Rate limiting

[ ] Pagination

[ ] Filtering

[ ] Sorting

[ ] API versioning

[ ] Idempotency

[ ] Webhooks

[ ] API documentation

[ ] API testing

---

15. AUTHENTICATION & ACCOUNTS

[ ] Registration

[ ] Login

[ ] Logout

[ ] Email verification

[ ] Password reset

[ ] Password requirements

[ ] Session management

[ ] Token management

[ ] OAuth/social login

[ ] MFA if required

[ ] Account recovery

[ ] Account suspension

[ ] Account deletion

[ ] Data deletion

[ ] Session revocation

[ ] Device/session management

---

16. SECURITY

[ ] Threat model

[ ] Security architecture

[ ] HTTPS

[ ] Encryption

[ ] Secrets management

[ ] Environment variables

[ ] Authentication security

[ ] Authorization

[ ] Input validation

[ ] SQL injection protection

[ ] NoSQL injection protection

[ ] XSS protection

[ ] CSRF protection

[ ] SSRF protection

[ ] IDOR protection

[ ] Brute-force protection

[ ] Rate limiting

[ ] API abuse protection

[ ] File upload security

[ ] Dependency security

[ ] Supply-chain security

[ ] Admin security

[ ] Logging

[ ] Security monitoring

[ ] Backup security

[ ] Data leakage checks

[ ] Account takeover protection

[ ] Security audit

[ ] Penetration testing where appropriate

---

17. PRIVACY

[ ] Data inventory

[ ] Personal data identification

[ ] Sensitive data identification

[ ] Data purpose

[ ] Data minimization

[ ] Data storage location

[ ] Data access

[ ] Data retention

[ ] Data deletion

[ ] Consent requirements

[ ] Privacy notice

[ ] User rights

[ ] Data correction

[ ] Data access requests

[ ] Data deletion requests

[ ] Data portability where applicable

[ ] Children's data

[ ] International data transfers

[ ] Third-party processors

[ ] AI data processing

[ ] Privacy audit

---

18. COOKIES & TRACKING

[ ] Essential cookies

[ ] Session cookies

[ ] Persistent cookies

[ ] Analytics

[ ] Advertising

[ ] Tracking pixels

[ ] Local storage

[ ] Device identifiers

[ ] Advertising IDs

[ ] Analytics SDKs

[ ] Crash SDKs

[ ] Push tokens

[ ] Consent

[ ] Cookie banner

[ ] Opt-out

[ ] Tracking disclosure

[ ] Third-party tracking audit

---

19. LEGAL

[ ] Privacy Policy

[ ] Terms of Service

[ ] Terms & Conditions

[ ] Cookie Policy

[ ] Refund Policy

[ ] Cancellation Policy

[ ] Subscription Terms

[ ] Acceptable Use Policy

[ ] Community Guidelines

[ ] Disclaimer

[ ] Copyright policy

[ ] IP policy

[ ] AI disclosure

[ ] Third-party disclosure

[ ] Age restrictions

[ ] UGC policy

[ ] Data Processing Agreement if applicable

[ ] Legal review

[ ] Legal links throughout product

---

20. THIRD-PARTY SERVICES

For every service:

[ ] Purpose

[ ] Account created

[ ] API key

[ ] Data shared

[ ] Data location

[ ] Privacy implications

[ ] Security implications

[ ] Pricing

[ ] Free tier

[ ] Usage limits

[ ] Failure behavior

[ ] Backup alternative

[ ] Vendor lock-in

[ ] Terms reviewed

[ ] Privacy policy reviewed

---

21. PAYMENTS

If applicable:

[ ] Payment provider

[ ] Currency

[ ] Pricing

[ ] Checkout

[ ] Payment confirmation

[ ] Failed payment

[ ] Retry

[ ] Refund

[ ] Cancellation

[ ] Subscription

[ ] Upgrade

[ ] Downgrade

[ ] Invoices

[ ] Taxes

[ ] GST considerations

[ ] Chargebacks

[ ] Webhooks

[ ] Payment security

[ ] PCI considerations

[ ] Platform billing requirements

[ ] Revenue tracking

---

22. AI FEATURES

If AI is involved:

[ ] AI use case

[ ] Model selection

[ ] Model comparison

[ ] Prompt architecture

[ ] System prompts

[ ] Structured outputs

[ ] Input validation

[ ] Output validation

[ ] Hallucination handling

[ ] AI evaluation

[ ] Evaluation dataset

[ ] AI safety

[ ] Prompt injection protection

[ ] Data privacy

[ ] AI cost estimation

[ ] Token limits

[ ] Rate limits

[ ] Abuse prevention

[ ] Model fallback

[ ] Error handling

[ ] AI logging

[ ] AI monitoring

[ ] Human review where needed

---

23. ANALYTICS

[ ] Analytics platform

[ ] Event taxonomy

[ ] User activation

[ ] Conversion funnel

[ ] Retention

[ ] Engagement

[ ] Revenue

[ ] Churn

[ ] Feature usage

[ ] Error events

[ ] Performance metrics

[ ] Acquisition

[ ] Attribution

[ ] Privacy review

[ ] Analytics dashboard

---

24. TESTING

[ ] Test strategy

[ ] Unit tests

[ ] Integration tests

[ ] API tests

[ ] Database tests

[ ] UI tests

[ ] End-to-end tests

[ ] Regression tests

[ ] Security tests

[ ] Accessibility tests

[ ] Performance tests

[ ] Load tests

[ ] Stress tests

[ ] Compatibility tests

[ ] Browser tests

[ ] Device tests

[ ] OS-version tests

[ ] Network tests

[ ] Offline tests

Edge cases

[ ] Empty input

[ ] Invalid input

[ ] Huge input

[ ] Duplicate action

[ ] Slow network

[ ] No network

[ ] API failure

[ ] Database failure

[ ] Authentication failure

[ ] Permission denial

[ ] Payment failure

[ ] Timeout

[ ] Concurrent actions

[ ] Deleted data

[ ] Expired session

---

25. PERFORMANCE

[ ] Page load performance

[ ] App startup

[ ] API latency

[ ] Database performance

[ ] Query optimization

[ ] Image optimization

[ ] Bundle size

[ ] Caching

[ ] CDN

[ ] Lazy loading

[ ] Code splitting

[ ] Memory usage

[ ] CPU usage

[ ] Battery usage

[ ] Network usage

[ ] Core Web Vitals

[ ] Performance monitoring

---

26. SCALABILITY

Test/design for:

[ ] 100 users

[ ] 1,000 users

[ ] 10,000 users

[ ] 100,000 users

[ ] 1,000,000 users

Analyze:

[ ] Database bottleneck

[ ] API bottleneck

[ ] Storage

[ ] Bandwidth

[ ] AI costs

[ ] Third-party limits

[ ] Rate limits

[ ] Caching

[ ] Queues

[ ] CDN

[ ] Horizontal scaling

[ ] Database scaling

[ ] Backup scaling

---

27. WEB

For web products:

[ ] Domain

[ ] DNS

[ ] HTTPS

[ ] SSL

[ ] Hosting

[ ] CDN

[ ] Favicon

[ ] Sitemap

[ ] robots.txt

[ ] SEO

[ ] Meta tags

[ ] Open Graph

[ ] Twitter/X cards

[ ] Structured data

[ ] Responsive design

[ ] Accessibility

[ ] Performance

[ ] Security headers

[ ] CSP

[ ] CORS

[ ] Error pages

[ ] 404

[ ] 500

[ ] Email configuration

[ ] Domain email

---

28. MOBILE APP

For Android/iOS:

[ ] App icon

[ ] Splash screen

[ ] Permissions

[ ] Deep links

[ ] Push notifications

[ ] Background behavior

[ ] Offline behavior

[ ] Device compatibility

[ ] Screen-size compatibility

[ ] OS compatibility

[ ] Battery optimization

[ ] App signing

[ ] Release build

[ ] Crash reporting

[ ] App analytics

[ ] Store screenshots

[ ] Store description

[ ] App category

[ ] Age rating

[ ] Privacy information

[ ] Data safety information

[ ] Account deletion

[ ] Store policies

[ ] Store submission

[ ] Review

[ ] Production release

---

29. DEVOPS

[ ] Git repository

[ ] Branch strategy

[ ] Development environment

[ ] Staging environment

[ ] Production environment

[ ] Environment variables

[ ] Secrets

[ ] CI/CD

[ ] Automated builds

[ ] Automated tests

[ ] Deployment pipeline

[ ] Database migrations

[ ] Backups

[ ] Monitoring

[ ] Logging

[ ] Alerts

[ ] Rollbacks

[ ] Disaster recovery

[ ] Incident response

---

30. DOCUMENTATION

[ ] README

[ ] Setup guide

[ ] Architecture documentation

[ ] Database documentation

[ ] API documentation

[ ] Environment variables documentation

[ ] Deployment documentation

[ ] Troubleshooting

[ ] Security documentation

[ ] Privacy documentation

[ ] User documentation

[ ] FAQ

[ ] Developer documentation

[ ] Changelog

[ ] Release notes

---

31. SUPPORT

[ ] Contact method

[ ] Support email

[ ] Help center

[ ] FAQ

[ ] Bug reporting

[ ] Feature requests

[ ] Feedback

[ ] Refund support

[ ] Account support

[ ] Abuse reporting

[ ] Response process

[ ] Support analytics

---

32. MARKETING

[ ] Product positioning

[ ] Brand name

[ ] Tagline

[ ] Landing page

[ ] Product screenshots

[ ] Demo video

[ ] Product video

[ ] Founder story

[ ] Launch announcement

[ ] Email list

[ ] Social profiles

[ ] Content strategy

[ ] SEO strategy

[ ] Community strategy

[ ] Reddit strategy

[ ] Product Hunt strategy

[ ] Launch campaign

[ ] Referral strategy

[ ] Affiliate strategy

[ ] Testimonials

[ ] Reviews

[ ] Case studies

---

33. PRE-LAUNCH

[ ] MVP complete

[ ] Critical bugs fixed

[ ] Security audit complete

[ ] Privacy audit complete

[ ] Legal documents complete

[ ] Analytics working

[ ] Monitoring working

[ ] Backup working

[ ] Payments tested

[ ] Email tested

[ ] Production environment tested

[ ] Domain working

[ ] SSL working

[ ] App builds working

[ ] Store listing ready

[ ] Landing page ready

[ ] Support ready

[ ] Launch content ready

[ ] Beta testers

[ ] Beta feedback

[ ] Final QA

[ ] Launch approval

---

34. LAUNCH

[ ] Production deployment

[ ] Database migration

[ ] DNS

[ ] SSL

[ ] App submission

[ ] Website live

[ ] Payments live

[ ] Analytics live

[ ] Monitoring live

[ ] Email live

[ ] Launch announcement

[ ] Social posts

[ ] Community posts

[ ] Product Hunt

[ ] Reddit where appropriate

[ ] Founder announcement

[ ] Collect first users

[ ] Monitor errors

[ ] Monitor performance

[ ] Monitor costs

[ ] Monitor feedback

---

35. POST-LAUNCH

[ ] First 10 users

[ ] First 100 users

[ ] First paying customer

[ ] First ₹1

[ ] First ₹10,000

[ ] User feedback

[ ] Bug fixes

[ ] Feature requests

[ ] Churn analysis

[ ] Retention analysis

[ ] Conversion analysis

[ ] Revenue analysis

[ ] Cost analysis

[ ] Support analysis

[ ] Security monitoring

[ ] Performance monitoring

[ ] Product improvements

[ ] A/B tests where appropriate

[ ] Pricing experiments

[ ] Growth experiments

[ ] Roadmap update

---

36. AI AGENT REVIEW

[ ] AI reviews PRD

[ ] AI reviews architecture

[ ] AI reviews database

[ ] AI reviews APIs

[ ] AI reviews code

[ ] AI reviews security

[ ] AI reviews privacy

[ ] AI reviews UX

[ ] AI reviews tests

[ ] AI reviews performance

[ ] AI reviews deployment

[ ] AI reviews launch readiness

---

37. FINAL "WHAT DID WE FORGET?" AUDIT

[ ] Forgotten feature audit

[ ] Forgotten screen audit

[ ] Forgotten user-flow audit

[ ] Forgotten edge-case audit

[ ] Forgotten security audit

[ ] Forgotten privacy audit

[ ] Forgotten legal audit

[ ] Forgotten cookie/tracking audit

[ ] Forgotten permission audit

[ ] Forgotten payment audit

[ ] Forgotten app-store audit

[ ] Forgotten Play Store audit

[ ] Forgotten SEO audit

[ ] Forgotten accessibility audit

[ ] Forgotten analytics audit

[ ] Forgotten monitoring audit

[ ] Forgotten backup audit

[ ] Forgotten disaster-recovery audit

[ ] Forgotten scalability audit

[ ] Forgotten third-party-service audit

[ ] Forgotten cost audit

[ ] Forgotten support audit

[ ] Forgotten documentation audit

[ ] Forgotten launch audit

---

38. FINAL SHIP GATE 🚀

The product cannot be marked LAUNCHED until:

[ ] Product requirements complete

[ ] MVP complete

[ ] Core functionality complete

[ ] UX/UI complete

[ ] Architecture complete

[ ] Database complete

[ ] APIs complete

[ ] Authentication complete

[ ] Security complete

[ ] Privacy complete

[ ] Legal complete

[ ] Analytics complete

[ ] Testing complete

[ ] Performance acceptable

[ ] Monitoring complete

[ ] Backup complete

[ ] Documentation complete

[ ] Support complete

[ ] Payments complete if applicable

[ ] Web deployment complete if applicable

[ ] Mobile deployment complete if applicable

[ ] Store requirements complete if applicable

[ ] Final AI audit complete

[ ] Human review complete

[ ] 🚀 SHIPPED

And this is how your Founder OS should handle it

You should NOT see all 300+ tasks every time.

The system should have:

Master Checklist → Product Type → AI-generated relevant checklist → Tasks → Subtasks → AI verification

So when you create:

> New Mobile AI SaaS

the AI might generate 250 tasks.

For:

> Simple Chrome Extension

maybe 100 tasks.

For:

> Landing-page-only product

maybe 50 tasks.

And every task has:

Not Started → In Progress → Blocked → AI Review → Human Review → Done

with a percentage automatically calculated from subtasks.

That is the level of checklist I would use as the foundation of your Product OS.