Product specification

01 Product overview

TaskBoard Lite is a fictional task-tracking application for small project teams. It helps a team assign tasks, record due dates and follow work through a simple board. The intended team size is between five and twenty people. This specification is synthetic test material for PDF question answering, not a description of an existing commercial product.

The first release focuses on predictable task management rather than automated planning. A user creates a workspace, invites teammates and adds tasks to a shared board. The product has a web interface backed by an HTTP API. Requirements in this document describe planned behavior for the fictional product; they do not claim that DocuChat implements these features.

Product	TaskBoard Lite
Target team size	Five to twenty people
Release	Version 1.0
Primary goal	Shared task ownership and status tracking

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

02 User roles and permissions

A workspace has three roles: owner, editor and viewer. The owner manages invitations, changes roles and can archive the workspace. Editors create and update tasks, assign work and add comments. Viewers can read boards and comments but cannot modify tasks. Each workspace must retain at least one owner.

A role applies only within its workspace. Being an editor in one workspace does not grant access to another workspace. The API checks membership on every request instead of trusting hidden interface buttons. Only an owner can export the workspace audit log. When a member is removed, their existing comments remain attributed to their display name but their session no longer grants access to that workspace.

Owner	Membership, roles and workspace archiving
Editor	Create and update tasks and comments
Viewer	Read only
Audit-log export	Owner only

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

03 Task fields and validation

Each task has an identifier, title, status, creation timestamp and workspace identifier. The title is required and contains between one and 120 characters after trimming whitespace. A description is optional and may contain up to 4,000 characters. A task can have one assigned member or remain unassigned.

A due date is optional. The interface displays dates using the workspace timezone while the server stores timestamps in UTC. Priority can be low, normal or high, with normal as the default. A task may have up to five labels. Validation happens on both client and server; the server remains responsible for rejecting invalid requests even when a user bypasses the interface.

Title length	One to 120 characters
Description limit	4,000 characters
Default priority	Normal
Label limit	Five labels per task

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

04 Board workflow

The default board has four statuses: Backlog, Ready, In Progress and Done. A task starts in Backlog unless a CSV import explicitly specifies another supported status. Editors can move a task between statuses. Moving a task to Done records a completion timestamp; moving it out of Done clears that timestamp.

The board initially sorts tasks by their most recent update. Users can filter by assignee, priority and label. Filters change the visible results without deleting tasks. Custom columns, task dependencies and time tracking are outside the first release. The interface must announce successful status changes to assistive technology and allow users to move tasks with the keyboard as well as a pointer.

Statuses	Backlog, Ready, In Progress, Done
Default status	Backlog
Filters	Assignee, priority and label
Excluded	Dependencies, custom columns and time tracking

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

05 Search and pagination

Task search matches text in task titles and descriptions within the selected workspace. Search results must not include tasks from workspaces where the requester has no membership. The first release uses case-insensitive text matching; semantic search and AI-generated summaries are outside scope.

The API returns twenty-five tasks per page by default. A client can request a page size between one and one hundred. Cursor-based pagination identifies the next result position. The server sorts by update time and uses the task identifier to break ties so that pagination is deterministic. An empty search returns an empty array and no next cursor, not an error response.

Default page size	Twenty-five tasks
Maximum page size	One hundred tasks
Search fields	Title and description
Pagination	Cursor based

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

06 CSV imports

TaskBoard Lite accepts CSV imports containing at most 2,000 task rows and a file size of at most 5 MB. Both limits apply independently. The header row is not counted as a task row. Accepted columns are title, description, assignee_email, priority, status and due_date. The title column is mandatory; other columns are optional.

Before publishing imported tasks, the server validates every row and checks that assigned users belong to the workspace. An invalid row causes the entire import to fail with row-level error details; partial imports are not allowed. Duplicate rows inside the same file are reported rather than silently merged. The due_date format is YYYY-MM-DD. An import never creates new workspace memberships from email addresses.

Task-row limit	2,000 rows, excluding the header
File-size limit	5 MB
Required column	title
Failure behavior	Reject the whole import with row errors

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

07 Notifications

An assigned member receives an in-app notification when another member assigns a task to them. A mentioned member receives a notification when a comment uses their workspace mention identifier. Users do not receive notifications for actions they perform themselves. Notifications link to the relevant task and show the actor and action.

The first release includes in-app notifications only. Email, push notifications and daily digests are excluded. A user can mark one notification or all notifications as read. Read status is scoped to the recipient. If a user loses workspace access, task links from old notifications stop opening the task. Notification delivery failures must not roll back a successful task update; failures are recorded for investigation.

Channels	In-app only
Triggers	Task assignment and comment mentions
Self-notifications	Suppressed
Failure handling	Record failure; preserve task update

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

08 Performance and accessibility targets

The fictional acceptance target is a p95 API response time below 400 milliseconds for normal task reads under the defined test workload. This is a target, not a measured production result. The workload contains twenty concurrent users, ten workspaces and 10,000 total tasks on a fixed test environment.

Keyboard navigation covers task creation, board movement, filters and comments. Form errors are connected to their fields with accessible labels. Status is communicated with text rather than color alone. The application respects reduced-motion preferences. Performance reports must record the test environment and distinguish browser rendering time from API time. A single successful request is insufficient evidence for meeting a p95 target.

Read latency target	p95 below 400 ms
Concurrent test users	Twenty
Test dataset	Ten workspaces and 10,000 tasks
Evidence requirement	Repeatable workload and environment record

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

09 Reliability and data lifecycle

A task update and its audit event commit in one database transaction. The audit event stores the actor, task identifier, action and timestamp. A failed database write returns an error and must not leave a successful-looking task update in the interface. The client allows a retry after an error but does not blindly repeat destructive actions.

Archiving a task hides it from the default board without permanently deleting it. An editor can restore an archived task. Workspace owners can request an export containing active and archived tasks. The fictional recovery objective is a maximum data-loss window of twenty-four hours for backups; restoration must be tested before claiming the objective is met. Backup goals in this specification are not guarantees about DocuChat storage.

Task removal	Archive with restore support
Audit writes	Same transaction as task update
Export access	Workspace owner
Recovery objective	Maximum twenty-four-hour data-loss window

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.

Product specification

10 Release acceptance and exclusions

Release 1.0 is accepted when workspace permissions, task validation, board changes, search, imports and in-app notifications pass the agreed acceptance suite. The permission suite includes cross-workspace access attempts, not only successful requests. The import suite includes malformed CSV, excessive rows and assignment to a non-member.

The first release excludes native mobile applications, calendar synchronization, billing, AI summaries and external automation integrations. A feature is not complete merely because a button or route exists. Reviewers need successful behavior, failure handling and recorded checks. This document does not specify subscription prices or an exact public launch date. A reader should report those details as absent rather than infer them from the release version.

Release	1.0
Key checks	Permissions, validation, import failures and notifications
Not specified	Subscription prices and public launch date
Excluded AI feature	AI-generated summaries

Reading note: answer from this document only. If a requested detail is absent, say that it is not specified.