Project

Web development (A1)

MY COURSE

"My Course" is a website designed to help you manage and organize your courses. The platform allows you to easily add and edit course content, manage course schedules, and calculate grades. The website provides an intuitive interface that allows you to customize your course content and layout, whether you are a teacher, professor, or student, "My Course" provides a user-friendly solution for managing your courses online. With features such as grade tracking and course scheduling, "My Course" streamlines the course management process.

Group members:

Student: Abdulrhim Howaydi Alsulami

UID: 2142484

Student: Abdulrahman Ibrahim Al-shaabi

UID: 2142263

Student: Mohammad Mobark Aljahdali

UID: 2143307

HTML

-Index.html

```
doctat charset="UIF-8">
contat http-equiv="X-UA-compatible" content="IE-edge">
conta http-equiv="X-UA-compatible" content="IE-edge">
contant="Visito-edge">
content="Visito-edge">
clink rel="preconnect" href="https://fonts.googleapis.com">
clink rel="preconnect" href="https://fonts.googleapis.com">
clink rel="preconnect" href="https://fonts.googleapis.com/cssprigin>
clink href="https://fonts.googleapis.com/css2ffamily-Carlito:ital,wght@0,400;0,700;1,400;1,7000family-Kanit:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700;0,700
                                                                                                                                                   ddiv class="features, right">
carticle class="features, right">
carticle class="features, com"><i class="uil uil-book-medical"></i>></i>></i>
cspan class="feature, com"><i class="uil uil-book-medical"></i>></i>></i>
cpsba bla bla ...

carticle class="feature">
carticle
                                                                                              Ln 1, Col 1 Spaces: 4 UTF-8 CRLF HTML 🗚 🚨
```

ContantUs.html

```
them

title>Contact Us</title>
(ink rel="stylesheet" type="text/css" href="../Css/contactUsStyle.css")

(/head)

(dix class="container")
(dix)-Contact Us</hd>

dix class="container")

dix clabel for-"mame":name="name" required>
(dix)-Contact Us</hd>

dix clabel for-"mamel':name! (dix)-Contact Us</hd>

dix clabel for-"mamel':name! (dix)-Contact Us</hd>

dix clabel for-"mamel':name! (dix)-Contact Us</hd>

dix clabel for-"polore"/splone number:

dix clabel for-"preferred languages(/label)
(dix)-Contact Us</hd>

dix clabel for-"preferred languages(/label)
(dix)-Contact Us</hd>

dix clabel for-"preferred languages(/label)
(option value-"">--Language--(option)
(option value-"">--Language--(option)
(option value-"">--Language--(option)
(option value-"">--Language--(option)
(option value-""">--Language--(option)
(option value-""">--Language--(option)
(option value-""">--Language--(option)
(option value-""")-French(option)
(option value-""")-French(option)
(option value-""")-French(option)
(option value-""")-French(option)
(dix)-Contact Us</hd>

dix clabel for-"subject" subject:
dix clabel for-"s
```

AboutUs.html

CSS

indexStyle.css

```
margin: 0;
padding: 0;
border: 0;
outline: 0;
text-decoration: none;
box-sizing: border-box;
--container-wihdt-lg: 76%;
--container-wihdt-md: 90%;
--container-wihdt-sm: 94%;
 body{
  font-family: 'Carlito', sans-serif;
  font-family: 'Kanit', sans-serif;
  line-height: 1.7;
  color: var(--color-white);
  background: var(--color-bg);
}
   .container{
  width: var(--container-wihdt-lg);
  margin: θ auto;
   section{
   padding: 6rem 0;
  section h2{
   text-align: center;
   margin-bottom: 4rem;
  h1,
h2,
h3,
h4,
           line-height: 1.2;
            font-size: 2rem;
```

```
img {
    width: 100%;
          display: □black;
object-fit: cover;
 .btn {
    display: inline-block;
    background: var(--color-white);
    color: var(--color-black);
    padding: 1rem 2rem;
    border: 1px solid transparent;
    font-weight: 500;
    transition: var(--transition);
       background: transparent;
color: var(--color-white);
border-color: var(--color-white);
 .btn-primary{
  background: var(--color-danger);
  color: var(--color-white);
nav{
   background: transparent;
   width: 100vw;
   height: 5rem;
   position: fixed;
   top: 0;
   z-index: 11;
  .nav_container{
height: 100%;
          display: flex;
          justify-content: space-between; align-items: center;
  .nav_menu{
    display: flex;
         align-items: center;
  .nav_menu a {
   font-size: 0.9rem;
   transition: var(--transition);
position: relative;
top: 5rem;
overflow: hidden;
          height: 70vh;
margin-bottom: 5rem;
   .header container{
         display: grid;
grid-template-columns: 1fr 1fr;
align-items: center;
          gap: 5rem;
height: 100%;
```

```
.features{
   background: var(--color-bg1);
   height: 30rem;
}
           .features_container{
   display: grid;
   grid-template-columns: 40% 60%;
   gap: 4rem;
           .features_left p{
   margin: 1rem 0 3rem;
}
            .features_right{
    display: grid;
    grid-template-columns: repeat(2, 1fr);
               background: var(--color-bg2);
padding: 2rem;
border-radius: 2rem;
transition: var(--transition);
            .feature:hover{
| box-shadow: 0 3rem 3rem □rgba(0, 0, 0, 0.3);
| z-index: 1;
           .feature_icon{
  background: var(--color-primary);
  padding: 0.7rem;
  border-radius: 0.9rem;
           .feature h5{
   margin: 2rem 0 1rem;
}
           .feature p{
   font-size: 0.85rem;
}
```

-ContantUsStyle.css

```
y {
font-family: Arial, sans-serif;
background-color: ■#f2f2f2;
h1 {
    text-align: center;
    margin-top: 50px;
    top: 40%;
 form {
    width: 30%;
    margin: 50px auto;
    background-color: ■white;
    padding: 20px;
    border-radius: 10px;
    box-shadow: 0px 0px 10px □rgba(0,0,0,0.2);
             display: block;
font-weight: bold;
margin-bottom: 5px;
 input, textarea {
    width: 100%;
    box-sizing: border-box;
    padding: 10px;
    margin-bottom: 10px;
    border: 2px solid ■#ccc;
    border-radius: 4px;
    resize: vertical;
}
  input[type="submit"] {
  background-color: ■#4CAF50;
  color: ■white;
             border: none;
padding: 12px 20px;
border-radius: 4px;
cursor: pointer;
  .home-btn {
    display: block;
    margin-top: 20px;
    text-align: center;
    text-decoration: none;
    background-color: ■#f5f5f5;
    color: □#333;
    padding: 10px 20px;
    border-radius: 5px;
    border: 1px solid ■#ccc;
    box-shadow: 0 0 5px □rgba(0, 0, 0, 0.2);
  #preferred-lang {
   font-size: 20px;
```

-AboutUsStyle.css

```
pimport url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1
         margin: 0;
padding: 0;
box-sizing: border-box;
scroll-behavior: smooth;
header {
   background-color: ■#cfd4d8;
        background-color: ##cfd4ds;
width: 100%;
position: fixed;
z-index: 999;
display: flex;
justify-content: space-between;
         align-items: center;
padding: 10px 200px;
box-sizing: border-box;
 .clon {
  text-decoration: none;
  color: @#3a6cf4;
  text-transform: uppercase;
        font-weight: 700;
font-size: 1.8em;
section {
   padding: 100px 200px;
}
.up {
    display: flex;
    justify-content: center;
    color: ■#3a6cf4;
    font-size: 2.2em;
        font-weight: 800;
margin-bottom: 30px;
       width: 100%;
border-collapse: collapse;
        border: none;
margin: 0 auto;
       margin: 0 auto;
margin-top: 2em;
margin-bottom: 2em;
font-family: 'Open Sans', sans-serif;
color: □#333333;
background-color: ■#ffffff;
box-shadow: 0 0 20px □rgba(0, 0, 0, 0.15);
       ome-bth {
display: block;
margin-top: 20px;
text-align: center;
text-decoration: none;
background-color: ■#f5f5f5;
color: □#333;
padding: 10px 20px;
borden_redius: Eax
         padung. Top.

border-radius: Spx;

border: 1px solid ■#ccc;

box-shadow: 0 0 5px □rgba(0, 0, 0, 0.2);
```

• Validation Check

-Index.html

```
This tool is an organing experiment in bettire HTML chacking, and its behavior remains subject to change

Showing persualts for contents of fext-leopid area

Onchair input

Onchair input
```

-ContantUs.html



-AboutUs.html

```
What Checker

This bod is an original experiment in better HTML checking, and its behavior remains subject to change


Showing results for contents of text-disput area

Checker input.


Show **serve** | main** |
```

• Website pages

-Index.html



-ContantUs.html




-AboutUs.html




Dimensions

-992px



-768px



-576px

