

19/05 - 27/06

Rapport de Stage

chez **BUNZL** !

SOMMAIRE

1

Présentation de BUNZL

2

Contexte

3

Missions confiées

4


Problèmes encourus et solutions

5

Conclusion

I - Qu'est ce qu'est BUNZL ?

HYGIÈNE	PLG 15 dépôts - 70 700 m²
	HEDIS 13 dépôts - 33 200 m²
E.P.I	FRANCE SÉCURITÉ 3 dépôts - 20 200 m²
	PRORISK-GME 2 dépôts - 5 500 m²
	LIGNE T 1 dépôt - 1 300 m²
CATERING	COMPTOIR DE BRETAGNE 2 dépôts - 9 000 m²
	COMATEC 1 dépôt - 6 500 m²



II - Contexte

Computers

1.43K

Computers

187

Not Seen in Over 7 Days

840

Need AV Update

1.41K

Need Connector Update ?

0

Computers With Faults

1.27K

Cisco Security Risk Score High ?

← Computers

FSE-PPD-3079.france-securite.loc

Vulnerabilities data updated: 2025-06-25 09:52:35 CEST

Overview

Vulnerabilities

94 / 100	CVE-2025-33053 External control of file name or path in Internet Shortcut Files allows an unauthorized attacker to execute code over a network.	Fix Available
CVSS 3.1: 8.8		
78 / 100	CVE-2016-0010 Microsoft Office 2007 SP3, Office 2010 SP2, Office 2013 SP1, Office 2013 RT SP1, Office 2016, Excel for Mac 2011, PowerPoint for Mac 2011, Word for Mac 2011, Excel 2016 for Mac, PowerPoint 2016 for Mac, Word 2016 for Mac, and Word Viewer allow remote attackers to execute arbitrary code via a crafted Office document, aka "Microsoft Office Memory Corruption Vulnerability."	Fix Available
CVSS 3.1: 7.8		
75 / 100	CVE-2023-41993 The issue was addressed with improved checks. This issue is fixed in macOS Sonoma 14. Processing web content may lead to arbitrary code execution. Apple is aware of a report that this issue may have been actively exploited against versions of iOS before iOS 16.7.	
CVSS 3.1: 8.8		
71 / 100	CVE-2022-34169 The Apache Xalan Java XSLT library is vulnerable to an integer truncation issue when processing malicious XSLT stylesheets. This can be used to corrupt Java class files generated by the internal XSLTC compiler and execute arbitrary Java bytecode. Users are recommended to update to version 2.7.3 or later. Note: Java runtimes (such as OpenJDK) include repackaged copies of Xalan.	
CVSS 3.1: 7.5		
61 / 100	CVE-2016-7245 Microsoft Office 2007 SP3, Office 2010 SP2, Office 2013 SP1, Office 2013 RT SP1, and Office 2016 allow remote attackers to execute arbitrary code via a crafted Office document, aka "Microsoft Office Memory Corruption Vulnerability."	Fix Available
CVSS 3.1: 7.8		
61 / 100	CVE-2016-7277 Microsoft Office 2016 allows remote attackers to execute arbitrary code or cause a denial of service (memory corruption) via a crafted document, aka "Microsoft Office Memory Corruption Vulnerability."	Fix Available
CVSS 3.1: 7.8		

III - Mes missions

Déploiement d'Office 365 :

Bibliothèque d'automatisation ⓘ

Gérer les automatisations natives et personnalisées

Automatisations

En cours d'examen (0)

Catégories

Bibliothèque de modèles

Q 0365

X

Système d'exploitation ▼

Type ▼

Langue ▼

Catégories ▼

1 résultat

Nom	Système...	Type	Catégories
Test_Install_O365 PowerShell Déploiement			

Protocoles obsolètes à désactiver :

```
# Liste des protocoles à désactiver
$protocols = @("SSL 2.0", "SSL 3.0", "TLS 1.0", "TLS 1.1")

foreach ($protocol in $protocols) {
    foreach ($role in @("Client", "Server")) {
        $keyPath = "HKLM:\SYSTEM\CurrentControlSet\Control\SecurityProviders\SCHANNEL\Protocols\$protocol\$role"

        # Crée la clé si elle n'existe pas
        if (-not (Test-Path $keyPath)) {
            New-Item -Path $keyPath -Force | Out-Null
        }

        # Désactiver le protocole
        New-ItemProperty -Path $keyPath -Name "Enabled" -Value 0 -PropertyType "DWord" -Force | Out-Null
        New-ItemProperty -Path $keyPath -Name "DisabledByDefault" -Value 1 -PropertyType "DWord" -Force | Out-Null

        Write-Host "Désactivé : $protocol ($role)"
    }
}
```

Bloquage de flux provenant de certains pays :

```
config firewall address
edit "geo-AF"
    set type geography
    set country "AF"
next
edit "geo-AX"
    set type geography
    set country "AX"
next
edit "geo-AL"
    set type geography
    set country "AL"
next
edit "geo-DZ"
    set type geography
    set country "DZ"
next
edit "geo-AS"
    set type geography
    set country "AS"
next
edit "geo-AO"
    set type geography
    set country "AO"
next
edit "geo-AI"
    set type geography
    set country "AI"
next
edit "geo-AQ"
    set type geography
    set country "AQ"
next
# Etc...
end
```


IV - Problèmes & Solutions



- **Créneaux des utilisateurs**
- **Erreurs de compilation**
- **Problèmes avec la signature**



V - Conclusion

Ce stage m'a permis :

- de me former sur des outils complémentaires (RMM NinjaOne) ;
- de considérer l'importance de la planification et des tests préalables grâce au déploiement d'Office 365 sur environ 1000 postes ;
- de collaborer en équipe dans un environnement professionnel ;
- de me sensibiliser aux enjeux de sécurité ;
- de m'adapter à un environnement international.

Merci pour votre écoute !

Voici la fin de rapport de mon stage chez **BUNZL**.