



Register: typical course of events

Actor Action (Student)	Actor Action (Adviser)	System Response
1. Open registration Interface		2. Ask for Student Id, Password
3. Provide Id, Password		4. Show List of unfinished courses
5. Select a course		6. Get Pre-requisite list for that course
		7. Check results of those courses
		8. If not passed, then give message to student and deselect the course Otherwise, do nothing
9. Finalize selection		10. Check total credit hour
		11. If ok, then proceed to next step otherwise, give a message requesting the student to revise his selection
		12. Notify Adviser
	13. Ask for details	14. Show details
	15. Authorize	16. Update state
		17. update registration information for selected courses and show confirmation message, Print course card


Register: Sequence Diagram 1



Register: Sequence Diagram 2



print कर




© 2002, Jackson Castro and John Mularczyk

Sequence and Collaboration Diagrams 1

sd Add a new advert to a campaign

book → benefit
↓
for sequence, collaboration, state



Collaboration Diagrams sequence of interactions অধ্যয়ন করা হয় ।


- Hold the same information as sequence diagrams
- Show links between objects that participate in the collaboration
- No time dimension, sequence is captured with sequence numbers
- Sequence numbers are written in a nested style (for example, 3.1 and 3.1.1) to indicate the nesting of control within the interaction that is being modelled

Model view controller architecture (MVC) use করে ।
এক layer থেকে অন্য layer এ কীভাবে যাবে → এর detail ও অধ্যয়ন possible
architecture এর structure clear হবে ।

Message Labels

Type	Example
• Simple message.	4: addItem()
• Nested call with return value. –The return value is placed in the variable name.	3.1.2: name:= getName()
• Conditional message. –This message is only sent if the condition [balance > 0] is true.	[balance > 0] 5: debit(amount)
• Synchronization with other threads. – <i>Message 4: playVideo() is invoked only once the two concurrent messages 3.1a and 3.1b are completed.</i>	3.1a, 3. 1b / 4:playVideo()

Navigating Links




*The direction in which
a
link can be navigated*

sequence diagram এর বিস্তারিত

Register: Collaboration Diagram

normally প্রোগ্রামে actor তৈরী করা হয় UI. but একটি UI, multiple actor use করতে পারে।



Model Consistency

class diagram, sequence diagram, collaboration diagram
અનુભવ અર્થે consistency આવશ્યક !

- The allocation of operations to objects must be consistent with the class diagram and the message signature must match that of the operation
- Every sending object must have the object reference for the destination object
 - Either an association exists between the classes or another object passes the reference to the sender
 - Message pathways should be carefully analysed