

# High Level Design

LC-50 Value Prediction

Written By	SHAAD ALI
Document Version	0.3
Last Revised Date	26-MAY-2024

# **Document Control**

# **Change Record:**

Version	Date	Author	Comments
0.1	19 – May - 2024	SHAAD ALI	Introduction & Architecture defined
0.2	20 – May - 2024	SHAAD ALI	Architecture & Architecture Description appended and updated
0.3	26 – May - 2024	SHAAD ALI	Unit Test Cases defined and appended

## **Reviews:**

Version	Date	Reviewer	Comments
0.2	21 – May - 2021	SHAAD ALI	Document Content , Version Control and Unit Test Cases to be added
	2021		auueu

# **Approval Status:**

Version	Review Date	Reviewed By	Approved By	Comments

# Contents

1. In	troduction	1
1.1.	What is Low-Level design document?	1
1.2.	Scope	1
2. Ar	chitecture	2
3. Ar	chitecture Description	4
3.1.	Data Description	4
3.2.	Web Scrapping	4
3.3.	Data Transformation	4
3.4.	Data Insertion into Database	4
3.5.	Export Data from Database	4
3.6.	Data Pre-processing	4
3.7.	Data Clustering	5
3.10	. Model Building	Error! Bookmark not defined.
3.11	. Data from User	5
3.12	. Data Validation	5
3.13	. User Data Inserting into Database	5
3.14	. Data Clustering	5
3.15	. Model Call for Specific Cluster	5
3.16	. Recipe Recommendation & Saving Output in Database	Error! Bookmark not defined.
3.17	. Deployment	6
4. Ur	nit Test Cases	5

# 1. Introduction


## 1.1. What is Low-Level design document?

The goal of LLD or a low-level design document (LLDD) is to give the internal logical design of the actual program code for Food Recommendation System. LLD describes the class diagrams with the methods and relations between classes and program specs. It describes the modules so that the programmer can directly code the program from the document.

# 1.2. Scope

Low-level design (LLD) is a component-level design process that follows a step-bystep refinement process. This process can be used for designing data structures, required software architecture, source code and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work

# 2. Architecture



# 3. Architecture Description

#### 3.1. Data Collection

A set of 908 chemicals based on 6 molecular descriptors.

LC50 data, which is the concentration that causes death in 50% of test fish over a test duration of 96 hours, was used as model response. The model comprised 6 molecular descriptors: MLOGP (molecular properties), CIC0 (information indices), GATS1i (2D autocorrelations), NdssC (atom-type counts), NdsCH ((atom-type counts), SM1\_Dz(Z) (2D matrix-based descriptors).

Dataset: <a href="https://archive.ics.uci.edu/ml/datasets/QSAR+fish+toxicity">https://archive.ics.uci.edu/ml/datasets/QSAR+fish+toxicity</a>

## 3.2. Data Cleaning

Data cleaning and transformation are crucial steps in a data science project that ensure data quality and usability. Data cleaning involves handling missing values by identifying and either imputing or removing them, removing duplicates, correcting inaccuracies such as typos and errors, and standardizing data formats. It also includes identifying and treating outliers that can skew analysis. Data transformation, on the other hand, involves scaling and normalizing data to ensure uniformity, encoding categorical variables, and creating new features through feature engineering. It also includes aggregating and grouping data, reducing dimensionality with techniques like PCA, and applying transformations such as logarithmic scaling to stabilize variance and improve the distribution of data for analysis. Together, these processes enhance the accuracy, efficiency, and performance of data analysis and machine learning models.

#### 3.3. Data Transformation

Data transformation involves converting data into a suitable format or structure for analysis. This step enhances the data's usability and often involves changing the form or structure of the data to improve its compatibility with specific algorithms or analysis techniques

#### 3.4. Data Insertion into Database

- a. Database Creation and connection Create a database with name passed. If the database is already created, open the connection to the database.
- b. Table creation in the database.
- c. Insertion of files in the table

### 3.5. Export Data from Database

Data Export from Database - The data in a stored database is exported as a CSV file to be used for Data Pre-processing and Model Training.

#### 3.6. Data Pre-processing

Data Pre-processing steps we could use are Null value handling, stop words removal, punctuation removal, Tokenization, Lemmatization, TFIDF, Imbalanced data set handling, Handling columns with standard deviation zero or below a threshold, etc.

## 3.7. Data Clustering

K-Means algorithm will be used to create clusters in the pre-processed data. The optimum number of clusters is selected by plotting the elbow plot. The idea behind clustering is to implement different algorithms to train data in different clusters. The K-means model is trained over preprocessed data and the model is saved for further use in prediction

#### 3.8 Model Building

After clusters are created, we will find the best model for each cluster. For each cluster, algorithms will be passed with the best parameters derived from Grid-Search. We will calculate the AUC scores for models and select the model with the best score. Similarly, the models will be selected for each cluster. All the models for every cluster will be saved for use in Recommendation.

#### 3.10. Data from User

Here we will collect physiological data from user such as user height and weight, heart rate, burned calories, daily physical activity level; as well as information directly provided by the user such as daily food intake

#### 3.11. Data Validation

Here Data Validation will be done, given by the user

#### 3.12. User Data Inserting into Database

Collecting the data from the user and storing it into the database. The database can be either MySQL or Mongo DB.

## 3.13. Data Clustering

The model created during training will be loaded, and clusters for the user data will be predicted.

#### 3.14. Model Call for Specific Cluster

Based on the cluster number, the respective model will be loaded and will be used to predict/Recommend the data for that cluster.

# 3.15. Value Prediction & Saving Output in Database

After calling model Recipe/Output will be recommended, this output will be saved in Database and it

1014/151/51

will beused to show the same Output if other users provide the same data.

# 3.16. Deployment

We will be deploying the model to AWS.

This is a workflow diagram for the Recipe Recommendation..

# 4. Unit Test Cases

Test Case Description	Pre-Requisite	Expected Result
Verify whether the Application URL is	1. Application URL	Application URL should be
accessible to the user	should be defined	accessible to the user
Verify whether the Application loads completely for the user when the URL is accessed	Application URL is accessible     Application is deployed	The Application should load completely for the user when the URL is accessed
Verify whether the User is able to sign	1. Application is	The User should be able to sign up
up in the application	accessible	in the application
Verify whether user is able to successfully login to the application	<ol> <li>Application is accessible</li> <li>User is signed up to the application</li> </ol>	User should be able to successfully login to the application
Verify whether user is able to see input	1. Application is accessible 2. User is signed up to the application 3. User is logged in	User should be able to see input
fields on logging in	to the application	fields on logging in
	<ol> <li>Application is accessible</li> <li>User is signed up to the application</li> </ol>	
Verify whether user is able to edit all	3. User is logged in	User should be able to edit all input
input fields	to the application	fields
	<ol> <li>Application is accessible</li> <li>User is signed up to the application</li> </ol>	
Verify whether user gets Submit	3. User is logged in	User should get Submit button to
button to submit the inputs  Verify whether user is presented with	to the application  1. Application is accessible  2. User is signed up to the application	submit the inputs  User should be presented with
recommended results on clicking	3. User is logged in	recommended results on clicking
submit	to the application	submit
Verify whether the recommended results are in accordance to the selections user made	<ol> <li>Application is accessible</li> <li>User is signed up to the application</li> <li>User is logged in to the application</li> </ol>	The recommended results should be in accordance to the selections user made
	1. Application is	
Verify whether user has options to filter the recommended results as well	accessible  2. User is signed up	User should have options to filter the recommended results as well

	to the application	
	3. User is logged in	
	to the application	
	1. Application is	
	accessible	
	2. User is signed up	
	to the application	
Verify whether KPIs modify as per the	3. User is logged in	KPIs should modify as per the user
user inputs for the user's health	to the application	inputs for the user's health
	1. Application is	
	accessible	
	2. User is signed up	
	to the application	
Verify whether the KPIs indicate details	3. User is logged in	The KPIs should indicate details of
of the suggested recipe	to the application	the suggested recipe