Technical Information

No. : 368 - 2025

22 September 2025

To : Whom It May Concern

Subject : Summary Report on IMO Meeting of the Sub-Committee on Carriage of Cargoes and Containers 11th Session (CCC 11)

Summary

This Technical Information summarizes the result of 11th Session of the IMO Sub-Committee on Carriage of Cargoes and Containers (CCC 11) that was held from the 8 to 12 September 2025 at the IMO headquarters in London.

Information

1. The information provided in this Technical Information is the ones which have high relevance with the work of BKI. Any information or advice provided in this document shall be no responsibility of BKI and BKI shall not be liable to any person for any loss, damage or expense cause by its reliance.
2. The following agenda are among those discussed during the meeting:

Agenda Number	Subject
3	Amendments to the IGF Code and development of guidelines for alternative fuels and related technologies
4	Development of guidelines for the use of ammonia cargo as fuel and provisions for the use of alternative fuels other than cargo on gas carriers
5	Amendments to the IMSBC Code and supplements
6	Amendments to the IMDG Code and supplements
7	Revision of the Revised guidelines for the preparation of the Cargo Securing Manual (MSC.1/Circ.1353/Rev.2) to include a harmonized performance standard for lashing software to permit lashing software as a supplement to the Cargo Securing Manual
9	Unified interpretation of provisions of IMO safety, security, environment, facilitation, liability and compensation-related conventions
10	Development of measures to prevent the loss of containers at sea

11	Revision of the Interim recommendations for carriage of liquefied hydrogen in bulk

3. Brief information regarding the above resolutions can be found in the attached document.

More info

Inquiries concerning the subject of this Technical Information should be directed to:

BKI Statutory Division
Yos Sudarso 38-40
Jakarta, 14320
Indonesia
Phone : +62 21 436 1899, 436 1901, 436 1903, 436 1904
Fax : +62 21 4390 1974
Email : sta@bki.co.id

Director of Classification Business Operations

ARIEF BUDI PERMANA

Disclaimer

Any information or advice provided in this document shall be no responsibility of BKI and BKI shall not be liable to any person for any loss, damage or expense cause by its reliance.

BRIEF INFORMATION ON IMO MEETING OF THE SUB-COMMITTEE ON CARRIAGE OF CARGOES AND CONTAINERS (CCC) 11TH SESSION (CCC 11)

A. AMENDMENTS TO THE IGF CODE AND DEVELOPMENT OF GUIDELINES FOR ALTERNATIVE FUELS AND RELATED TECHNOLOGIES (AGENDA ITEM 3)

The Sub-Committee recalled that, at CCC 10, it had re-established the Correspondence Group on Development of Technical Provisions for the Safety of Ships Using Low-flashpoint Fuels to continue work on draft safety provisions for ships using alternative fuels.

Taking into account the outcomes of that Correspondence Group and the second meeting of the Intersessional Working Group on Development of Technical Provisions for Safety of Ships Using Alternative Fuels (ISWG-AF 2), CCC 11 established the Working Group on Development of Technical Provisions for Safety of Ships Using Alternative Fuels to finalize the draft interim guidelines for ships using hydrogen as fuel.

CCC 11 also instructed this Working Group to further develop the draft interim guidelines for ships using low-flashpoint oil fuels if time allowed. However, due to time constraints, the draft interim guidelines for ships using low-flashpoint oil fuels could not be considered. Therefore, CCC 11 decided to re-establish the Correspondence Group on Development of Technical Provisions for the Safety of Ships Using Alternative Fuels to continue discussions and advance the work on these guidelines.

During the session, the Working Group completed the development of the interim guidelines for ships using hydrogen as fuel, and CCC 11 agreed to submit them to MSC 111 for approval.

These interim guidelines set out provisions for the arrangement, installation, control, and monitoring of machinery, equipment, and systems using hydrogen as fuel, with the aim of minimizing risks to the ship, persons on board, and the environment. They cover requirements for:

1. Design and installation of hydrogen systems
2. Fire and explosion prevention, ventilation, and electrical safety
3. Control, monitoring, and emergency systems
4. Operational procedures and crew training

Aligned with the International Code of Safety for Ships Using Gases or Other Low-flashpoint Fuels (IGF Code) and following a goal-based approach, the guidelines provide a comprehensive safety framework for the use of hydrogen as fuel.

B. DEVELOPMENT OF GUIDELINES FOR THE USE OF AMMONIA CARGO AS FUEL AND PROVISIONS FOR THE USE OF ALTERNATIVE FUELS OTHER THAN CARGO ON GAS CARRIERS (AGENDA ITEM 4)

Noting that MSC 109 adopted amendments to chapter 16 of the IGC Code through resolution MSC.566(109) and issued circular MSC.1/Circ.1681 for voluntary early implementation, CCC 11 also acknowledged the decision to extend the IGC Code review to 2026 and to revise the output title to

emphasize the development of guidelines for using ammonia cargo as fuel along with provisions for other alternative fuels on gas carriers.

To continue this work, the Sub-Committee noted that CCC 10 had established a Correspondence Group on Development of Guidelines for the Use of Ammonia Cargo as Fuel. Following these outcomes, CCC 11 agreed to establish the Working Group on Development of Guidelines for the Use of Ammonia Cargo as Fuel and instructed it to finalize the interim guidelines and prepare the draft MSC circular for submission to MSC 111.

The Interim Guidelines for the Use of Ammonia Cargo as Fuel, finalized by the Working Group and agreed by CCC 11, provide a comprehensive safety framework for gas carriers using ammonia as a fuel in accordance with the IGC Code. These guidelines supplement chapter 16 of the IGC Code and are intended to ensure a level of safety equivalent to LNG-fuelled installations.

They set out detailed requirements for the design, installation, and operation of ammonia fuel systems, addressing risk assessment, leak prevention, ventilation, and emergency procedures while emphasizing flexibility to accommodate evolving technology. For example, the guidelines adopt performance criteria for the Ammonia Release Mitigation System (ARMS) without a fixed concentration limit, allowing Administrations to approve thresholds in line with recognized standards.

They also permit alternative technical solutions, such as accepting inerting of the annular space as an alternative to ventilation, and encourage a goal-based approach so that ship designers and Administrations can apply new methods while maintaining an equivalent level of safety.

C. AMENDMENTS TO THE IMSBC CODE AND SUPPLEMENTS (AGENDA ITEM 5)

The Sub-Committee noted that the Editorial and Technical Group (E&T 41) had finalized the draft amendment 08-25 to the International Maritime Solid Bulk Cargoes (IMSBC) Code, which was adopted by MSC 110 as resolution MSC.575(110). These amendments will enter into force on 1 January 2027, with voluntary application from 1 January 2026.

CCC 11 also reviewed the E&T 41 report and related documents, agreeing to:

1. provide guidance to E&T 44 to begin work on the next amendment 09-27,
2. incorporate consequential amendments such as updates to MSC.1/Circ.1395/Rev.7 on cargoes exempt from fixed gas fire-extinguishing systems and MSC.1/Circ.1266/Rev.1 on carriage of dangerous goods
3. address issues including weather-tightness requirements, cargo identification numbers, and safety concerns from stevedore fatalities

CCC 11 also discussed fumigation safety, endorsing a new output to strengthen standards on the safe use of pesticides and fumigation practices, including continuous gas detection and improved crew training.

Finally, CCC 11 considered and referred proposals for new individual cargo schedules—such as Bituminous Granulates (Coarse and Fines), Calcium Carbonate/Lime Mud, Mullite, and Kaolinite—for evaluation and potential inclusion in the next IMSBC amendment 09-27.

D. AMENDMENTS TO THE IMDG CODE AND SUPPLEMENTS (AGENDA ITEM 6)

CCC 11 endorsed draft amendment 42-24 to the International Maritime Dangerous Goods (IMDG) Code, prepared by the Editorial and Technical Group (E&T 41), for submission to MSC 111 with a view to adoption.

This amendment aligns the IMDG Code with the 23rd revised edition of the UN Model Regulations and the latest ICAO Technical Instructions, ensuring continued harmonization of global requirements for the transport of packaged dangerous goods by sea.

E. REVISION OF THE REVISED GUIDELINES FOR THE PREPARATION OF THE CARGO SECURING MANUAL (MSC.1/CIRC.1353/REV.2) TO INCLUDE A HARMONIZED PERFORMANCE STANDARD FOR LASHING SOFTWARE TO PERMIT LASHING SOFTWARE AS A SUPPLEMENT TO THE CARGO SECURING MANUAL (AGENDA ITEM 7)

The Sub-Committee considered revising the Revised Guidelines for the Preparation of the Cargo Securing Manual (MSC.1/Circ.1353/Rev.2) to include a harmonized performance standard for lashing software, enabling approved software to supplement the Cargo Securing Manual and verify that lashing arrangements meet IMO requirements.

CCC 11 established a Working Group to develop a new annex with detailed operational, functional, and approval criteria for ship-specific lashing software, covering areas such as human–machine interfaces, calculation methods, accuracy tolerances, and verification procedures.

CCC 11 agreed that making lashing software mandatory would require a SOLAS amendment and invited proposals for a new output, and, as the work was not completed, re-established the Correspondence Group to finalize the revision and performance standards.

F. UNIFIED INTERPRETATION OF PROVISIONS OF IMO SAFETY, SECURITY, ENVIRONMENT, FACILITATION, LIABILITY AND COMPENSATION-RELATED CONVENTIONS (AGENDA ITEM 9)

IACS unified interpretation UI GF 22 of paragraph 9.6.1 of the IGF Code

The Sub-Committee considered the IACS Unified Interpretation (UI) GF 22 relating to paragraph 9.6.1 of the IGF Code, which concerns the location and protection of fuel supply systems for ships using gases or other low-flashpoint fuels.

After the discussion, CCC 11 endorsed UI GF 22 as a unified interpretation to ensure consistent application of the requirement that the fuel supply system be arranged so that a fire or leakage in one machinery space does not affect the safe operation of other spaces or equipment. The interpretation clarifies how Administrations and recognized organizations should verify compliance, including acceptable arrangements for piping, isolation valves, and segregation of redundant fuel supply lines.

CCC 11 agreed to forward the unified interpretation to MSC 111 for approval and circulation as an MSC circular, enabling flag States and classification societies to apply paragraph 9.6.1 of the IGF Code in a uniform manner worldwide.

Proposed revised interpretation of the IGC Code, related to the secondary barrier testing and effectiveness assessment

The Sub-Committee considered a proposed revised unified interpretation of the IGC Code dealing with testing and effectiveness assessment of secondary barriers on gas carriers.

This interpretation clarifies how Administrations and recognized organizations should verify that a ship's secondary barrier, the insulation or containment layer designed to prevent cargo leakage if the primary barrier fails, maintains its integrity and tightness. It provides guidance on test pressure levels, inspection methods, and acceptance criteria to confirm the barrier's ability to contain any leaked cargo and protect the hull structure.

CCC 11 agreed to endorse the revised interpretation and forward it to MSC 111 for approval and issuance as an IMO circular, ensuring a uniform approach to secondary barrier testing and performance assessment under the IGC Code.

Draft UI of paragraph 1.1.7.2 of the IGC Code (resolution MSC.370(93))

The Sub-Committee reviewed a draft unified interpretation of paragraph 1.1.7.2 of the IGC Code (resolution MSC.370(93)), which defines how the Code applies to gas carriers engaged in occasional or limited carriage of liquefied gases in bulk.

The draft interpretation clarifies the conditions and documentation required when a ship not normally certified as a gas carrier transports a gas cargo under this paragraph, including verification of containment systems, safety equipment, and operational controls to ensure an equivalent level of safety.

CCC 11 agreed to endorse the draft unified interpretation and to forward it to MSC 111 for approval and circulation as an IMO circular so that flag States and recognized organizations apply paragraph 1.1.7.2 of the IGC Code in a consistent and uniform manner.

G. DEVELOPMENT OF MEASURES TO PREVENT THE LOSS OF CONTAINERS AT AT SEA (AGENDA ITEM 10)

The IMO's work on measures to prevent the loss of containers at sea builds on earlier discussions and a Correspondence Group on Prevention of the Loss of Containers at Sea established before CCC 11 to collect data and develop proposals.

CCC 11 established the Working Group on Prevention of the Loss of Containers at Sea was to finalize work plan to address container losses through regulatory solutions across five key areas:

1. operational guidance and limitations
2. conditions at sea
3. loading and stowage validation and planning
4. calculation standards, container-securing gear properties with related inspection programmes
5. strength properties for containers with related inspections programmes

The Working Group also prepared a draft CCC circular providing a standardized electronic template for mandatory reporting of lost or drifting containers under SOLAS regulations V/31 and V/32, and

recommended inviting the IMO Legal Committee to examine potential overlap with the Nairobi Wreck Removal Convention to ensure consistent reporting obligations.

H. REVISION OF THE INTERIM RECOMMENDATIONS FOR CARRIAGE OF LIQUEFIED HYDROGEN IN BULK (AGENDA ITEM 11)

Having noted that the interim recommendations for the carriage of liquefied hydrogen were adopted in 2020 to enable early operations while experience was gathered, the Sub-Committee subsequently considered proposals to update them in response to operational feedback and new technical developments. The revision aims to reflect evolving safety requirements and ensure alignment with the latest provisions of the IGF and IGC Codes.

To carry out the revision, CCC 11 established a Drafting Group on Interim Recommendations for the Carriage of Liquefied Hydrogen in Bulk, tasked with reviewing proposals from Member States and industry observers and incorporating lessons learned from pilot projects and early ship operations.

The Drafting Group reviewed all submissions and produced a revised draft circular that:

1. updates design and risk-assessment provisions for hydrogen containment and transfer systems,
2. clarifies requirements for ventilation, detection, and emergency shutdown arrangements, and
3. aligns terminology and references with the latest amendments to the IGF and IGC Codes.

CCC 11 agreed to approve the revised Interim Recommendations and forward the draft MSC circular to MSC 111 for final adoption, ensuring that guidance for the safe carriage of liquefied hydrogen in bulk reflects current technical knowledge and operational experience.