

MetroNav Documentation

Author: [SOHN](#)

Date: 07/2012

***** Important: All items in the justfordemo folder are just for demonstration and testing only.**

Features:

1. 3 Menu Styles
2. Two positions: Top + Bottom
3. Cross Browsers Compatibility
4. CSS3 Animations (not all browsers)
5. Many Background colors and images
6. Easy Customization
7. Support Clickable Menu for Modern Browsers (not for IE)

Table of Contents:

1. Setup
2. Navigation Bar structure
3. Clickable Menu
4. Important Classes
5. Change log
6. Creadits
7. Thanks

1. Setup

To ensure everything works correctly, please use **<!DOCTYPE html>**

Include the following code into HEAD section of the page

Include CSS files:

```
<link rel="stylesheet" href="css/metronav.css" type="text/css" />
```

In demo we use google font so if you want to use the font you need to include:

```
<link href='http://fonts.googleapis.com/css?family=Dosis|Open+Sans' rel='stylesheet' type='text/css' />
```

For Internet Explorer 6 works:

```
<!--[if lt IE 8]>
<style>
/* Hover effect on IE 6 */
body { behavior: url("csshover3.htc"); }
/* Fix PNG images for IE 6 */
img, div, input { behavior: url("iepngfix.htc"); }
</style>
/* Fix PNG images for IE 6 */
<script type="text/javascript" src="js/iepngfix_tilebg.js"></script>
<![endif]>
```

2. Navigation Bar Structure

This section should be read along with the example files also contained in the download package.

Once you have included your preferred css stylesheet in your header section, you are ready to create the navigation bar.

We have two styles of Navigation Bar: Normal style and Metro style.

With Metro Style you can use two menu styles: mn-style-1 and mn-style-2

With Normal style you can use only one menu style: mn-style-normal

Structure:

```
<ul class="navigation-bar-style-class">
<div class="menu-body-class background-class ">
  <li class="menu-style-class">
    <a>
      <img src="" alt=""><span>Menu Title</span>
    </a>
  </li>
</div>
</ul>
```

Example:

```
<ul class="mn-lvl1-menu-metro">
  <div class="mn-lvl1-menu-body mn-bg4">
    <li class="mn-style-1">
      <a href="#">
        
        <span>MetroNav</span>
      </a>
    </li>
  </div>
</ul>
```

After create navigation bar, we continue to create Metro Play (sub menu). Metro Play will appear when somebody hover the pointer on an item in navigation bar (Main Menu). We have three sizes of Metro Play: mn-play (full width), mn-play-2 (490px), mn-play-3 (255px). You can change sizes of Metro Play in metronav.css file.

Structure:

```
<ul class="navigation-bar-style-class background-class">
<div class="menu-body-class background-class ">
  <li class="menu-style-class">
    <a>
      <img src="" alt=""><span>Menu Title</span>
    </a>
    <div class="metro-play-class [animation] [metroplay-position-class]">
      <div class="contrast-class">
        <div class="background-class">
          <div class="mn-showbox">
            <div class="column-class">
              // Add content here
            </div>
          </div>
        </div>
      </div>
    </div>
  </li>
</div>
</ul>
```

Example:

```
<ul class="mn-lvl1-menu-metro">
  <div class="mn-lvl1-menu-body mn-bg4">
    <li class="mn-style-1">
      <a href="#">
        
        <span>Menu Title</span>
      </a>

      <!-- Metro Play -->
      <div class="mn-play animated fadeInDown">
        <div class="lightstyle">
          <div class="mn-bg11">
            <div class="mn-showbox">
              <div class="col-1 mn-bg4"><p>Column 1</p></div>
              <div class="col-4 last-col mn-bg4"><p>Column 4</p></div>
              <div class="clearspace"></div>
            </div>
          </div>
        </div>
      </div>
      <!-- End Metro Play -->
    </li>
  </div>
</ul>
```

3. Clickable Menu:

At default feature this item just support well with hover event. However, if you like to make the main menu can click to show submenus, you can follow steps in this section.

***** Note: In this version, Clickable Menu use CSS only will not work on IE.**

This section should be read along with the metronav-click.html files also contained in the download package.

Now we will start to config for submenus can be show when the main menu is clicked

1. First, add an anchor to <a> tag in a main menu you want to click. Example:

```
<ul class="mn-lvl1-menu-metro">
  <div class="mn-lvl1-menu-body mn-bg4">
    <li class="mn-style-1">
      <a href="#menu-id">
        
        <span>Metro Nav</span>
      </a>
    </li>
  </div>
</ul>
```

2. Add an id="menu-id" into submenu and use metro-play-class for click event.

Example:

```
<ul class="mn-lvl1-menu-metro">
  <div class="mn-lvl1-menu-body mn-bg4">
    <li class="mn-style-1">
      <a href="#menu-id">
        
        <span>Metro Nav</span>
      </a>

      <!-- Metro Play -->
      <div id="menu1" class="mn-play-click">
        // Submenu Content
      </div>
    </li>
  </div>
</ul>
```

3. Add the following code into <head> tag for this item can work on IE (with hover event).

```
<!--[if IE]>
<style>
.mn-lvl1-menu li:hover .mn-play-click, .mn-lvl1-menu li:hover .mn-play-2-click, .mn-lvl1-menu li:hover
.mn-play-3-click,
.mn-lvl1-menu-metro li:hover .mn-play-click, .mn-lvl1-menu-metro li:hover .mn-play-2-click, .mn-lvl1-
menu-metro li:hover .mn-play-3-click,
.mn-lvl1-menu li:hover .mn-play-bottom-click, .mn-lvl1-menu li:hover .mn-play-2-bottom-click, .mn-lvl1-
menu li:hover .mn-play-3-bottom-click,
.mn-lvl1-menu-metro li:hover .mn-play-bottom-click, .mn-lvl1-menu-metro li:hover .mn-play-2-bottom-
click, .mn-lvl1-menu-metro li:hover .mn-play-3-bottom-click {
    display:block !important;
}
.close-bt {
    display:none;
}
</style>
<![endif-->
```

4. Important Classes:

Navigation-bar-style-class: mn-lvl1-menu-metro, mn-lvl1-menu

Background-class: See background list in the CSS file.

Menu-style-class:

mn-style-1, mn-style-2 (use with mn-lvl1-menu-metro).

mn-style-normal (use with mn-lvl1-menu)

Metro-play-class:

Use with Hover event:

Top version: mn-play | mn-play-2 | mn-play-3

Bottom version: mn-play-bottom | mn-play-2-bottom | mn-play-3-bottom

Use with Click event:

Top version: mn-play-click | mn-play-2-click | mn-play-3-click

Bottom version: mn-play-bottom-click | mn-play-2-bottom-click | mn-play-3-bottom-click

Animation-class:

To use animation effects we add 2 classes: .animated + animation-name-class

Animation-name-class: See animation list in CSS file.

Metroplay-position-class: mn-menu-right (This class just affect to Metro Play position when use with mn-play-2 or mn-play-3).

Contrast-class: lightstyle, darkstyle

Column-class: col-1, col-2, col-3, col-4.

* last-col class: this class should be added in the last column or when you use only one column in a line.

5. Change log:

+ ver 1.1: Support Clickable Menu (not for IE)

6. Credits:

This plugin are developed by SONHlab.com

7. Thanks:

Finally, I want to thank you very much for purchasing my item. If you have any questions that are beyond the scope of this help file or any suggestions that can be done to improve this item, please feel free to comment in my item page at codecanyon.net or contact me at codecanyon.net/user/SOHN