| Basic Navigation of the command line (terminal): | | | |
|---|---|---|--------------------|
| Action or question | example | DOS | unix or linux |
| GENERAL: | | | |
| What is the full path name of the current directory? | | cd | pwd |
| change to the H:\ drive | | h: | h: |
| list the files and directories | | dir | ls |
| | list all the files that end with ".java" | dir *.java | ls *.java |
| change the current directory | go to "home" or root directory | cd\ | cd |
| | go to directory named "csc110" | cd csc110 | cd csc110 |
| | go to one level above current directory | cd | cd |
| make a new directory | call it "myNewDir" | md myNewDir | mkdir myNewDir |
| make a copy of a file | copy one.txt to a new file called two.txt | copy one.txt two.txt | cp one.txt two.txt |
| rename or move a file | rename one.txt to two.txt | move one.txt two.txt | mv one.txt two.txt |
| JAVA SPECIFIC: | | | |
| compile | compile MyClass.java | javac MyClass.java javac *.java javac My*.java | |
| | compile all the java files in the current directory | | |
| | compile all java files that start with "My" | | |
| run | run the compiled MyClass.class file | java MyClass | |
| redirect output to a file | send output into the file instead of console | java myClass > output.txt | |
| SHORTCUTS: | | | |
| iterate through previous commands | | up or down arrows | |
| | | CTRL+S (touch control key and 's' key at the | |
| Save the current file | | ` same time) | |
| | | hold ALT and touch the TAB key until the icon is | |
| navigate between applications | | active | |
| Stop a run-away program (or indicate EOF on a Scanner prompt) | | CTRL+C (touch control key and 'c' key at the same time) | |
| USE WITH CAUTION! | | | • |
| delete an empty directory | call it oldDir | rd oldDir | rmdir oldDir |
| delete a file | call it Old.java | del Old.java | rm Old.java |