

Address APIs User - Guide

FOR NATIONAL ADDRESS DATA API'S PROJECT

National Address integration APIs, June 08 2023



SPL | Saudi Post

Tel + 966-11-2897711

Fax + 966-11-2897711

2929 Rayhanah Bint Zaid - Al Arid
Dist. Riyadh 13337 - 8118

<http://www.splonline.com.sa>
abugmi@splonline.com.sa

Contents

Introduction.....	3
National Address Integration Services (APIs)	3
Address APIs	3
Geocode by ShortAddress:	4

Introduction

This document explains the National Address (NA) APIs and the way it can be consumed by National Address clients. The NA APIs creation mainly derived from our agreement and understanding of the business process and the required data needed to be exchange in order to satisfy the business need for all parties involved in this project.

In this document:

MUST means that the requirement is an absolute mandatory requirement.

MUST NOT means that the requirement absolutely prohibited.

SHOULD means that if the requirement cannot be fulfilled out-of-the-box, some other means of fulfilling the requirement should be devised, e.g. by customization or by integrating with another product that can fulfill the functionality.

MAY means that the requirement is optional.

National Address Integration Services (APIs)

Address APIs

Service Description

Geocode by ShortAddress:

Geocode By Short Address allows a user to find the coordinates of an address for a Short Address. You can decide to use Json or XML as an output.

Service URLs

Production Environment:

<https://apina.address.gov.sa/NationalAddress/GeoCodeByShortAddress/GeoCodeByShortAddress?format=json&shortaddress=RRRD3005>

Service Methods

Geocode by ShortAddress Method(GET)

Input Parameters

Parameter Name	Mandatory	Data Type	Description
shortaddress	Mandatory	String	Short Address Value. Shall contain 4 alphabetic characters then 4 numeric characters. (the system will automatically ignore case). Example value: RRRD3005
format	Optional (‘json’ or ‘xml’)	String	It’s an optional input. We currently support output for API’s in two formats Json and XML. You will be required to specify in which format you need response, default is Json.

Sample Request:

<https://apina.address.gov.sa/NationalAddress/GeoCodeByShortAddress/GeoCodeByShortAddress?format=json&shortaddress=RRRD3005>

Output Parameters

Parameter Name	Mandatory	Data Type	Description
Addresses	Mandatory	Object	
Latitude	Mandatory	String	Angular distance of the equator of a celestial object – expressed in degrees. Example 24.650099667616
Longitude	Mandatory	String	Angular distance of a place east or west of the meridian. Example 46.7166631947852
totalSearchResult	Mandatory	String	By default, each search request returns a set of 10 results. In case of multiple results, this attribute will describe the total number of results, so that the developer can pass the page number to get the next set of results accordingly.
success	Mandatory	Boolean	This represents success or failure of the request itself (true/false)
statusdescription	Optional	String	This provides a description of the current status, validation messages or error messages, if any.

Sample Response 1 (Success case):

```
{
  "totalSearchResults": "2",
  "Addresses": [{
    "Latitude": "18.30596435",
    "Longitude": "42.72876138"
  }],
}
```

```

    {
      "Latitude": "18.22714268",
      "Longitude": "42.54735887"
    }
  ],
  "success": true,
  "statusdescription": "SUCCESS"
}

```

Sample Response 2 (Failure case):

```

{
  "Addresses": [],
  "totalSearchResults": "0",
  "success": true,
  "statusdescription": "Invalid Short Address, please try again."
}

```

Error Handling

HTTP Status Code	Scenario	Error Code
200	No result related to search parameter.	
401	Access denied due to invalid subscription key.	
403	Total limit for calls under your subscription has been reached.	
404	The endpoint or resource your application is trying to reach doesn't exist.	
500	There was an error on the server while processing the request.	
503	Service unavailable.	