

HawkEye

Performance Monitoring Solution for Data Centers

Shabbir Suterwala

Insight DE Fellow

HawkEye

- Monitors performance for hardware, software and apps running in a datacenter.
 - Hardware could be servers, routers/switches etc.
 - Software can be OS, DB Servers, web-servers, lambda stack etc.
 - Applications can be any custom apps deployed in the data center.
- Users can register for hardware, software, apps that they are interested in.

Data

- Data Points; time stamped:
 - TCP/IP packet In/Out info
 - ~~– CPU/DiskIO/Mem/NetIO consumption info~~
- Engineered Data for Insight Project
- Real World
 - Hook into kernel: network stack, scheduler
 - Hi priority demon using *top*


Data

```
{  
  //Timestamp in/out  
  "TsIn": 1453407175613828,  
  "TsOut": 1453407175614662,  
  //Monitors:  
  "SwType": "SWTYPE42",  
  "SwID": "SWID20",  
  "TaskType": "TASKTYPE217",  
  "HwID": "HWID85730",  
  "HwType": "HWTYPE48",  
  "TaskID": "TASKID154",  
  "AppID": "HawkEye",  
  //Track packets across the network  
  "PacketID": "PACKET79217"  
}
```

Queries

- MVP
 - List N monitors
- Final
 - Which of my hardware, software, apps are not performing now - have a delay of greater than threshold
 - Top N bottlenecks hotspots over time T for hardware, software and apps individually or in a combination
 - Which N hardware, software, app combination produce bottlenecks and where.

Pipeline



Challenges

- Stitching the pipeline
- Making spark and Cassandra talk
- Cassandra schema / design
- Context switching
 - Sessions / talks etc

Shabbir Suterwala

- Team Lead, Architecture / Principal Architect @ Infor
 - Cloverleaf → Ingestion middleware for healthcare products.
- Previously worked at Cisco, AMD and Storage Startup

