Pharmacovigilance Case Classification Report

Evaluation of Adverse Drug Reactions (ADRs) based on Regulatory Seriousness, Expectedness, and Clinical Severity (ICH E2A / WHO Guidelines).

TASK IDENTIFIER	MODULE	CANDIDATE / GITHUB	STANDARD
task4	Severity & Case Classification	shadabmansuri0678-droid	ICH E2A / CIOMS

ICH E2A Seriousness Criteria

- **Serious ADR:**
  Results in death, life-threatening situation, requires inpatient hospitalization or prolongation of existing hospitalization, persistent/significant disability, congenital anomaly, or medically important condition.
- **Non-Serious ADR:**
  Any adverse reaction not meeting the statutory serious criteria above.

Expectedness & Reference Safety Info (RSI)

- **Expected:**
  The event is listed and consistent with documented nature and severity in current package insert / SmPC / Investigator's Brochure.
- **Unexpected:**
  The nature, severity, or outcome is not listed or documented in approved reference label information.

Adverse Event Evaluation Matrix

CASE	SUSPECTED DRUG	ADVERSE REACTION	SERIOUSNESS	EXPECTEDNESS	CLINICAL SEVERITY
01	Amoxicillin	Skin rash, itching	Non-Serious	Expected	Mild to Moderate
02	Ibuprofen	Gastrointestinal bleeding requiring hospitalization	Serious	Expected	Severe (Inpatient Admission)
03	Metformin	Lactic acidosis	Serious	Expected	Life-threatening / Medically Important
04	Ciprofloxacin	Tendon rupture (Achilles)	Serious	Expected	Significant Disability / Impairment

Regulatory Clinical Rationale & Expedited Reporting Impact

Case 01: Amoxicillin — Skin Rash & Pruritus

Cutaneous allergic manifestations are established reactions in penicillin-class labeling. Without systemic involvement, angioedema, or hospitalization, this case is classified as **Non-Serious** and **Expected**. Expedited reporting is not triggered; inclusion in periodic safety update reports (PSUR/PBRER) is standard.

Case 02: Ibuprofen — Upper GI Bleed with Hospitalization

NSAID inhibition of COX-1 impairs gastric mucosal cytoprotection. Because the event necessitated inpatient hospitalization, it qualifies under statutory **Serious** criteria. However, because GI ulceration and bleed risks are clearly documented in labeling, it is classified as **Expected**.

Case 03: Metformin — Lactic Acidosis

Metformin-associated lactic acidosis (MALA) is a well-documented rare complication with high mortality (50%). It qualifies as **Serious** (life-threatening and medically significant). Because it carries boxed warnings in approved labeling, it is classified as **Expected**.

Pharmacovigilance Action Plan Summary

Cases 02 & 03 meet individual case safety report (ICSR) criteria requiring prompt data lock and regulatory reporting per regional authority requirements (e.g., FDA MedWatch 3500A / E2B transmission). Case 01 is routed through routine signal detection.