COMMUNICATION ENGINE

Approved By:

Gautam Kumar Rajneesh Gupta

Created By:

Table of Contents

opyright Notice:	3
onfidentiality & Non-Disclosure:	
NCRYPTION and DECRYPTION Testing	
ET TOKEN API:	
ET BRANDS API:	
ULL VOUCHER API:	
ET STOCK API:	
TORE LIST API:	14
IST OF ERROR CODES:	

Copyright Notice:

ALL RIGHTS RESERVED by Vouchagram group of companies (defined in the paragraph below) — Unpublished Word The information contained in this document is the property of Vouchagram India Pvt. Ltd and its affiliates and subsidiary companies in any country, forming part of the Vouchagram group of companies (individually or collectively). No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of Vouchagram. Legal action will be taken against any infringement.

Confidentiality & Non-Disclosure:

The Receiving Party agrees not to disclose to any third party any Confidential Information and not to use it otherwise than for the Purpose of this Agreement. The Receiving Party may only disclose Confidential Information to employees, consultants,

subcontractors and professional advisors that have a need to know and that have undertaken a secrecy obligation similar to the present Agreement.

ENCRYPTION and DECRYPTION Testing

Vouchagram will provide you the logic for encryption and decryption of the request and response which is travelling via Data element. To test the encryption decryption logic at your end: -

Step 1: Encrypt the JSON request and using encryption logic convert the same and send to an API while sending any request.

Step 2: Post receiving the response from API, decrypt the response received in data element using decryption logic and check that response is in the proper JSON format.

Once step 1 and Step 2 is done at your end means that encryption and decryption logic has been implemented successfully.

This API will work only on HTTPs protocol. Domain name will be provided during Integration.

GET TOKEN API:

This API is used for getting the token for all other subsequent API calls. Token in mandatory for other API calls.

API ENDPOINT: [domain]/API/v1/gettoken

METHOD: GET

HEADERS Parameters:

NAME	DATA TYPE	DESCRIPTION	ТҮРЕ	TEST CREDENTIAL DATA
Content-Type	application/json	Type of body data	MANDATORY	
username	Varchar	Username provided by vouchagram	MANDATORY	Will be provided later
password	Varchar	Password provided by vouchagram	MANDATORY	Will be provided later

TEST SCENARIO:

(1) VALID DATA: IF ALL DATA IS VALID

REQUEST DATA:

HEADER:

Content-Type:application/json username:Provided by Vouchagram password:Provided by Vouchagram

API RESPONSE DATA

{
 "status": "success",
 "data":

 $"akgHnabKfp2XaqRW1iKdHECGdLlQR6zg0BAzzabNcsnGo8dJb8AGuncOQZ4qqqk97YroVarWEas7h24Mf5/HSUZfmYBAvMwaOaIB4Nhco8snQoEzlM2XOHgLc6IgqRQD/BUXzXukaMvqnBusH5P59dytO+fUEw0+NIguE85sCmjgq7eDoLVHbfqISW36WTa8QtWtI6EjRiFnj9wPYhi1Qt1Hfjm5YYGoMKZcOZACAhbQ+pu8PV+k1rCwFxu1zMT8B1kA0ZMmUbkloABIV9eaLDLDZZ4Eb/gr6IjL5kOD2KhwOPY8E9v5ielnsPaZbMoR8FOmJ46xAmtN2e5EHxY0/G41lxjW6kt5wwwWAkT1+DzhYAicvJaXfdg24Xj168IDakFJEVNgdRPXNWG4iOZXjhnRF/0/STx21xF+F5VQKHw= \\ \label{eq:controller}$

```
", "desc": "Process successfully completed", "code": "0000"
}

Note: Use decryption as per given logic for getting decrypted token from the response.

Plain Data key value:
{
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJyZXN1bHQiOiJ2OWJrRzBseW9lR25KSEFyNm1sclR3UDFrRUhk
b1piUitlR3pBQmJ0QXIXa3YrNXpRVk4yQWtkdUxLd0lvVFRGZ1pCTW9KZ2JDNW42SGRHZHN6TWdEUVV
GL3krQzJ5Y0VTZjJFTDVOQkpLbTlRblB2Q0Y0R2Z4cFNvOHN2bitMdiIsImlhdCI6MTY1ODgyOTk5NywiZXh
wIjoxNjYxNDIxOTk3fQ.Vn-VXCxfd9a8bV6JpFfTeZk1gMAOSE01avGQSWNjfig
```

GET BRANDS API:

BrandProductCode is optional in this method. If you send empty body then will get the list of all brands else you will get the specific brand detail.

You need to pass the decrypted token in this API extracted from Get Token API.

HEADERS:

NAME	DATA TYPE	DESCRIPTION	TYPE
Content-Type	application/json	Type of body data	MANDATORY
token	Varchar	Value gets from gettoken API (decrypted value to send)	MANDATORY

BODY:

NAME	DATA TYPE	DESCRIPTION	TYPE
BrandProductCode	andProductCode VARCHAR(100) Alphanumeric		OPTIONAL
OttRequired	CHAR(1)	It is kinds of Boolean, You can send only 'Y' or 'N'	OPTIONAL

API ENDPOINT: [domain]/API/v1/getbrands

METHOD: POST

TEST SCENARIO:

REQUEST DATA:

```
HEADER:
```

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJyZXN1bHQiOiJ2OWJrRzBseW9lR25KSEFyNm1sclR3UDFrRUhkb1piUitlR3pBQmJ0QXlXa3YrNXpRVk4yQWtkdUxLd0lvVFRGZ1pCTW9KZ2JDNW42SGRH ZHN6TWdEUVVGL3krQzJ5Y0VTZjJFTDVOQkpLbTlRblB2Q0Y0R2Z4cFNvOHN2bitMdiIsImlhdCI6MTY1ODgyOTk5NywiZXhwIjoxNjYxNDIxOTk3fQ.Vn-

VXCxfd9a8bV6JpFfTeZk1gMAOSE01avGQSWNjfig

BODY Request:

"CHpzoW9kiMfyDwA5CbkxG4FXLqSfAwor7kqEUAQm3NrCLP7f61QYQaxPBhp/3q6opz05/yUIn+yVF6twvqSVHQbM7 MOlwq1HJ9Lywtq9UOcod/MKX6JkJmpuHHpkt10nN1MYUIGJkT4CnD9U2tvqxK71BeWUN/w06xzYqwVcw4zXkRIz+BW Px6Pry0NwTkI120jZmBrAxIpTZow11pedIqpmRV6QS3i1482Eay8NRKt9f7iD15y+c1+T85fJXhUD4Ko7ArAxMfGBF SugsO5Uf2+KGV7qcceVLqrXuMicUYZC4JmpvyeUGcOAETAYk4I6CFjqJHAeVz7u9vSOsF/UKvFuvStxhadgTzf3otj EmhHq7lhEF+5LEZ7PtWeodDIDNRsWSvYJSt0svwIkDtLvHlEqDbqL11ETTNNcI2GJ1iHvUwnNfFR5CBjjqCekJHJeS wDZU+zef4HkMhT+TIn0iK6s9li9rruGD34ZcLOo5FAGqjAn4lOcAmopqC5m86KLfT3H4vxZ2JoMAGLDgtfbsk/c13t 15wijA/itp9PiFreUeMypOODHGwixsRIeQa5/AQ/QlOvmwzYz6n1q9OtsS28fFGmKRwjiMf7dG42TZoBYAhUC2jaWH wgN8mvEOLvZpgtoMFbR8y8SHnueTidq0qSC/pKqPV2is5Ay3z1NDmoZY8AelDA6wqro/hpqxIy/7ezOMtak7C7gPw5 o/Y05o960DvVsasPjxosyt61dEfXNzyW40vW7aoNHJXO+x18xo4KWWGZoz01CYSuIxB/OPH4wh3a8Nh/QIkSchB/ki WG8ZH+WRR2IOT+bHK/4izT3P4WK37DhLGsn31JdUcO4zVhF+YQOJ22BwTzzefPJ58xvOmyqYMpAqbAOYUpvKNO5nKv ox/bH0TGEV3oTxFtWzQ5ZEezrQWp9qeeiJ40O6mdtoNpNm9NhtwqshZGIZiEzGXYlhsxUskafEixi/b5aWk8CA4Oni mzaRmq+H/vFb1c/bw1y+zN3SY150aldpUkwqGaRk62lcWGeJvmvT80c4UHEHjQttVbJk+n6f80PtefyvzOd0k0JEye CtNDA0+3EoicekcEfQrAznixAWKex+ae59k5mt71PSdPhh6rJIGNR2dppa6gyPchTQNtPXHh24f4eJvTN1avq0qJqZFWQNO/zwNMoi+9kEVAysa+08tlMYLVjfnub9CW7G6s+/u/2ZPHG2iR/ei/1qmFq4rQCHauCz1x1BBkHavyYPtJ7EuY +T+tICsupbi0vYZbowJkBzlP15L7seUDsLq/C5ENE2pWAtc+LS+zW5qWm1aTP2OOGrui8cRKutlYCtR2CFa7ZD+GKc FhzVPZOMfE2neMo2HZn3EZB4WS1XsUJxS9CjK2Yk6Ee1ps6dKerj+xIAuFB9/cndJ212pv/pB8P8neRxbNgdNdY5cD JT7DGfs0tBLy7oLcfH2anYj4K9+ZTufRwE8HtoktVLu9Tsw+JUHKWuO+iwZvAy7PljverxyjiAt1rqLKTtPMTtqtvk 8xwh3xemrlN+AgFoCcGYTTuWyn81TxohKhpL8rKqX/3AlbqdD3YfQI6WeiFD8QoI4xM8T2N+NYt5RoB2f/6GtyHpBo dohuOHplU3yGW90oxIoewi6aeqBnsRDCXWxELCOlLuGsIxIIxuGbu6pPpa+d6UHdTdytSj88J8CYdG5iXCGHVNKJ+A DlyrqsV2wLjM4QhoXuRGIy5Oxmo8eVOYqupIbwsiBRZlofti4tGP72uZdrXtrvqKakxoQfdvavpzaneNjeJGiFNLAz /oVjvhaNX2xBLaENcavlr+PjWLcbl79R3i11EfiNsy7WXffYydptY/J7fK3eQqMpXkVCT7Me8xL7NtmV2q1Bjet9IJ zMRNAJCXrf35qrVi5/Y4GNUt4jCGeK+MO7yL5CDkqM4U5JrFwNXtp1pofzPJL/NLubL5rmNw9Svx6U1jhp0fsSNdbZ e5i9oDRqmzbkqLlObyod7mtCbYCEcQjyZ2TPmeZUW6c6J5aJwqI5bwFSI/eCrmnnIjqxId1hB0yoZaWCARVKq9cA7n TMrKhv6GGK314RC2NxnWIykee2Bf2106GF0VEwK48GS17na0ndjZm15YC07AaC+GkYPANT2VgtPx00CS1G5W8PwxeT MfKi1gK6/s6SN773NADWrmLyXI9AnpCOpFfpoA5kbqYBPNx35tNDJCi0vEU+iIQ4Kb7ljVLLYzuxhov+cXaqS1DNI8 nQfNok5y12086rGJankbPAiiT205T9uFYCrvcShsDB4I01KxNArzoTq6dZrkNba4m/3WSCPY1V0povBP7Etz6/Pkpx 112SjRTLIbZy98Z+WVOtMznNb/JLr74en9XOosiN+o1WyevGAmZo16JYSG1ZQwTOC5QDGjz0utwYHjen67JCI/7ro1 fiS4ai2b/ZEYoMpRJ9+wjC93OfhWOqRVLi96WMksW0kJfYS+mEwV73T4vmM/EKi4cmsqMIXd2yZxHvIHK4Oy2hLme7 6n54I5x4Y57UqqCWYqry/x0UI+eo2kh9Sp1Bq2yKzN9H1c6PrlHuRT9x5Xh/i7L+/t1EniCLxoaP8/vNGEovJ/CgES bo70mz/QhUEjWFPz6tDVPqyutP0+EkkN+tMaIVLLt6SkYmgp0ByqVKyUpgzw2e9ha+/6rLJBwvvh1nww0b5rs0y3vf Kc1I8vkL5nLrT2BGl2OrciZTzccex/FDdQGkq2KYbG4vh900/rzoDqhcedP714yjV+AVpXj/O+YWKRm9Tz/cxzGJTd 6+kvYpj6zCItcOvnaDeusU3xpims8Ghjuu/ZV8bUND2WS8MRHr4q4aE8ri7ab4hAd8ltnbPseJlObOI0xLRvjen2sR TXdlBmZv1xasEZbFs7xLKqcc7sSei4zRO3bFedU8WqLwshz5967nKfK/sDI+Ib4O9nh/pb1Z7AauiepdmTQHccTFwc rNBg+ZBfWNhujffdJXPmWpluXr+sZ5dnQHP1N+GqVdZ/ho1ioDRaBuvBH0RzP3wgKwVBt38SxRd89Gjox0k08yXPQV IG+n5RG6bQib1T00mEpWI6ExL4c94I4xKHMyx/fH4xziwiyA4PhOnciXli56myhri0lhKpUqe1OKNJiq0vvkpeqm4W J6p5kwyARMYjrxZrbHunLNMMzQ2lXKd1bE5rV9Yk63bFByEIM8Hh6W8+fHFbS1KFZhUuwXJ1hcquVMVhBFj7DCexEG yNKBdZGwGs9KDg71ZdIx5TY7G1+aYV6KDrsCbEXriyW8XCev0rk2UWMyvErCBpMp6ba91r/dcbMucj5RfRQFwABbQn h5n20W6IWqrta6a1DV/kHZ9jEMAjCQqUIcMgOeNAW5Pz8eW8ZB1674d/s1EOT+gvc1mvpFVeylNhrzGkjVR6Cwhptu Wyd0b6dqHzxLI1NmPGLBEeqREsfSfri30zLKHZnpMdyT8jVkeaW7stNiUUcD/zjzy3wJTU0oWiOJAFilzhey/fY35Y 74311McV8xLztYMyMxiXEE4/xqJlOnSV/dE41o0NWXrW2mXlQRbOe7L6BPQzpLqTzqlYGWJaSS2HmEY4FfFH3vOTeZ mxDbXACZAQu206Y+KAobpGojwHfp1+rSK0MWGWkYljWl6M9mS6AHyf2QThIGItE4r0z9N9mWlSjLVgA3DWvfe6ISOV

HSzrpblAgiPh+oXjoQsUIjwln4DklOEjvRweAL5bOWl2SoYlvKsQkybK0jF0bablzKxxEVrYhvCOPSEQWq3YDrbNzs /+yyR7cGzMNPPWvyanJPdgdtOzzfeUKusZJe6Q9CDH17Mzdy+vkErAOYYkyukhCad3HgwiCexej0/eKarTuNBdrlZz JY+QOvSaReKtekSW5TnQi2ebP3iqKjN8PZZP+edGdIqv+gngEJ0jYNcw5MLHTmqh9fRiKmv5HPAwyUy6bxwLrgQGht 5uTkKjxEuQpaOtzOsR8/WSFEGMmanPwWIDaAyGJgqPVBZs4jcKKXN9RbvoRwfxCOuYokEMN9tTtdZfvDo/jUR5WsAR 18Y+SIJwn/zp8aVfJPi4NCdMJrJ5s7rKSk6YG8eqoKtA/aQ4PMDcbcVlJkWNPOmOy0nHSdISnzmbltneIigntxTeR5 DXyfLOcyuEUlmiyE7VzgYcFX2qayBTICDocrKrv6z6gkEwSN7EgOVFlyrALVeI602pDSsrIts/hDG6RvHoAnZubioq lVZJ34t8Un0J1dHXAYAllzKcQM0RHY0cga4Vih86uhFY329QZ+o64Z5yoB/oXDXrlAtUv8GzxrxvjoWRMQU7Os5Epw P4pBGMzSaAuyukavDsKDxwhAO8E3uAAj4GPRvu2Tvw/tGdTXKaxPyCJK8qVFw0jhGZo809/DzUcAFCocqtolwIaymP nkKq7L3xhykrwP408FjD85/V3prgcwgz/etL84YkoSOB6XWfWR+u2fuEY2pjGVlLLzG1Yx+y7kbwsrylJdoqNwEVr+tYhM4vmClRoa8GF4m9Cm/iZJXDEjrBSJiTS266QBWym9E6FiAhJA+799MpWHEv9FO7BXz4fTvmwojQOQSSavOo+N55 YC42qoCue/dIjvDp008nx1Y40Bkt126aNmnWko1+gUm3JeRTtTc6Jd4dAqNRWG923U2UYdw/yjXNe4xeoDxKhXwzOYnCx8V3Xz9ocYUMz161t6pDgqZSL4Ob3P56H6CT36V+5Vu5QjabAzD0qdCIx1SzO5a8AmgUKsXImioVOWhbUYLNFYnl/XzRAkuwrtOs3chLor24RrJjnft9prVdOAmzBgyRkD1dWYla24IXHaq7BYGhKs9Uw==",

```
"desc": "Process successfully completed",
    "code": "0000"
}
```

Note: Use decryption as per given logic for getting decrypted token from the response.

DECRYPTED VALUE for Response data key only:

```
[
"BrandProductCode": "Bata4xfRrUnT46Uv4iol",
"BrandName": "Bata",
"Brandtype": "VOUCHER",
"RedemptionType": "2",
"OnlineRedemptionUrI": "https://www.bata.in/",
"BrandImage":
"https://cdn.gyftr.com/comm_engine/stag/images/brands/1593693691875_u3qtc3vzkc4s2qqr.png",
"denominationList": "100,500",
"stockAvailable": "true",
"Category": "BATA-API,Food & Beverages,Lifestyle",
"Descriptions": "If you?re looking for the best-in-class affordable footwear that does not
```

"Descriptions": "If you?re looking for the best-in-class affordable footwear that does not compromise on style, Bata is the brand for you. They began as a small business in 1931, but have now evolved into India?s largest retailer and a leading manufacturer of footwear in India. Being market leaders in the formal shoe domain, they are beginning to dominate the ladies shoe segment. GyFTR has made buying Bata shoes online effortless and economical. Bata Gift Vouchers and Gift Cards can be redeemed across all Bata s",

"tnc": "1. This is a Bata Insta Gift Voucher (GV) / Gift Card (GC) and would be accepted at listed outlets. For Outlet List, please visit www.gyftr.com/bata

2.The person who has the Bata GV / GC Code is deemed to be the beneficiary.
br/>3.Do inform the cashier that you plan to use the GV / GC for making payments before billing.

4.Only the listed Bata outlets at its sole discretion accept the GV / GC. Bata may add or remove an outlet without giving any prior notice.

5.A maximum of 7 GV / GC can be used in one bill.

-6.This is a ONE time use GV / GC.
-7.No CANNOT be revalidated once expired.<a href="mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:cannot be used during sale..mailto:can GV / GC cannot be redeemed on specific block out dates. Bata may add or delete any date on its sole discretion
or/>11. Any dispute related to the GV / GC should be referred to the issuing accept Insta Gift Vouchers (GV) / Gift Card (GC), but on account of any technical / administrative reasons an outlet may refuse to accept the same.

-| 13.lf an Insta Gift Voucher (GV) / Gift Card (GC) gets blocked on account of technical issue, it would get enabled in 72 hours.

hours.

-14.Please contact Shop manager for any acceptance issue and if issue is still not resolved, you can write in to bit.ly/2CsY6BX or call 18001033314 for immediate help",

"importantInstruction": "A maximum of 7 Gift Vouchers CAN be used in one bill.

Vouchers CAN be used during Sale.

vr\nGift Vouchers are ACCEPTED at all Listed Outlets.

Vr\nGift Vouchers CANNOT be used Online....

vr\nGift Vouchers CANNOT be used Online....

"redeemSteps": "{\"1\":{\"text\":\"[1] Use the outlet locator to locate the nearest outlet that accepts this Gift

Voucher.\",\"image\":\"https:\\\\cdn.gyftr.com\\comm_engine\\stag\\vimages\\brands\\caption\\164 1475064406_8lmh4nky2zvdqv.jpeg\",\"old_image\":\"\"},\"2\":{\"text\":\"[2] Select your choice of product.\",\"image\":\"https:\\\\cdn.gyftr.com\\comm_engine\\stag\\vimages\\brands\\caption\\1641 475065664_8lmh4nky2zveps.jpeg\",\"old_image\":\"\"},\"3\":{\"text\":\"[3] Share your Gift Voucher with the cashier at the time of billing & pay the remaining amount by cash or card if required.\",\"image\":\"https:\\\\cdn.gyftr.com\\comm_engine\\stag\\vimages\\brands\\caption\\164 1475065949_8lmh4nky2zvexp.jpeg\",\"old_image\":\"\"}}"

Note: Here **RedemptionType** = 1 Means online, **RedemptionType** = 2 Means Offline, **RedemptionType** = 3 means Both

1

[3] PULL VOUCHER API:

You need to pass the decrypted token in this API extracted from Get Token API.

HEADERS:

NAME	DATA TYPE	DESCRIPTION	ТҮРЕ
Content-Type	application/json	Type of body data	MANDATORY
token	Varchar	Value gets from gettoken API (decrypted value to send)	MANDATORY

BODY:

NAME	DATA TYPE	DESCRIPTION	ТҮРЕ
payload	Encrypted value	Whole JSON packet need to be encrypted as single value as per the logic shared by the Vouchagram during integration	MANDATORY

API ENDPOINT: [domain/API/v1/pullvoucher

METHOD: POST

API INPUT PARAMETERS:

NAME	DATA TYPE	DESCRIPTION	REQUIRE D	DEFAULT VALUE
BrandProductCode	VARCHAR (50)	Identity of the Brand	Yes	
ExternalOrderId	VARCHAR (50)	Unique client order ID.	Yes	
Quantity	NUMBER	Numeric value	Yes	
Denomination	NUMBER	Denomination value	Yes	

 $Header: \{$

```
token:
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJyZXN1bHOiOiJ2OWJrRzBseW9lR25KSEFyNm1sclR3UDFrRUhk
b1piUitlR3pBQmJ0QXlXa3YrNXpRVk4yQWtkdUxLd0lvVFRGZ1pCTW9KZ2JDNW42SGRHZHN6TWdEUVV
GL3krQzJ5Y0VTZjJFTDVOQkpLbTlRblB2Q0Y0R2Z4cFNvOHN2bitMdiIsImlhdCI6MTY1ODgyOTk5NywiZXh
wIjoxNjYxNDIxOTk3fO.Vn-VXCxfd9a8bV6JpFfTeZk1gMAOSE01avGOSWNjfig
API REQUEST:
  "payload": "
SaS4Ar3kKQp/hhXKGGnUS7L0PNSN1iBLl/cEjqGq+1WpJ0D86EljIm8/1tW4Rtv7hkozHR9qs3jrE0WyB1g0rGKFr+BA
LRKIM7chPGmbIZFhuLRdHtNRY++82rqTxQ59inHOt5zwM4wRXvuPKLk3xKgNQZlt4UbcH8Mofv6e8Es= "
DECRYPTED Value of the Request Sent:
    "BrandProductCode": "Baskin RobinshStD6pXnAIEG2wi2",
    "Denomination": "100",
    "Quantity":2,
    "ExternalOrderId": "teststaging-05"
}
API RESPONSE 1:
  "status": "success".
"H3ZD6baJo5kygiyzA/n0gBBSJ/+t+Qb/7Ooan1OBGRd5vZoEqni8U1ZrFwn/v8QAdfYyk3F0Lf+3rih4C/hLrNi6nvd72Yx
ezgn/A32XCyEYtqV2Q72MF0H3eYIgOVBPu9Ads8Flj/yC7Qgtx5QHjFSI730Pbljf/HdjpUZ8icYVS4ef/etqypdZzoakClfK
m5JEKBZEdfpllp1yEuSe9nvjOJsR9woMrHoLgHJj1nP5yMqyNQ0W2Fo6Wj2v4O/n3ik2T7h7tnJALjGbaVOOJgJyN97l
kVsKPhCTWdU3BMKQyMJ+cM0OrMen5+qJUfQ5ECyagrD/qXd+Zoc6gyxzv6/W6O7DK1IF0d1GBfis5YXGDBKCBU
O6tTNq/4+yX/PFvhm5aQXGWHyECAb43Dilln6fFHOfdn7uJ3oFr0jdZoInYfgbcDo59Sqe6AT9zOvH+etTLW1ENJ3N7
6eA0V430I3KQCJ9gWEXRZhUYaIU7N1ISiUNW5p7G6HehU0kUw5ZtivcXXWWyfMzBjeyih1E6pgqxl/lAoRx5r8wvdu
20P+MQOPmLs8yh7NmwWSNyLRvUUvRGjYkW2weKO/NryWOq0BJrRk1w56hliCvu8+/Pji0fVOeWxulPF/+4Ruxqto
QMUuTGe5l80pi1XNZKaHeiBp9/x7cminRMeozz7E89Qsckz16l88xTuunZsK0kGJT4NX7Cva5GNRWzPYW5kmUv9is
Yx8gyob1WKnbPiwEiSLsuva1Ko/UJqYMn30eWbuoO6kw3leixESKFoQqi0aQ8RzgnwgdV+JlgJN3O5y5ZZRY887EL
CG8wTeG2dXD+Rul7sQ6mDCQiPWXmO6kRxMTtg==".
  "desc": "Process successfully completed",
  "code": "0000"
}
Note: Use decryption as per given logic for getting decrypted token from the response.
DECRYPTED VALUE for Response data key only:
       "ErrorCode":""
       "ErrorMessage":""
       "ExternalOrderIdOut": "teststaging-05",
       "BrandProductCode": "Baskin_RobinshStD6pXnAIEG2wi2",
       "Message": "Process successfully completed",
       "PullVouchers":[{
              "ProductGuid": "7b25a807-d54d-4b59-bf33-e225e0586039",
```

```
"ProductName": "Baskin Robins",
             "VoucherName": "BR INR 100",
             "Vouchers":[
                    "EndDate":"31 Dec 2022",
                    "Value":"100.00",
                    "VoucherGCcode": "1005274099985083",
                    "VoucherGuid": "824cd99b-383b-4b9e-8ba4-580f2ad5d7f2",
                    "VoucherNo": "BV694924999941",
                    "Voucherpin":""
                    "EndDate": "31 Dec 2022",
                    "Value":"100.00",
                    "VoucherGCcode": "1005144927654959",
                    "VoucherGuid": "2ee41b09-3d1d-438c-b203-111639c5f4ad",
                    "VoucherNo": "BV263435447424",
                    "Voucherpin":""
      "ResultType": "SUCCESS"
API RESPONSE 2:
    "status": "error",
    "data": "",
    "desc": "Unauthorized access",
    "code": "ER024"
```

}

[4] GET STOCK API:

You need to pass the decrypted token in this API extracted from Get Token API.

HEADERS:

NAME	DATA TYPE	DESCRIPTION	ТҮРЕ
Content-Type	application/json	Type of body data	MANDATORY
token	Varchar	Value gets from gettoken API (decrypted value to send)	MANDATORY

BODY:

NAME	DATA TYPE	DESCRIPTION	ТҮРЕ
payload	Encrypted value	Whole JSON packet need to be encrypted as single value as per the logic shared by the Vouchagram during integration	MANDATORY

Note: - This API is only applicable for Voucher type brands

API ENDPOINT: [domain]/API/v1/getstock

METHOD: POST

API INPUT PARAMETERS:

NAME	DATA TYPE	DESCRIPTION	REQUIRED
BrandProductCode	VARCHAR (50)	Identity of the Brand	Yes
Denomination	INTERGER	Denomination value	Yes

Header:

```
API REQUEST:
{
    "payload" : "mRb1ZWWov3a/MacVLLir8ugMIW1QTnQhp+HCEBfEjXP/ZoEjEOQox3Nqp74wgLvr3MMlc1k
5m/yBrJUwQ9BdIM/DCrJujDqI59MCKY6Zb7k="
DECRYPTED Value of the Request Sent:
 "BrandProductCode":"BenettonRwJ6cqVWqPPML1BH",
  "Denomination": "5000"
API RESPONSE:
{
    "status": "success",
    "data": "fqGJTnsgFU/fRiAAjwlEkz+U5qMjqrtwuPWc/jOTKBZHODRZTFBbSY4IUmATJ2gzGLC/3RTtQUh
9MZUBgVOOBg==",
    "desc": "Process successfully completed",
    "code": "0000"
}
Note: Use decryption as per given logic for getting decrypted token from the response.
DECRYPTED VALUE for Response data key only:
  "AvailableQuantity": "23",
  "BrandName": "Benetton"
}
```

[5] STORE LIST API:

You need to pass the decrypted token in this API extracted from Get Token API.

API ENDPOINT: [domain/API/v1/getstorelist

HEADERS:

NAME	DATA TYPE	DESCRIPTION	ТУРЕ
Content-Type	application/json	Type of body data	MANDATORY
token	Varchar	Value gets from gettoken API (decrypted value to send)	MANDATORY

BODY:

METHOD: POST

API INPUT PARAMETERS:

NAME	DATA TYPE	DESCRIPTION	REQUIRED	DEFAULT VALUE
BrandProductCode	VARCHA R(50)	Identity of the Brand	Optional	
shop	INTEGER	Shop number	Optional	

Header:

token :

 $eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJyZXN1bHQiOiJ2OWJrRzBseW9lR25KSEFyNm1sclR3UDFrRUhk\\b1piUitlR3pBQmJ0QXlXa3YrNXpRVk4yQWtkdUxLd0lvVFRGZ1pCTW9KZ2JDNW42SGRHZHN6TWdEUVV\\GL3krQzJ5Y0VTZjJFTDVOQkpLbTlRblB2Q0Y0R2Z4cFNvOHN2bitMdiIsImlhdCI6MTY1ODgyOTk5NywiZXhwIjoxNjYxNDIxOTk3fQ.Vn-VXCxfd9a8bV6JpFfTeZk1gMAOSE01avGQSWNjfig$

API REQUEST:

```
{
          "BrandProductCode": "WestsidemFqa2lBrMls187j0",
          "shop":""
}
API RESPONSE:
     "status": "success",
     "data": [
          {
               "brand_id": "28",
               "brand_name": "Westside",
               "brand_status": "Y",
               "shop_details": [
                    {
                         "shop_id": "16907",
"shop_name": "Westside - Iscon Mall Ahmedaba",
"shop_guid": "f251437b-3ee3-40f9-8971-4054cfaca174",
                          "shop code": "W029",
                          "address": "",
                          "city": "",
"state": "",
                         "shop_contact": "",
"shop_status": "A"
                    }
               ]
          }
     "desc": "Process successfully completed",
     "code": "0000"
}
```

LIST OF ERROR CODES:

```
0000: Process successfully completed
ER001: Wrong Credentials
ER002: Wrong Credentials
ER003: A valid GUID is required for buyer
ER006: Product GUID is mandatory
ER007: A valid GUID is required for product
ER022: Quantity must be numeric
ER023: Quantity must be greater than 0
ER024: Unauthorized access
ER025: Inactive Client "Name of Client"
ER032: Inactive Product "Name of product"
ER041: Product is not available
ER047: Vouchers are no more available for blast, contact administrator for details
ER057: IP not whitelisted
ER059: Max [1] quantity is allowed per product
ER062: External ID Product/Brand GUID not mapped with Products/Brand GUID requested
ER076: Please enter valid BrandProductCode
ER077: Please enter valid Denomination
ER079: External order id and previous requested data not matched
ER080: Multiple products found, Please contact to administrator
ER082: Error in decrypt data
ER083: Invalid token
ER1000: Unexpected error occured during execution
ER1006: Vouchers are no more available for blast, contact administrator for details",
ER1056: Please contact customer service 08510004444
ER1057: VOUCHER'S REQUESTED QUANTITY FOR REQUIRED DURATION IS NOT
AVAILABLE.
ER1011: Error encountered while processing your request. Please try again later or contact
administrator for further details
EROIP: ORDER/REQUEST ALREADY IN PROCESS
1043: Please provide valid ExternalOrderId
1048: Error encountered while processing your request. Please try again later or contact
administrator for further details
1063: Product/Brand not available
NOTE:
   1. Encryption algo aes256 is used in encryption and decryption use the same encryption method at your end
   2. Encryption & decryption Algo in Node.JS
const encryptPiDataNew = (data, key, iv)=>{
  trv{
    if(typeof data == "object"){
       data = JSON.stringify(data);
```

const cipher = crypto.createCipheriv("aes-256-cbc", key, iv);

```
let encrypted = cipher.update(data);
     encrypted = Buffer.concat([encrypted, cipher.final()]);
     const encryptedStr = encrypted.toString('base64');
     return encryptedStr;
  } catch(e){
     console.log({"encryptPiDataNew":e});
     writeLog("API",{"encryptPiDataNew": exceplog(e),"data":data},e);
     return data;
  }
}
const decryptPiDataNew = (data,key, iv)=>{
  try{
     const decipher = crypto.createDecipheriv("aes-256-cbc", key, iv);
     const decrypted = decipher.update(data, 'base64');
     var decryptedData = Buffer.concat([decrypted, decipher.final()]).toString();
     return decryptedData;
  } catch(e){
     console.log({"decryptPiDataNew":e});
     writeLog("API",{"decryptPiDataNew": exceplog(e),"data":data},e);
     return data;
  }
}
```