







# **Book Recommendation System**



Prepared by: Shaden Almangour





## **Outlines**



Introduction

**Approach** 

03

Result

**Tools** 

**Conclusion** 







# Introduction

The explosive growth in the amount of available information, and the number of visitors to the Internet has created a potential challenge of information overload which hinders timely access to items of interest. This has increased the demand for recommender systems more than ever before.









# Introduction (Cont.)

Recommender systems are information filtering systems that deal with the problem of information overload by filtering vital information fragment out of a large amount of dynamically

generated information according to the user's preferences, interests, or observed behaviour about the item.



#### **Problem statement**

People may have difficulties in choosing the right books or searching for books based on their interests, and this may take a long time.











#### The solution



To deal with this problem, the solution is a recommendation system that helps the user by providing the search for relevant suggestions to the users. This process is done by filtering based on the ratings of other users.



#### About the recommendation system

Recommendations typically speed up searches and make it easier for users to choose the books their other users were reading.



#### **Suggestions**

Popular books might you like



#### Recommended for you!

Most of the users have read this book, you might want to read it

#### **Related books**

Similarity book for your last read might you like .







# 02

# **Approach**





## **Work Approach**













**Step 5**Recommendation system

#### **Step 1: Data Collection**

#### **About the dataset:**

The data is collected from the Kaggle which is contains from 3 csv files


#### **About the dataset:**

- Books: information of each book.
- Ratings: User rating records for each book.
- Users: User information (Age, Location)

#### **Explore datasets:**

- The books dataset is containing 271360 entries, 5 columns
- The user's dataset is containing 278858 entries, 3 columns
- Ratings dataset is containing 526356 entries, 3 columns





a. Number of book without rating




b. Removing the zeros value from rating





from the diagram we observed the most readers are between 20-30 years











Top books rated by users





\*

The authors per the most number of books





## Prepare data for modeling

- 1. Extract 200 of users and ratings as a features.
- 2. Merge ratings with books
- 3. Extract books that have received more than 50 ratings, to reduce the dataset size.
- 4. Create a pivot table where columns are users and indexes are books and values are ratings.




#### **Matrix Factorization**

Most famous and widely used Collaborative filtering technique.

In this project, the title, user-id and rating as a matrix, Aim is to find all these user and item dependencies in the matrix.


839 Users







## **Step 4: Modeling**







## Step 4: Modeling

#### Collaborative Filtering

The system generates recommendations using only information about rating profiles for different users or items. By locating peer users/items with a rating history similar to the current user or item, they generate recommendations using this neighborhood.

#### The k-nearest neighbors (KNN) algorithm

Supervised machine learning algorithm used to solve both classification and regression problems.

#### kneighbors

Unsupervised nearest neighbors learning which is used for clustering problem.




#### Step 5: recommendation system

\* \*

How it's work?





Rated by user1 and recommended to user2





# 03

# Result







Recommendation system: user-based collaborative filtering

User_Id			
	user1	user2	user3
Harry Potter and the Sorcerer's Stone	7	9	8
Harry Potter and the Chamber of Secrets	8	4	6
Harry Potter and the Prisoner of Azkaban	0	7	5

Book title



### Recommendation system result

The system will predict by finding the co-ratings between users, by entering the book ID in the first model(KNN) then we pass the result into the second model(KN) to make suggestions of the 5 closest books.







#### **Tools**















#### Conclusion

Finally, I built a user similarities-based recommendation system and found that books could be recommended to users without reference to private information, such as users' interests. Only the user's evaluation of the book can be satisfied, and this method is very effective in terms of time and effort from the user. The disadvantage of this method is that the user may not have similarities with other users, so it is better to combine the types of the recommendation system for diversity and give better results.





Do you have any questions?





