Zadanie domowe 2: Automatyczne tworzenie środowiska CI/CD za pomocą Job DSL

1. Instalacja pluginu Job DSL



2.Job DSL



3. Utworzone zadania CI/CD



4. Wykonanie pipeline Build i Test



5. Console Output Build i Test



6. Deploy PROD z zatwierdzeniem



7. Console Output Deploy PROD

Jenkins / CI-CD-Pipeline / deploy-prod / #1

Console

Download Copy View as plain text

```
Started by user Dmytro Shafranskyi
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/CI-CD-Pipeline/deploy-prod
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Approval)
[Pipeline] input
Approve deployment to PROD?
Proceed or Abort
Approved by Dmytro Shafranskyi
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy PROD)
[Pipeline] echo
Deploying version 1.0 to PROD
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

8. Deploy TEST

Jenkins / CI-CD-Pipeline / deploy-test

Filter

Today

#1 9:35 PM

deploy-test

Edit description

Full project name: CI-CD-Pipeline/deploy-test
Deploy to TEST environment

Stage View

	Deploy TEST
Average stage times: (full run time: ~1s)	194ms
#1 Mar 30 21:35 No Changes	194ms

Seed job: dsl-job

9. Console Output Deploy TEST



Raport końcowy

Został utworzony system CI/CD przy użyciu Job DSL w Jenkins. Seed job automatycznie generuje zadania pipeline.
Pipeline składa się z etapów: Checkout, Build, Test, Deploy TEST oraz Deploy PROD z ręcznym zatwierdzeniem.
Zaimplementowano parametry, integrację z GitHub oraz wyzwalacze (trigger).