

18 JUN 2026

→ <Doctype !> F:1:1

alias: web-greeter.

D aim: to develop a single port ip v4 based
5 login and authorisation page; dynamic design
required for plug and play.

D languages: Java script, python, html, css.
10

D Prototyping: native single system.

D Features: → unix port
15 → cookie / session token based auth.

D → Front-end UI
basic web-page.

N₂₀ base-bone structure of html

<!DOCTYPE html>

<html>

<head>

25

<title> ——— </title>

</head>

<body>

</body>

30

</html>

N markup tags used.

<div> </div> # used to group html objects.

N ★ 5 assign id → to declared tags.

<label for = ' ' > ——— </label>

to declare a string

10 <input type = ' ' > id = ' ' >

N basic CSS to centre and stack our divs.

15 → to link CSS to main page.

<link rel = 'stylesheet' href = " — .css" >

N 20 we can classify one ~~one~~ more div by using class instead of id.

N <button type = ' ' id = ' ' > ⚡

25

type: valid inputs (submit, 'button', 'reset')

→ we can add
onclick = "login()" | can pass
title

30

L html and css completed in 1 hour.

POA server side Java script [intended purpose]

A and B submit button. [lock-unlock]

get user input turn it into a JSON string.
transmit it to server. ||

→ learn from Java script documentation.

N → how to assign a variable user entered value.

15 ex.

html: <input id = "x">

JS: const ~~the~~ x = document.getElementById("x");
value;

let Package = JSON.stringify({usr_n, Passwd});

20

logins a dictionary object

{ "usr_n": 'val', "Passwd": 'val' }.


N → what are event listeners?

25

html / object. addEventListener (Event, function
>)

→ imp topic to
learn for dynamic web
dev.

L server side working - functionality reached.
[40 mins]




POA create one python-file where we host website as well as process requests.

A

N Learning flask module
5
refer official documentation

FL → completed till cookie generation and
10 basic auth handed-over to subham for session-creation/management.

A



network architecture

based on cookies / session token

A

A

→ dir main.

→ backend - Python . Py

/ static

→ log_in . html

— . css

— . JS


Hosted vis-a-vis flask server

25

30

D

A Backend - Python. Py



C1 → hosted dir / sends authentication token

C2 → line to send data


via JSON POST sends

User credential

C3 → checks user cred. against stored data if authenticated:

stores session info

A DB architecture.



D completed intended goal.

Sub
18 JUN