README.md 10/30/2018

Script for Building TestDemo

Convert python2 to python3

Completed on 2018.9.20

[TOC]

Related modules

- autotest.py 根据模板自动生成接口测试模板
- AutoTest_alone.py 根据模板自动生成接口测试模板
- Itchat_method.py 微信发送消息
- tool_reptile.py 对数据进行过滤筛选 格式化
- tools_library.py json数据处理 读取 存储文件
- Usertool_01.py json数据处理
- Verification.py 公共json数据校验方法,遍历data数据,校验字符串及整型数值
- Verification_Field.py 校验字段 结果

Major modification

```
• raw_input() unified to input()
```

No Function raw_input() in python3

Unify delete #_*_ coding:utf-8 _*_
 UTF-8 is the default encoding of python3

• Unify delete print(***.decode(utf-8))

It also can be changed print(***.encode(utf-8).decode(utf-8)), It doesn't make much sense

• Unify Change print to print()

The characteristic of python3

Unity change open(**, '*') to open(**, '*',encoding='UTF-8')

Open file in python3 requires coding format specified

• Unify delete reload(sys) & sys.setdefaultencoding('utf-8') There is no meaning in python3.

Modification of related modules

autotest.pv

```
Delete useless comments

Delete import hashlib

Delete import logging

Delete import platform

Delete import random

Delete import shutil

Delete import signal

Delete import subprocess

Delete import sys
```

README.md 10/30/2018

```
Delete import threading

Delete import traceback

Delete line getfieldlistlen = len(getfieldlist)

Delete line ls_time = [start_time_st, end_time_st]

Add exception handling if 'thejoyun.com' not in url
```

AutoTest_alone.py

```
Delete useless comments

Delete import hashlib

Delete import logging

Delete import platform

Delete import random

Delete import shutil

Delete import signal

Delete import subprocess

Delete import sys

Delete import threading

Delete import time

Delete import traceback
```

Add http header after processing url

We need to modify the file directory according to the actual situation.

```
if len(home) < 2:
    demopath = 'C:\\Users\\ShadowMimosa\\Desktop\\STU\\Top\\Lib\\Demo.txt'
    home = 'C:\\Users\\ShadowMimosa\\Desktop\\STU\\Top\\Lib'
else:
    demopath = home + '\\Demo.txt'</pre>
```

Itchat_method.py

```
Delete useless comments
Delete import datetime
Delete import json
Delete import string
Delete import os
```

tool_reptile.py

```
Delete useless comments
Delete import sys
Delete import os
Delete converCode 函数,python3中 json.dumps() 有变化
Change the parameter name "encodeingtype" to "encodingtype"
Change the List assignment method
```

```
# conditionlist[0] = conditionstr
conditionlist.append(conditionstr)
```

README.md 10/30/2018

```
Change '<>' to '!=', Stopping using '<>' in python3
  The method need to be revised
  convertCode() Dict sorted() Json to Dict() funfilter() FindAndValue() pyfilter()

    tools_library.py

  Delete useless comments
  Deleteimport json
  Delete from multiprocessing import Process
  Modify import mode to from urllib.parse import quote, unquote This package has changed in
  python3
  Change '\]' '\[' to '\\]' '\\[' Avoid ambiguity
  Change all backslask to double backslash, avoiding ambiguity
  Change str = string.join(1).replace(' ', '') to str = ''.join(1).replace(' ', '')
  Delete from Crypto.Cipher import PKCS1_OAEP No using
  The Crypto.Cipher was abandoned in python3, needing to use pip3 install pycryptodome
  Change except socket.error, msg: to except socket.error as msg: The method of except &
  try has changed in python3

    Usertool 01.py

  Delete useless comments
  Change import StringIO to from io import StringIO
  Change xrange to range
  Change StringIO.StringIO() to StringIO()
  Change string.join() to ''.join()
  Change json.loads(jsonData, "utf-8") to json.loads(jsonData) The encoding argument is
  ignored and deprecated.
  Change file1 = open(name, "wb") to file1 = open(name, "w")
  Change file1 = open(name, "rb") to file1 = open(name, "r")
  Change f1 = open(name, "ab") to f1 = open(name, "a")
  Change f2 = open(name, "rb") to f2 = open(name, "r")
  Change f1 = open(name, "rb") to f1 = open(name, "r")
  Change f1 = open("id.pkl", "ab") to f1 = open("id.pkl", "a")
```

```
# bype_string = bytes(data, 'utf-8')
bype string=data
missing padding = len(bype string) % 4
if missing_padding != 0:
    bype string += b'=' * missing padding
return base64.decodestring(bype string)
```

Change f2 = open("id.pkl", "rb") to f2 = open("id.pkl", "r")

Function base64ENCode() Add

Function base64Code() Modified

```
bytes string = data.encode(encoding="utf-8")
```

README.md 10/30/2018

```
Function printUTF(data) is not Meaningful
Function getRandomValue_Range Rewrited
Function getRandomValue_List Rewrited
Change str to random_str
Function getlist() added exception handling
```

There are almost no Function Comments.

Most Finctions input and outout formats are ont standardized.

Verification.py

Delete useless comments

Modifying tab and spaces mixing

The iteritems() was abandoned in python3, needing to use items()

Add logging.basicConfig() to format print log

Verification Field.py

Delete unless comments

```
Delete import sys
Delete import re
```

Change argument test to default argument in function analysis_subItem()

Using keyword assignment when quoting method analysis_subItem()