



Find the Triplets 2

You have successfully solved Find the Triplets 2

[Share](#)[Post](#)[Try the next challenge](#) | [Contest Leaderboard](#)[Problem](#)[Submissions](#)[Leaderboard](#)

RATE THIS CHALLENGE



Given an integer array of size N and an integer X , find all unique triplets (a, b, c) such that: $a + b + c = X$. The indices of the elements are different. Print the triplets in ascending order. If no triplet exists, print No Triplet Found.

Input Format

The first line contains an integer N . The second line contains N space-separated integers. The third line contains the target sum X .

Constraints

 $3 \leq N \leq 10^5$ $-10^9 \leq arr[i] \leq 10^9$ $-10^9 \leq X \leq 10^9$

Output Format

Print each unique triplet in ascending order, one triplet per line.

If no such triplet exists, print:

No Triplet Found

Sample Input 0

```
6
1 4 45 6 10 8
22
```

Sample Output 0

```
4 8 10
```

Sample Input 1

```
6
1 2 3 4 5 6
10
```

Sample Output 1

```
1 3 6
1 4 5
2 3 5
```



Change Theme

Language

Python 3



```
7 8 for i in range(1, n):
9     if arr[i] == arr[i - 1]:
10        continue
11    l = i + 1
12    r = n - 1
13    while l < r:
14        s = arr[i] + arr[l] + arr[r]
15        if s == x:
16            print(arr[i], arr[l], arr[r])
17            found = True
18            l += 1
19            r -= 1
20            while l < r and arr[l] == arr[l + 1]:
21                l += 1
22            while l < r and arr[r] == arr[r - 1]:
23                r -= 1
24        elif s < x:
25            l += 1
26        else:
27            r -= 1
28 if not found:
29     print("No Triplet Found that forms the summation")
30
```

Line: 30 Col: 1

Upload Code as File



Test against custom input

Run Code

Submit Code

Congratulations

You solved this challenge. Would you like to challenge your friends?

Test case 0

Compiler Message

Test case 1

Success

[Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Helpdesk](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#)