


Several Problems in the Activity Diagram Modeling Experiment


What's inappropriate in the diagram??



Suggestion

- Please be aware of the transitions departing from the activity node, typically there is only one exit transition.


What's inappropriate in the diagram??



Suggestion

- In general, an activity node needs to have a transition pointing to it.


What's inappropriate in the diagram??



Suggestion

- Please be attentive to the difference between regular activity nodes and those with sub-activity diagram nodes when modeling.


What's inappropriate in the diagram??



Suggestion

- Please pay attention to the initial node and the transitions departing from it.

What's inappropriate in the diagram??




Suggestion

- Please pay attention to the contextual scenarios when modeling activity diagrams.

What's inappropriate in the diagram??


书审核通过后进行成绩公布



Suggestion

- Please pay attention to how to model concurrent activities.


What's inappropriate in the diagram??



Suggestion

- Please note that, in most cases, elements in an activity diagram should be connected.


What's inappropriate in the diagram??



Suggestion

- Please make sure to check if the activity nodes are reachable.


What's inappropriate in the diagram??



Suggestion

- Please pay attention to modeling activity-related elements sensibly, such as activity nodes and guard conditions for leaving decision points.


What's inappropriate in the diagram??



Suggestion

- In an activity diagram, it is possible to have multiple activity final nodes, each representing a different meaning. We can set them according to our needs.


What's inappropriate in the diagram??



Suggestion

- Ensure that each fork node has a corresponding join node.


What's inappropriate in the diagram??



Suggestion

- When modeling concurrent activities, please ensure that concurrent activities indeed exist.


What's inappropriate in the diagram??




Suggestion

- Pay attention to the connectivity of nodes in the diagram.

What's inappropriate in the diagram??




What's inappropriate in the diagram??



Suggestion

- Pay attention to the difference between join nodes and merge nodes.


What's inappropriate in the diagram??



Suggestion

- Generally, we can model one or more final nodes in an activity diagram.


What's inappropriate in the diagram??



Suggestion

- When constructing activity nodes, not only should they be connected, but also ensure their reachability.


What's inappropriate in the diagram??



Suggestion

- Usually, we can draw activity diagrams separately for different scenarios.

What's inappropriate in the diagram??




Suggestion

- Pay attention to using appropriate modeling elements.

W


??



Suggestion

- Generally, there is usually only one initial node in an activity diagram.


What's inappropriate in the diagram??



Suggestion

- There should be an initial node in the diagram to clearly indicate the starting point.

What's inappropriate in the diagram??



Suggestion

- The transitions departing from a decision node should have guard conditions.

Suggestion

- Pay attention to the flow final node.
- Pay attention to the initial node and control flow.
- Pay attention to the use of decision node.
- Pay attention to the use of final node.
- We should consider the end of the flow.
- Ensure that the initial node has only one exit
- Pay attention to the guard conditions.
- Usually, there is only one initial node in a activity diagram.
- Pay attention to expression of the guard conditions.
- Pay attention to the parallel activities.
- Pay attention to actual meaning of activity node and decision node.
- Pay attention to the fork and join.
- Pay attention to the edge leaving a join node.
- Pay attention to the fork node.
- Usually, we can draw activity diagrams separately according to different scenarios.