



TYPICAL INSTALLATION DETAIL FOR ROOF OUTLET ASSEMBLY (SIDE TYPE)

ROOF RAIN WATER SLOPE LAYOUT

Government of Ras Al Khaimah WASTEWATER AGENCY
حكومة رأس الخيمة مؤسسة الصرف الصحي
20 January 2026
APPROVED
PRMT-26-0000880
Signed

KHABIR خبير للاستشارات الكهروميكانيكية
ELECTROMECHANICAL CONSULTANCY
MOB: 052 624 9234 052 589 2287
EMAIL:khabirmepconsultant@gmail.com

Savana
Engineering Consultancy & Interior design

Client	MAYED MEERZA BASHEER MOHAMMED		
Project	DOUBLE STOREY VILLA + ROOF		
Drg.Title	ROOF RAIN WATER SLOPE LAYOUT		
Area	AWAFI	Floortype	
Case ID.	3136005	Draw. Type.	DRNG
Sec No.		Com. No.	
Block No.		Plot No.	406132098
Bldg. No.	BLD-26-00570	Floor No.	
Date	JAN 2026	Sht. No.	D04
Scale	1/100	Job No.	

G.Manager	Architect	Drawn by
ENG AYMEN	ENG IMEN	ENG IMEN

Government of Ras Al Khaimah
WASTEWATER AGENCY
حكومة رأس الخيمة
مؤسسة الصرف الصحي
20 January 2026
APPROVED
PRMT-26-0000880
Signed



SECTION A-A



HOLDING TANK PLAN



REINFORCEMENT DETAIL OF TOP SLAB

NOTE: THIS IS GOING TO BE THE SIZE OF THE HOLDING TANK

SCHEDULE OF STANDARD R.C.C HOLDING TANK

TYPE	No. OF USERS	CAPACITY OF THE TANK BY FORMULA (cu.m.)	CAPACITY OF THE TANK BY DIMENSION (cu.m.)	SEPTIC TANK SIZE (A) LENGTH	(B) WIDTH	(C) LIQ. DEPTH	SEPTIC TANK TOP SLAB REINF. THICKNESS	MAIN.REINF.	DIST. BARS
1.	1 TO 10	3.80 cum	3.83 cum	2.90 m	1.10 m	1.20 m	12 cm	T10/15cm	T10/20cm
2.	11 TO 20	5.60 cum	5.62 cum	3.60 m	1.20 m	1.30 m	12 cm	T10/15cm	T10/20cm
3.	21 TO 30	7.40 cum	7.46 cum	4.10 m	1.30 m	1.40 m	15 cm	T12/15cm	T10/20cm
4.	31 TO 40	9.20 cum	9.21 cum	4.70 m	1.40 m	1.40 m	15 cm	T12/15cm	T10/20cm
5.	41 TO 50	11.00 cum	11.25 cum	5.00 m	1.50 m	1.50 m	15 cm	T12/15cm	T10/20cm
6.	51 TO 60	12.80 cum	12.84 cum	5.35 m	1.60 m	1.50 m	15 cm	T12/15cm	T10/20cm
7.	61 TO 70	14.60 cum	14.65 cum	5.55 m	1.65 m	1.60 m	15 cm	T12/15cm	T10/20cm
8.	71 TO 80	16.40 cum	16.47 cum	5.70 m	1.70 m	1.70 m	15 cm	T12/15cm	T10/20cm
9.	81 TO 90	18.20 cum	18.05 cum	5.90 m	1.80 m	1.70 m	15 cm	T12/15cm	T10/20cm
10.	91 TO 100	20.00 cum	20.02 cum	6.20 m	1.90 m	1.70 m	15 cm	T12/15cm	T10/20cm
11.	101 TO 120	23.60 cum	23.76 cum	6.60 m	2.00 m	1.80 m	20 cm	T14/15cm	T10/20cm
12.	121 TO 150	29.00 cum	28.91 cum	7.30 m	2.20 m	1.80 m	20 cm	T14/15cm	T10/20cm
13.	151 TO 175	33.50 cum	33.21 cum	7.60 m	2.30 m	1.90 m	20 cm	T14/15cm	T10/20cm
14.	176 TO 200	38.00 cum	38.00 cum	7.60 m	2.50 m	2.00 m	20 cm	T14/15cm	T10/20cm
15.	275 TO 300	56.00 cum	56.00 cum	10.0 m	2.80 m	2.00 m	20 cm	T14/15cm	T10/20cm

REINFORCEMENT OF WALLS

THICKNESS : 20 cm
VERTICAL BARS : T12/15cm C/C BOTH SIDES
HORIZONTAL BARS : T10/15cm C/C BOTH SIDES

REINFORCEMENT OF FLOOR

THICKNESS : 20 cm
MAIN REINF. : T12/15cm C/C TOP & BOTTOM.
DIST. REINF : T10/15cm C/C TOP & BOTTOM.

HOLDING TANK DETAILS

KHABIR خبير
للاستشارات الكهرو ميكانيكية
ELECTROMECHANICAL CONSULTANCY
MOB: 052 624 9234, 052 589 2287
EMAIL:khabirmepconsultant@gmail.com

Savana
Engineering Consultancy & Interior design

Client	MAYED MEERZA BASHEER MOHAMMED		
Project	DOUBLE STOREY VILLA + ROOF		
Drg.Title	HOLDING TANK DETAILS		
Area	AWAFI	Floortype	
Case ID.	3136005	Draw. Type.	DRNG
Sec No.		Com. No.	
Block No.		Plot No.	406132098
Bldg. No.	BLD-26-00570	Floor No.	
Date	JAN 2026	Sht. No.	D05
Scale	1/100	Job No.	

G.Manager	Architect	Drawn by
ENG AYMEN	ENG IMEN	ENG IMEN

DRAINAGE CLEANOUT SCHEDULE						
CLEANOUT REFERENCE		LENGTH (Meters)	COVER LEVEL (Meters)	INVERT LEVEL (Meters)	CLEAN OUT DEPTH (Meters)	CLEAN OUT COVER SIZE (MMxMM)
FROM	TO					
-	C-1	-	8.20	7.23	0.97	300 x 300
C-1	C-2	9.58	8.20	7.14	1.06	300 x 300
C-2	C-3	5.72	8.20	7.09	1.11	300 x 300
C-3	C-4	9.47	8.20	7.00	1.20	300 x 300
C-4	C-5	8.43	8.20	6.92	1.28	300 x 300
C-5	C-6	8.26	8.20	6.84	1.36	300 x 300
C-6	C-7	8.11	8.20	6.76	1.44	300 x 300
C-7	L.I.M	8.83	8.20	6.68	1.52	300 x 300
L.I.M	**END CAP**	**3.20**	**7.65**	**6.65**	**1.00**	
INVERT LEVEL OF END CAP: 6.65 M MAX. DEPTH OF END CAP: 100 CM						X: 395712.8432 Y: 2843247.8624 Z : 100 CM
COVER LEVEL INSIDE THE PLOT : 8.05 MET + 0.15 (INTERLOCK) = 8.20 MET		COVER LEVEL OUTSIDE THE PLOT : 7.65 MET				



8.05 :المنسوب التصميمي

CoordinateNSF WGS 84





Government of Ras Al Khaimah
WASTEWATER AGENCY
حكومة رأس الخيمة
مؤسسة الصرف الصحي

20 January 2026

APPROVED

PRMT-26-0000880

Signed

LIM_DETAIL
PL.No 406132098
C.ID 3136005
TYPE ZP02
C.DT 12/01/2026
CL +8.20
GL +8.05
IL +6.68
X 395709.8076
Y 2843248.8713
SIZE 60x60
DEPTH 1.52
STATUS PROPOSED

SPT_DETAIL
PL.No 406132098
C.ID 3136005
TYPE ZP02
C.DT 12/01/2026
TL +8.20
GL +8.05
IL +5.18
X 395708.9244
Y 2843246.2143
SIZE 5X1.5
DEPTH 3.02
STATUS PROPOSED

END CAP_DETAIL
PL.No 406132098
C.ID 3136005
TYPE ZP02
C.DT 12/01/2026
GL +7.65
IL +6.65
X 395712.8432
Y 2843247.8624
Z 1.00
STATUS PROPOSED



OUTDOOR CLEANOUT DETAIL



TY.PICAL INSPECTION CHAMBER 90 CHANGE OF DIRECTION
OUTDOOR CLEANOUT DETAIL



FLOOR CLEAN OUT (FCO)
NEAR WC CONNECTION



SECTION DETAILS OF CLEANOUT

KHABIR خبير
للاستشارات الكهرو ميكانيكية
ELECTROMECHANICAL CONSULTANCY
MOB: 052 624 9234 052 589 2287
EMAIL:khabirmepconsultant@gmail.com

Savana
Engineering Consultancy & interior design

Client	MAYED MEERZA BASHEER MOHAMMED		
Project	DOUBLE STOREY VILLA + ROOF		
Drg.Title	DRAINAGE SITE PLAN LAYOUT		
Area	AWAFI	Floortype	
Case ID.	3136005	Draw. Type.	DRNG
Sec No.		Com. No.	
Block No.		Plot No.	406132098
Bldg. No.	BLD-26-00570	Floor No.	
Date	JAN 2026	Sht. No.	D01
Scale	1/100	Job No.	

G.Manager	Architect	Drawn by
ENG AYMEN	ENG IMEN	ENG IMEN

DRAINAGE SITE PLAN LAYOUT



LEGEND

	WASH BASIN
	WATER CLOSET
	SHOWER TRAY
	COUNTER TOP WASH BASIN
	KICHEN SINK (SINGLE)
FT	FLOOR TRAP(FT)
FD	FLOOR DRAIN(FD)
CO	CLEAN OUT (CO)
FCO	FLOOR CLEAN OUT (FCO) (4")
MH	(60x60)cm.RECESSED TYPE MAN HOLE
ST	SAND TRAP WITH CI GRATING
GT	(30x30)cm.DRY GULLY TRAP
	3" WASTE WATER PIPE
	4" SEWERAGE PIPE
	3" VENT PIPE
	4" RAIN WATER PIPE

DRAINAGE PIPE SIZE SCHEDULE:

SR.NO	LOCATION	(ø-inch)
01	MAINHOLE TO MANHOLE	6
02	WC TO MAINHOLE	4
03	GULLY TRAP TO MAINHOLE	4
04	FLOOR TRAP TO GULLY TRAP	3
05	MAINHOLE VENT	3
06	LAST MAINHOLE & SEPTIC TANK VENT	3
07	WASH BASIN TO FLOOR TRAP	2
08	DINING SINK TO FLOOR TRAP	2
09	OTHERS REFER TO DRAWINGS	

GROUND FLOOR DRAINAGE LAYOUT

Government of Ras Al Khaimah
WASTEWATER AGENCY
حكومة رأس الخيمة
مؤسسة الصرف الصحي

20 January 2026

APPROVED

PRMT-26-0000880

Signed

KHABIR خبير
للاستشارات الكهرو ميكانيكية
ELECTROMECHANICAL CONSULTANCY
PHONE: 052 624 9234, 052 589 2287
EMAIL: khabirmepconsultant@gmail.com

Savana
Engineering Consultancy & Interior design

Client	MAYED MEERZA BASHEER MOHAMMED		
Project	DOUBLE STOREY VILLA + ROOF		
Drg.Title	GROUND FLOOR DRAINAGE LAYOUT		
Area	AWAFI	Floortype	G
Case ID.	3136005	Draw. Type.	DRNG
Sec No.		Com. No.	
Block No.		Plot No.	406132098
Bldg. No.	BLD-26-00570	Floor No.	01
Date	JAN 2026	Sht. No.	D02
Scale	1/100	Job No.	

G.Manager	Architect	Drawn by
ENG AYMEN	ENG IMEN	ENG IMEN



TYPICAL INSTALLATION DETAIL FOR
ROOF OUTLET ASSEMBLY (SIDE TYPE)

LEGEND	
	WASH BASIN
	WATER CLOSET
	SHOWER TRAY
	COUNTER TOP WASH BASIN
	KICHEN SINK (SINGLE)
FT	FLOOR TRAP(FT)
FD	FLOOR DRAIN(FD)
CO	CLEAN OUT (CO)
FCO	FLOOR CLEAN OUT (FCO) (4")
MH	(60x60)cm.RECESSED TYPE MAN HOLE
SG	SAND TRAP WITH CI GRATING
GT	(30x30)cm.DRY GULLY TRAP
	3" WASTE WATER PIPE
	4" SEWERAGE PIPE
	3" VENT PIPE
	4" RAIN WATER PIPE

DRAINAGE PIPE SIZE SCHEDULE:

SR.NO	LOCATION	(ø-inch)
01	MAINHOLE TO MANHOLE	6
02	WC TO MAINHOLE	4
03	GULLY TRAP TO MAINHOLE	4
04	FLOOR TRAP TO GULLY TRAP	3
05	MAINHOLE VENT	3
06	LAST MAINHOLE & SEPTIC TANK VENT	3
07	WASH BASIN TO FLOOR TRAP	2
08	DINING SINK TO FLOOR TRAP	2
09	OTHERS REFER TO DRAWINGS	



FIRST FLOOR DRAINAGE LAYOUT

Government of Ras Al Khaimah
WASTEWATER AGENCY
حكومة رأس الخيمة
مؤسسة الصرف الصحي

20 January 2026

APPROVED

PRMT-26-0000880

Signed

KHABIR خبير
للاستشارات الكهرو ميكانيكية
ELECTROMECHANICAL CONSULTANCY
PHONE: 052 624 9234, 052 580 2287
EMAIL:khabirmepconsultant@gmail.com

Savana
Engineering Consultancy & Interior design

Client	MAYED MEERZA BASHEER MOHAMMED		
Project	DOUBLE STOREY VILLA + ROOF		
Drg.Title	FIRST FLOOR DRAINAGE LAYOUT		
Area	AWAFI	Floortype	F
Case ID.	3136005	Draw. Type.	DRNG
Sec No.		Com. No.	
Block No.		Plot No.	406132098
Bldg. No.	BLD-26-00570	Floor No.	01
Date	JAN 2026	Sht. No.	D03
Scale	1/100	Job No.	

G.Manager	Architect	Drawn by
ENG AYMEN	ENG IMEN	ENG IMEN