

```
1 @using DGTradesIn.Models
2 @model LoginViewModel
3 @{
4     ViewBag.Title = "Log in";
5 }
6
7 <h2>@ViewBag.Title.</h2>
8 <div class="row">
9     <div class="col-md-8">
10         <section id="loginForm">
11             @using (Html.BeginForm("Login", "Account", new { returnUrl =
12                 ViewBag.ReturnUrl }, FormMethod.Post, new { @class = "form-
13                 horizontal", role = "form" }))
14             {
15                 @Html.AntiForgeryToken()
16                 <h4>Use a local account to log in.</h4>
17                 <hr />
18                 @Html.ValidationSummary(true, "", new { @class = "text-
19                     danger" })
20                 <div class="form-group">
21                     @Html.LabelFor(m => m.Email, new { @class = "col-md-2
22                         control-label" })
23                     <div class="col-md-10">
24                         @Html.TextBoxFor(m => m.Email, new { @class = "form-
25                             control" })
26                         @Html.ValidationMessageFor(m => m.Email, "", new
27                             { @class = "text-danger" })
28                     </div>
29                 </div>
30                 <div class="form-group">
31                     @Html.LabelFor(m => m.Password, new { @class = "col-md-2
32                         control-label" })
33                     <div class="col-md-10">
34                         @Html.PasswordFor(m => m.Password, new { @class = "form-
35                             control" })
36                         @Html.ValidationMessageFor(m => m.Password, "", new
37                             { @class = "text-danger" })
38                     </div>
39                 </div>
40                 <div class="form-group">
41                     <div class="col-md-offset-2 col-md-10">
42                         <div class="checkbox">
43                             @Html.CheckBoxFor(m => m.RememberMe)
44                             @Html.LabelFor(m => m.RememberMe)
45                         </div>
46                     </div>
47                 </div>
48                 <div class="form-group">
49                     <div class="col-md-offset-2 col-md-10">
```

```
41         <input type="submit" value="Log in" class="btn btn-  ↗
           default" />
42     </div>
43 </div>
44 <p>
45     @Html.ActionLink("Register as a new user", "Register")
46 </p>
47     @* Enable this once you have account confirmation enabled for  ↗
       password reset functionality
48     <p>
49         @Html.ActionLink("Forgot your password?",  ↗
           "ForgotPassword")
50     </p>*@
51 }
52 </section>
53 </div>
54 <div class="col-md-4">
55     <section id="socialLoginForm">
56         @Html.Partial("_ExternalLoginsListPartial", new  ↗
           ExternalLoginListViewModel { returnUrl = ViewBag.ReturnUrl })
57     </section>
58 </div>
59 </div>
60
61 @section Scripts {
62     @Scripts.Render("~/bundles/jqueryval")
63 }
```

Log in.

Use a local account to log in.

Email

Password

☐ Remember me?

Log in

[Register as a new user](#)

```
1 @model DGTradesIn.Models.RegisterViewModel
2 @{
3     ViewBag.Title = "Register";
4 }
5
6 <h2>@ViewBag.Title.</h2>
7
8 @using (Html.BeginForm("Register", "Account", FormMethod.Post, new { @class =
    "form-horizontal", role = "form" }))
9 {
10     @Html.AntiForgeryToken()
11     <h4>Create a new account.</h4>
12     <hr />
13     @Html.ValidationSummary("", new { @class = "text-danger" })
14     <div class="form-group">
15         @Html.LabelFor(m => m.Email, new { @class = "col-md-2 control-label" })
16         <div class="col-md-10">
17             @Html.TextBoxFor(m => m.Email, new { @class = "form-control" })
18         </div>
19     </div>
20     <div class="form-group">
21         @Html.LabelFor(m => m.Password, new { @class = "col-md-2 control-label" })
22         <div class="col-md-10">
23             @Html.PasswordFor(m => m.Password, new { @class = "form-control" })
24         </div>
25     </div>
26     <div class="form-group">
27         @Html.LabelFor(m => m.ConfirmPassword, new { @class = "col-md-2 control-label" })
28         <div class="col-md-10">
29             @Html.PasswordFor(m => m.ConfirmPassword, new { @class = "form-control" })
30         </div>
31     </div>
32     <div class="form-group">
33         <div class="col-md-offset-2 col-md-10">
34             <input type="submit" class="btn btn-default" value="Register" />
35         </div>
36     </div>
37 }
38
39 @section Scripts {
40     @Scripts.Render("~/bundles/jqueryval")
41 }
42
```

Register.

Create a new account.

Email

Password

Confirm password

Register

```
1 @model DGTradesIn.Models.ForgotPasswordViewModel
2 @{
3     ViewBag.Title = "Forgot your password?";
4 }
5
6 <h2>@ViewBag.Title.</h2>
7
8 @using (Html.BeginForm("ForgotPassword", "Account", FormMethod.Post, new { @class = "form-horizontal", role = "form" }))
9 {
10     @Html.AntiForgeryToken()
11     <h4>Enter your email.</h4>
12     <hr />
13     @Html.ValidationSummary("", new { @class = "text-danger" })
14     <div class="form-group">
15         @Html.LabelFor(m => m.Email, new { @class = "col-md-2 control-label" })
16         <div class="col-md-10">
17             @Html.TextBoxFor(m => m.Email, new { @class = "form-control" })
18         </div>
19     </div>
20     <div class="form-group">
21         <div class="col-md-offset-2 col-md-10">
22             <input type="submit" class="btn btn-default" value="Email Link" />
23         </div>
24     </div>
25 }
26
27 @section Scripts {
28     @Scripts.Render("~/bundles/jqueryval")
29 }
30
```

Forgot your password?.

Enter your email.

Email

Email Link

Newsletter

Enter Your Email

Subscribe