INDO GRILLS

AIR DISTRIBUTION PRODUCTS

Product Catalogue

Grills, diffusers, dampers, disk valves, jet nozzles and louvers – made to your size and finish.

indogrills.com

info@indogrills.com

+91 91756 94563

Air distribution products, made to order

IndoGrills manufactures AC grills and air distribution products for HVAC contractors, MEP consultants, builders and distributors, with more than 10 years of experience. Every product in this catalogue can be made to your drawing, in the material and finish you need.

10+	51	7	100%
Years of experience	Products listed	Product categories	Made to order sizes

Made to your size

Sizes in this catalogue are typical; we manufacture to the dimensions on your drawing.

Quality finishing

Powder coating, anodising and mill finish with consistent colour and clean edges.

Single pieces to projects

We supply small orders as well as full project and distributor quantities.

Direct support

Help with selection and sizes from enquiry through to delivery.

Contents

Grills	20 products
Diffusers	9 products
Dampers	8 products
Disk Valves	4 products
Jet Nozzles	3 products
Louvers	1 product
Accessories & Specials	6 products

Grills

Return air, supply air and transfer grills for walls, ducts, ceilings and doors.




01 · GRILLS

Stripline Grill

The stripline grill has fine, closely spaced slats that give a sleek, architectural finish on walls and ceilings. It suits offices, showrooms and hospitality interiors where the grill should blend in. Made to your size in aluminium with powder-coated or anodised finish.

Used in	Offices, showrooms and hotels where a clean, fine-slat look is wanted
Standard sizes (mm)	300x150, 450x150, 600x150, 600x300; custom lengths
Finish	Powder coated, anodised or mill finish; custom sizes on request



02 · GRILLS

Single Deflection Grill

The single deflection grill has one set of adjustable horizontal blades that direct supply air where it is needed. It is a dependable choice for walls, ducts and sidewall outlets in homes and commercial buildings. Made to order in aluminium in standard and RAL colours.

Used in	Wall and duct supply outlets in homes, offices and shops
Standard sizes (mm)	150x150, 225x225, 300x150, 300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



03 · GRILLS

1 Inch Flange Main Grill

The 1 inch flange main grill is a supply or return grill with a neat 1 inch border and an integrated collar damper for volume control. It is widely used on main ducts and wall openings. Made to your size in aluminium with powder coating.

Used in	Main duct and wall openings, supply or return, with volume control
Standard sizes (mm)	300x300 to 1200x600; 25 mm (1 in) flange
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)



04 · GRILLS

Door Grill

The door grill allows air to pass through a door for return air or ventilation. It has a 1 inch flange on the front and a back side frame for a secure, tidy fit. Made to door cut-out sizes in aluminium or steel.

Used in	Doors for return air transfer and ventilation between rooms
Standard sizes (mm)	300x150, 450x150, 450x300, 600x300; 25 mm flange
Finish	Powder coated, anodised or mill finish; custom sizes on request



05 · GRILLS

6" x 6" Four Side Grill

The 6 x 6 inch four side grill is a compact grill with a frame on all four sides for use at small outlets and returns. It is easy to fit and finishes the opening neatly. Available in aluminium with powder-coated finish.

Used in	Small supply or return outlets and transfer openings
Standard sizes (mm)	150x150 (6 x 6 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request




06 · GRILLS

200 x 100 Four Side Grill

The 200 x 100 mm four side grill is a compact rectangular grill used for return or supply openings in small ducts and walls. Its four-side frame gives a neat edge. Made in aluminium in standard and custom colours.

Used in	Compact return or supply openings in small ducts and walls
Standard sizes (mm)	200x100
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)




07 · GRILLS

Double Deflection Grill

The double deflection grill has horizontal and vertical blade sets so you can steer air both up-down and left-right. It is used for supply air where precise direction and spread are needed. Made in aluminium to your size.

Used in	Supply air where precise direction and spread are needed
Standard sizes (mm)	150x150, 225x225, 300x150, 300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



08 · GRILLS

Double Deflection Grill - Premium

This premium double deflection grill uses heavier sections and a smoother finish for a more robust, refined result. Two sets of adjustable blades give full control over airflow direction. Ideal for offices, hotels and high-end residential projects.

Used in	Hotels, offices and high-end residential projects
Standard sizes (mm)	150x150, 225x225, 300x150, 300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



09 · GRILLS

Linear Grill 15° & 45°

The linear grill has fixed slim blades angled at 15 or 45 degrees to guide air and screen the duct behind it. It is a popular choice for return air and supply on walls and ceilings. Made to size in aluminium.

Used in	Return and supply on walls and ceilings; screens the duct behind
Standard sizes (mm)	300x150, 600x150, 600x300, 900x300; custom lengths
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)



10 · GRILLS

Linear Grill 0°

The 0 degree linear grill has straight blades for maximum free area, which suits return air openings. Its clean horizontal lines suit modern interiors. Made to order in aluminium with powder coating.

Used in	Return air openings needing maximum free area
Standard sizes (mm)	300x150, 600x150, 600x300, 900x300; custom lengths
Finish	Powder coated, anodised or mill finish; custom sizes on request




11 · GRILLS

56° Grill

The 56 degree grill uses angled fixed blades to give good visual screening and controlled airflow. It is used for return and transfer openings on walls and doors. Available in custom sizes and finishes.

Used in	Return and transfer openings in walls and doors
Standard sizes (mm)	300x150, 450x300, 600x300, 600x600
Finish	Powder coated, anodised or mill finish; custom sizes on request




12 · GRILLS

Double Deflection

The standard double deflection grill has two sets of adjustable blades for flexible air direction. It is a cost-effective option for supply outlets in ducted systems. Made in aluminium to your size.

Used in	Cost-effective supply outlets in ducted systems
Standard sizes (mm)	150x150, 225x225, 300x150, 300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)



13 · GRILLS

Tiles Grill

The tile grill is an egg-crate style grill with a cellular grid that gives high free area and a clean look. It is used for return air in false ceilings and lights. Made in aluminium with a white or custom finish.

Used in	Return air in 600x600 false ceilings
Standard sizes (mm)	595x595; 300x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



14 · GRILLS

Four Ways Grill

The four ways grill directs air in four directions from a ceiling outlet for even coverage. It has a neat square frame and suits offices, shops and homes. Made in aluminium to your size.

Used in	Ceiling supply in offices, shops and homes
Standard sizes (mm)	300x300, 450x450, 595x595
Finish	Powder coated, anodised or mill finish; custom sizes on request



15 · GRILLS

T Section Grill

The T section grill is made from sturdy T-profile sections that give a rigid, heavy-duty frame and blades. It is powder coated for a durable finish. Used on return air openings and walls in commercial and industrial buildings.

Used in	Return openings in commercial and industrial buildings
Standard sizes (mm)	300x150 to 900x600
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)



16 · GRILLS

Door Grill - Front + Back Frame

This door grill has a front grill plus a back side frame that clamp together through the door for a secure, neat fit. It allows air transfer between rooms. Made to your door cut-out size.

Used in	Doors for air transfer between rooms
Standard sizes (mm)	300x150, 450x150, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



17 · GRILLS

Sada Grill 15°

The Sada grill is a plain 15 degree blade grill supplied without coating for budget-conscious or site-painted applications. It is made in standard sizes and to order. Contact us for sizes and quantity pricing.

Used in	Budget return and supply openings, site-painted jobs
Standard sizes (mm)	300x150, 450x300, 600x300; sold per sq ft
Finish	Powder coated, anodised or mill finish; custom sizes on request



18 · GRILLS

S.S Box Type Grill

The stainless steel box type grill has a deep box construction for a strong, corrosion-resistant outlet. It is used in kitchens, food areas, hospitals and coastal buildings where durability matters. Made to your size.

Used in	Kitchens, food areas, hospitals and coastal buildings
Standard sizes (mm)	300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request

Grills (continued)



19 · GRILLS

Two Way Grill

The two way grill directs air in two directions to cover a wider area from a single outlet. It is used on ducts and walls in offices and commercial spaces. Made in aluminium to your size.

Used in	Wider coverage from one outlet in offices and shops
Standard sizes (mm)	150x150, 225x225, 300x150, 300x300, 450x300, 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



20 · GRILLS

Round Grill

The round grill gives a neat finish over circular duct openings and wall sleeves. Its horizontal blades screen the opening while allowing airflow. Made in aluminium with powder-coated finish.

Used in	Circular duct openings and wall sleeves
Standard sizes (mm)	Dia 150, 200, 250, 300
Finish	Powder coated, anodised or mill finish; custom sizes on request

Diffusers

Ceiling diffusers that spread supply air evenly and quietly.




21 · DIFFUSERS

3 Slot Diffuser

The three slot diffuser delivers supply air in a long, even pattern along ceilings and bulkheads, giving comfortable air distribution without draughts. It has a 5 inch inner size and is made in aluminium with a clean white or custom finish. Lengths are made to order.

Used in	False ceilings and bulkheads in offices, retail and hospitality
Standard sizes (mm)	Lengths 600, 900, 1200, 1500; 5 in (125 mm) inner size
Finish	Powder coated, anodised or mill finish; custom sizes on request



22 · DIFFUSERS

Two Slot Diffuser

The two slot diffuser is a slim linear diffuser for false ceilings in offices, retail and hospitality spaces. It spreads supply air evenly along its length and sits neatly in the ceiling grid. Available in custom lengths and finishes.

Used in	Slim linear supply outlets in ceilings of offices and shops
Standard sizes (mm)	Lengths 600, 900, 1200, 1500
Finish	Powder coated, anodised or mill finish; custom sizes on request




23 · DIFFUSERS

Round Diffuser

The AC round diffuser distributes supply air in a smooth circular pattern from the ceiling. Its 250 mm diameter suits offices, shops and living areas, and the concentric cones give a neat, modern look. Made in aluminium with powder-coated finish.

Used in	Ceiling supply in offices, shops and living areas
Standard sizes (mm)	Neck dia 250 (as listed); also 150, 200, 300
Finish	Powder coated, anodised or mill finish; custom sizes on request

Diffusers (continued)



24 · DIFFUSERS

Square Shape Diffuser

The square shape diffuser delivers supply air evenly in all directions from a false ceiling. It has a 4 inch return neck and a clean, modern profile that suits offices and homes. Made in aluminium with a white or custom finish.

Used in	False-ceiling supply in offices and homes
Standard sizes (mm)	Neck 4 in (100); face 300x300, 450x450, 600x600
Finish	Powder coated, anodised or mill finish; custom sizes on request



25 · DIFFUSERS

Tiles Diffuser

The tile diffuser fits a standard 600 x 600 mm false-ceiling grid and distributes supply air evenly across the room. It has a 450 x 450 mm neck and a 595 x 595 mm outer size for a flush finish. Made in aluminium with powder coating.

Used in	Standard 600x600 false-ceiling grids in offices and malls
Standard sizes (mm)	Neck 450x450; outer 595x595
Finish	Powder coated, anodised or mill finish; custom sizes on request




26 · DIFFUSERS

Four Way Diffuser Grill Type

The four way diffuser throws air in four directions for even coverage in the centre of a room. The grill-type design gives a clean look in offices and showrooms. Special sizes and requirements are available on request.

Used in	Central ceiling supply in offices and showrooms
Standard sizes (mm)	300x300, 450x450, 595x595
Finish	Powder coated, anodised or mill finish; custom sizes on request

Diffusers (continued)



27 · DIFFUSERS

Two Slot Diffuser with L Band

This two slot diffuser comes with an aluminium L band that frames the diffuser neatly against the ceiling or bulkhead. It gives a precise, finished edge and easy installation. Available in custom lengths.

Used in	Ceilings and bulkheads needing a neat framed edge
Standard sizes (mm)	Lengths 600, 900, 1200, 1500
Finish	Powder coated, anodised or mill finish; custom sizes on request



28 · DIFFUSERS

Grill Type Diffuser

The grill-type diffuser combines the look of an egg-crate grill with the function of a supply diffuser. It distributes air evenly and blends into the ceiling. Made in aluminium in standard and custom sizes.

Used in	Ceiling supply that blends with egg-crate grills
Standard sizes (mm)	300x300, 450x450, 595x595
Finish	Powder coated, anodised or mill finish; custom sizes on request



29 · DIFFUSERS

S.S Diffuser

The full stainless steel diffuser is made entirely from stainless steel for strength and corrosion resistance. It is used in clean areas, kitchens and hospitals. Made to order in custom sizes.

Used in	Clean areas, kitchens and hospitals
Standard sizes (mm)	300x300, 450x450, 600x600
Finish	Powder coated, anodised or mill finish; custom sizes on request

Dampers

Dampers that regulate, isolate or automate airflow in ducting.



30 · DAMPERS

VCD

The volume control damper (VCD) is fitted inside ductwork to regulate and balance airflow to each branch of an air-conditioning system. Adjustable blades with a locking lever let installers set the required air volume accurately. We manufacture VCDs to your duct size in GI or aluminium.

Used in	Balancing airflow in supply and return ducts; branch duct regulation
Standard sizes (mm)	Rectangular: 300x300, 450x300, 600x300, 600x600; up to 1200x600
Finish	Powder coated, anodised or mill finish; custom sizes on request



31 · DAMPERS

Collar Damper

The collar damper is fitted at the take-off of a branch duct or behind a grill to control the volume of air entering it. It makes commissioning and balancing quick and keeps airflow even across outlets. Available in sizes to match your grill or duct collar.

Used in	Behind grills and diffusers; duct take-offs for volume control
Standard sizes (mm)	Collar dia 150, 200, 250, 300; rectangular 200x200 to 600x300
Finish	Powder coated, anodised or mill finish; custom sizes on request



32 · DAMPERS

Round Duct Damper

The round duct damper controls airflow inside circular ducts by turning an internal blade, set with an external handle. This size is approximately 250 mm diameter. Made in GI for durability.

Used in	Balancing and isolating circular ducts
Standard sizes (mm)	Dia 100 to 600; approx. 250 dia listed
Finish	Powder coated, anodised or mill finish; custom sizes on request

Dampers (continued)



33 · DAMPERS

Motorized Duct Damper

The motorised duct damper is operated by an actuator motor, so airflow can be controlled automatically by a BMS or controller. It is sold per square foot with the motor supplied separately. Made to your duct size.

Used in	Automatic airflow control through BMS or controllers
Standard sizes (mm)	Rectangular 200x200 to 1200x1000; motor extra
Finish	Powder coated, anodised or mill finish; custom sizes on request



34 · DAMPERS

Gravity Duct Damper

The gravity damper opens under air pressure and closes by itself when the airflow stops, preventing back-draught in exhaust and fresh-air systems. It is sold per square foot and made to your duct size.

Used in	Exhaust and fresh-air ducts to stop back-draught
Standard sizes (mm)	300x300 to 1000x1000; sold per sq ft
Finish	Powder coated, anodised or mill finish; custom sizes on request



35 · DAMPERS

Round Duct Damper - GI

The GI round duct damper regulates airflow in circular ducts and has a flange on one side for easy mounting. Galvanised iron construction gives a durable, long-lasting damper. Available in sizes to match your duct.

Used in	Circular ducts needing a durable galvanised damper
Standard sizes (mm)	Dia 100 to 600; one-side flange
Finish	Powder coated, anodised or mill finish; custom sizes on request

Dampers (continued)



36 · DAMPERS

Capsule Duct Damper

The capsule duct damper is designed for oval or capsule-shaped ducts and controls airflow with adjustable blades. It provides smooth regulation in compact duct runs. Made to your required size.

Used in	Oval or capsule-shaped ducts
Standard sizes (mm)	Made to duct size
Finish	Powder coated, anodised or mill finish; custom sizes on request



37 · DAMPERS

Butterfly Damper with Ring

The butterfly damper has a round blade that pivots to control airflow, with a ring for secure fitting inside circular ducts. This size is 250 mm diameter. Simple, reliable and easy to operate.

Used in	Circular ducts needing simple, reliable control
Standard sizes (mm)	Dia 250 (as listed); 100 to 600
Finish	Powder coated, anodised or mill finish; custom sizes on request

Disk Valves

Adjustable exhaust and supply valves for toilets and small rooms.



38 · DISK VALVES

4" Disk Wall

The 4 inch disk valve is a round adjustable valve for exhaust and supply in toilets, kitchens and small rooms. The centre disk is turned to set airflow and can be closed. Made with a durable finish.

Used in	Toilet and bathroom exhaust, kitchens, small rooms
Standard sizes (mm)	Dia 100 (4 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request



39 · DISK VALVES

5" Plastic Disk Wall

The 5 inch ABS plastic disk valve is a lightweight, rust-free valve for exhaust and ventilation in bathrooms and small rooms. The centre disk adjusts or closes the airflow. Easy to fit and clean.

Used in	Bathroom and small-room ventilation (rust-free)
Standard sizes (mm)	Dia 125 (5 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request



40 · DISK VALVES

4" Plastic Disk Wall

The 4 inch plastic disk valve is a light, rust-free valve for toilet and small-room ventilation. The centre disk adjusts airflow or closes the opening. Simple to install and maintain.

Used in	Toilet and small-room ventilation (rust-free)
Standard sizes (mm)	Dia 100 (4 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request

Disk Valves (continued)



41 · DISK VALVES

GI Disk Wall 6"

The 6 inch GI disk valve is a sturdy galvanised iron valve used for exhaust and ventilation where a stronger metal valve is preferred. The disk adjusts airflow and can be fully closed. Suitable for toilets, kitchens and utility rooms.

Used in	Exhaust in toilets, kitchens and utility rooms
Standard sizes (mm)	Dia 150 (6 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request

Jet Nozzles

Long-throw nozzles for halls and high-ceiling spaces.



42 · JET NOZZLES

Jet Nozzle (Return Dia 200)

The jet nozzle projects air over long distances and can be swivelled to aim the airflow, which suits large halls and high ceilings. This model has a 200 mm return diameter. Made in aluminium with a durable finish.

Used in	Auditoriums, atriums, showrooms and large halls (long throw)
Standard sizes (mm)	Neck dia 200 (8 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request



43 · JET NOZZLES

Jet Nozzle (Return Dia 6 inch)

The 6 inch jet nozzle is a smaller long-throw nozzle used to direct air precisely in showrooms, halls and industrial spaces. It can be adjusted to aim airflow where required. Made in aluminium with durable finish.

Used in	Showrooms, halls and industrial spot cooling
Standard sizes (mm)	Neck dia 150 (6 in)
Finish	Powder coated, anodised or mill finish; custom sizes on request



44 · JET NOZZLES

Jet Nozzle - All Sizes

We make jet nozzles in a full range of sizes for halls, atriums and large open spaces. Each nozzle is adjustable so air can be aimed accurately over a long throw. Contact us with your required diameter and quantity.

Used in	Large halls, atriums and high-ceiling spaces
Standard sizes (mm)	Neck dia 100 to 400 on request
Finish	Powder coated, anodised or mill finish; custom sizes on request

Louvers

Weather louvers for ventilation, air intake and exhaust.



45 · LOUVERS


Louvers

Our louvers allow ventilation, fresh air intake and exhaust while keeping out rain and debris. They are used on external walls, plant rooms and building facades. Made to your size in aluminium or GI with durable finish.

Used in	Plant rooms, external walls, fresh-air intake and exhaust
Standard sizes (mm)	300x300 to 1200x1200; custom sizes
Finish	Powder coated, anodised or mill finish; custom sizes on request

Accessories & Specials

Motors, risers, fire and smoke panels, HEPA boxes, reducers and grill doors.



46 · ACCESSORIES & SPECIALS

Belimo 5Nm On/Off Motor

This 5Nm on/off actuator motor opens and closes motorised dampers automatically as part of an HVAC or fire control system. It is supplied for use with our motorised and volume control dampers. Contact us to confirm model and availability.

Used in	Motorised dampers in BMS and fire/ventilation control systems
Standard sizes (mm)	Torque 5 Nm; on/off control
Finish	Powder coated, anodised or mill finish; custom sizes on request



47 · ACCESSORIES & SPECIALS

Riser

Our GI riser is a rigid galvanised iron section with powder-coated finish used to carry air vertically through a building. It is fabricated to your drawing and sold by weight. Suitable for ducting runs in commercial and residential projects.

Used in	Vertical air risers in commercial and residential buildings
Standard sizes (mm)	Fabricated to drawing; sold per kg
Finish	Powder coated, anodised or mill finish; custom sizes on request



48 · ACCESSORIES & SPECIALS

Fire Smoke Panel

The fire and smoke panel is used to close or protect duct and ceiling openings as part of a building fire safety arrangement. It is made to your required size. Please share your specification so we can confirm suitability.

Used in	Duct and ceiling openings in fire-protected buildings
Standard sizes (mm)	Made to opening size
Finish	Powder coated, anodised or mill finish; custom sizes on request

Accessories & Specials (continued)




49 · ACCESSORIES & SPECIALS

Grill Door

The grill door provides a ventilated access panel for shafts, utility spaces and equipment rooms. It allows airflow while keeping the opening secure. Made to your size.

Used in	Access to shafts, utility spaces and equipment rooms
Standard sizes (mm)	450x600, 600x600, 600x900; custom
Finish	Powder coated, anodised or mill finish; custom sizes on request




50 · ACCESSORIES & SPECIALS

Top Connection HEPA Box

The HEPA box houses a HEPA filter and connects to the duct from the top. It is used in clean rooms, hospitals, labs and pharmaceutical areas for high-efficiency filtration. Made to your size and specification.

Used in	Clean rooms, hospitals, labs and pharma areas
Standard sizes (mm)	Filter face 305x305, 610x610, 610x1220
Finish	Powder coated, anodised or mill finish; custom sizes on request



51 · ACCESSORIES & SPECIALS

Reducer

The GI reducer joins ducts of different sizes with a smooth transition that keeps air moving efficiently. It is fabricated from galvanised iron to your dimensions. Used across ducting systems in commercial and residential projects.

Used in	Joining ducts of different size with a smooth transition
Standard sizes (mm)	Made to duct sizes
Finish	Powder coated, anodised or mill finish; custom sizes on request

INDO GRILLS

AIR DISTRIBUTION PRODUCTS

Let’s discuss your project

PHONE	+91 91756 94563
EMAIL	info@indogrills.com
WEBSITE	indogrills.com
LOCATION	Mumbai, Maharashtra, India

Sizes shown are typical standard sizes in millimetres. Custom sizes, materials and finishes are available on request. Please confirm specifications and availability before ordering. Product images are illustrative renders.