

Hill Climbing: Local Heuristic function



Blocks World

Local heuristic:

+1 for each block that is resting on the thing it is supposed to be resting on.

-1 for each block that is resting on a wrong thing.


Hill Climbing: Local Heuristic function




Breadth-First Search A



Start
0



Goal



Blocks World

Local heuristic:

+1 for each block that is resting on the thing it is supposed to be resting on.

-1 for each block that is resting on a wrong thing.

Hill Climbing: Local Heuristic function




Blocks World

Local heuristic:


+1 for each block that is resting on the thing it is supposed to be resting on.

-1 for each block that is resting on a wrong thing.


Hill Climbing: Local Heuristic function



Hill Climbing: Local Heuristic function



Hill Climbing: Global Heuristic function




Global heuristic:

For each block that has the correct support structure: **+1** to
every block in the support structure.

For each block that has a wrong support structure: **-1** to
every block in the support structure.

Hill Climbing: Global Heuristic function




Global heuristic:

For each block that has the correct support structure: $+1$ to every block in the support structure.

For each block that has a wrong support structure: -1 to every block in the support structure.

Hill Climbing: Global Heuristic function




Global heuristic:


For each block that has the correct support structure: $+1$ to every block in the support structure.

For each block that has a wrong support structure: -1 to every block in the support structure.


Hill Climbing: Global Heuristic function



Hill Climbing: Global Heuristic function



Hill Climbing: Global Heuristic function



Hill Climbing: Global Heuristic function

