Lab Exercise 6
Creating a Pipeline Script

Objective: To create a pipeline script for automating build processes in Jenkins

Tools required: Jenkins


Prerequisites: None

Steps to be followed:

1. Log in to the Jenkins CI tool and create a pipeline script


Step 1: Log in to the Jenkins CI tool and create a pipeline script

1.1 Open the browser, go to the Jenkins **Dashboard** by typing **localhost:8080** in your browser, provide the credentials, and click the **Sign in** button




Note: The credentials for accessing Jenkins in the lab are Username: **admin** and Password: **admin**.


1.2 Click on the **New Item** option as shown in the screenshot below:



1.3 Enter a desired name for the project, select **Pipeline**, and then click on **OK** as shown in the screenshot below:




1.4 Click on **Pipeline** as shown in the screenshot below:




1.5 Enter the following pipeline script in the script editor and click on **Save** as shown in the screenshot below:


```
pipeline {
   agent any
   stages {
      stage("Stage 1") {
         steps{
            echo "welcome to Stage 1"
         }
      }
       stage("Stage 2") {
         steps{
            echo "welcome to Stage 2"
         }
      }
       stage("Stage 3") {
         steps{
            echo "welcome to Stage 3"
         }
      }
   }
}
```



1.6 Click on **Build Now** to run the pipeline script as shown in the screenshot below:



1.7 Hover over the milliseconds number next to the build stage name as shown in the screenshot below:



Note: Ensure that you hover the cursor over the milliseconds number without clicking on it