

VULTR AGENT RUSH HACKATHON · CHALLENGE 1: BLAST RADIUS ZERO

ShipCheck

The pre-launch website tester that can't be hijacked.

A sandboxed AI agent that clicks through your site before your users do.

app.149.28.205.32.sslip.io

github.com/shah541-g/ShipCheck

THE PROBLEM

Give an AI agent a browser and it becomes the most dangerous user you have

🛡 It reads the page — and a page can tell it what to do

⚡ One hidden line of text can send it to an attacker's server

⚠ It can click Delete, Pay or Submit — and mean it

And the launches still break

Sites ship with dead buttons, broken signup flows and missing metadata, because nobody clicked through every journey by hand.

Teams want an agent to do that testing. Few are willing to let one loose on a real site.

So the agent has to be useful and caged.

HOW IT WORKS

An agent that tests a website, and a cage it cannot get out of

1. Discover

Find the pages

2. Plan

Write real user journeys

3. Explore

Drive a browser, one action at a time

4. Analyze

Explain every problem, suggest fix

5. Prove It

Re-run in a clean sandbox

6. Report

Score, evidence, fixes

Six action types. Nothing else exists.

`goto` · `click` · `type` · `select` · `login` · `done`

anything outside that list cannot be expressed, let alone performed.

Approved by code, not by the model

Every action is checked before it runs: the element must exist on the page, the target must stay on the site, and it is never a Delete or Pay button.

RESULTS · AUDIT OF OUR DEMO SITE

It finds what a linter can't

A broken journey. The agent clicked "Start free trial" and reached a dead end. It is a JavaScript button with no link to follow — a crawler never sees it.

A prompt injection, reported instead of obeyed. The page carried text hidden from human visitors, telling AI agents to export the customer list.

And it checks itself. Every finding is re-run in a second clean sandbox. Only what reproduces is marked "Verified".

```
[HIGH] Text that tries to control AI agents
[HIGH] User journey could not be completed
[HIGH] Broken internal link — 404
[VERIFIED] Reproduced in a clean sandbox
[BLOCKED] attacker.example/collect
[BLOCKED] attacker.example/pixel.gif
```

34
findings on the demo site

2 of 5
journeys failed, with screenshots

26
findings on getbootstrap.com, 10 pages

0 / F
score the demo site earned

CONTAINMENT

Blast radius: zero

L1 Input guard	No localhost, private IPs, odd ports or credentials in URLs
L2 Action guard	Six action types; the element must exist, stay in scope, and never be a Delete or Pay button
L3 Browser guard	No navigation off the site, no writes leave the sandbox, no service workers
L4 Network guard	No direct internet — an egress proxy with a per-job allowlist
L5 Secret guard	Zero secrets inside the sandbox. The AI key never enters it
L6 Resource guard	Fresh gVisor container per stage — read-only, 1 CPU, 1 GB, destroyed after

runsc
gVisor runtime, printed by every report


0
secrets inside the sandbox

214
off-site requests blocked on one real site

3
containers per audit, each destroyed

ARCHITECTURE

Built on Vultr



Cloud Compute

The VM running Caddy, the web app, the orchestrator and the egress proxy.

Serverless Inference

Every AI call, on glm-5.3. The key never leaves the orchestrator.

Object Storage

Audit and journey screenshots, served to the report page.

Firewall

Only 80 and 443 are open. SSH is restricted to one address.

The orchestrator never runs page content. The sandbox never holds a secret.

WHO NEEDS THIS

A report instead of a promise

Agencies

Hand the client evidence at every launch — the same checks, clicked through, with screenshots.

Founders

Find the dead signup button before the ad spend does.

QA & SEO teams

Journeys clicked and pages audited together, instead of two tools and a spreadsheet.

And anyone evaluating browser agents

The containment model is plain code you can read, test and copy — guards, not a prompt. Every report states the runtime it ran under and how many secrets were inside: nothing is taken on trust.

WHAT'S NEXT

Roadmap

- **Staging mode** — approved form submissions and logins, behind an explicit human OK
- **Scheduled audits** — run on every deploy, report only what changed
- **CI check** — fail the build when a journey breaks
- **Multi-region** — audit from the regions your users are in

Try it

`app.149.28.205.32.sslip.io`

`github.com/shah541-g/ShipCheck`

Press **Try the demo site** and watch the agent get told to exfiltrate data — and refuse.

ShipCheck — launch with confidence, with an agent you can trust.