

Grid Audit Notice

Document ID: C3-GRID-MARKS

This notice tests whether a document conversion model can read a dense visual grid and preserve only the important marked cells.

Instructions

- Describe the embedded board inline.
- Preserve the board identifier.
- List every red-bordered rewrite cell.
- Preserve the blue anchor path order.

Visual grid audit - board GRID-913

Only red-bordered cells require rewrite. Blue cells define the anchor path.

C01 VA-201 PATH	C02 ZN-104 REWRITE	C03 KE-330	C04 RB-442	C05 LM-510	C06 PX-090
C07 MX-219 REWRITE	C08 FO-118 PATH	C09 CY-411	C10 TT-802	C11 NA-042	C12 IU-763
C13 QH-550 REWRITE	C14 LX-088	C15 OP-314 PATH	C16 DE-271	C17 WW-905	C18 RS-620
C19 HG-017 REWRITE	C20 QT-331	C21 AX-774	C22 BM-221 PATH	C23 YU-633	C24 PR-605 REWRITE
C25 SE-841	C26 DN-479	C27 UC-155	C28 KI-292	C29 ND-777 PATH	C30 ZR-038 REWRITE



red border = requires rewrite



blue fill = anchor path

Anchor path order: C01 -> C08 -> C15 -> C22 -> C29. Do not add C30 to the path.

Action

Rewrite C02, C07, C13, C19, C24, and C30.

Keep the anchor path as C01 -> C08 -> C15 -> C22 -> C29.