

Ledger Export API

Version: 2026-07-15

Endpoint

`POST /v2/ledger\_exports` creates an asynchronous export job.

Request fields

Field	Type	Required	Notes
workspace_id	string	yes	Must match `ws_` prefix.
period_start	date	yes	Inclusive ISO date.
period_end	date	yes	Exclusive ISO date.
include_voided	boolean	no	Defaults to false.

> *Warning: `period\_end` is exclusive even when the UI label says Through.*

Example request

```
``json
{"workspace_id":"ws_north_01","period_start":"2026-06-01","period_end":"2026-07-01","include_voided":false}
``
```

Response

```
``json
{"job_id":"job_7841","status":"queued","download_url":null}
``
```

Retry policy: clients should retry `429` after the `Retry-After` header and should not retry `400`.

Error codes

Code	Name	Retryable	Meaning
400	invalid_period	no	Date range failed validation
401	missing_auth	no	API key was absent or invali
409	export_exists	yes	Identical export is still ru
429	rate_limited	yes	Workspace exceeded burst lim

The exact phrase `export\_exists` must remain in monospace or plain text.

Webhook payload

```
```ts
type LedgerExportWebhook = {
 job_id: string;
 status: 'completed' | 'failed';
 download_url: string | null;
};
```
```

Security note: never expose the raw `OPENAI\_API\_KEY` or `GOOGLE\_VERTEX\_API\_KEY` in logs.