

# Executive Release Summary

| PRODUCT        | PROTOCOL    | REVIEW     | BATCHES |
|----------------|-------------|------------|---------|
| OG-217 tablets | STB-217-26A | 2026-07-01 | 4       |

### QA disposition

Release G217-2401 and G217-2402. Hold G217-2403 because accelerated 6M dissolution fails S1 and impurities trend high. G217-2404 is conditional and limited to domestic stability reserve pending 9M accelerated review.

| Batch     | Strength | Mfg date   | Pack        | Initial state      | QA decision |
|-----------|----------|------------|-------------|--------------------|-------------|
| G217-2401 | 25 mg    | 2026-01-14 | HDPE bottle | commercial         | release     |
| G217-2402 | 25 mg    | 2026-01-16 | HDPE bottle | commercial         | release     |
| G217-2403 | 25 mg    | 2026-01-19 | blister     | process validation | hold for 6M |
| G217-2404 | 50 mg    | 2026-01-22 | HDPE bottle | scale-up           | conditional |

| Batch     | Final state | Reason                                                   | Shipment                        |
|-----------|-------------|----------------------------------------------------------|---------------------------------|
| G217-2401 | release     | all release tests pass                                   | allowed                         |
| G217-2402 | release     | all release tests pass                                   | allowed                         |
| G217-2403 | hold        | 6M accelerated dissolution and impurity trendhot allowed |                                 |
| G217-2404 | conditional | CU AV 14.9 and 3M accelerated trend                      | only domestic stability reserve |

# Batch Record and Packaging Configuration

| Batch     | Strength | Mfg date   | Pack        | Initial state      | QA decision |
|-----------|----------|------------|-------------|--------------------|-------------|
| G217-2401 | 25 mg    | 2026-01-14 | HDPE bottle | commercial         | release     |
| G217-2402 | 25 mg    | 2026-01-16 | HDPE bottle | commercial         | release     |
| G217-2403 | 25 mg    | 2026-01-19 | blister     | process validation | hold for 6M |
| G217-2404 | 50 mg    | 2026-01-22 | HDPE bottle | scale-up           | conditional |

## Review note

G217-2403 is process validation blister stock; its packaging completion does not imply release.

# Assay and Related Substances

| Sample              | Assay %LC | Imp A | Imp B | Total impurities | State       |
|---------------------|-----------|-------|-------|------------------|-------------|
| G217-2401 initial   | 99.3      | 0.08  | 0.05  | 0.21             | pass        |
| G217-2402 initial   | 98.9      | 0.07  | 0.06  | 0.24             | pass        |
| G217-2403 initial   | 99.8      | 0.09  | 0.04  | 0.23             | pass        |
| G217-2404 initial   | 101.1     | 0.10  | 0.05  | 0.26             | watch       |
| G217-2403 6M 40C/75 | 95.8      | 0.42  | 0.31  | 0.94             | hold        |
| G217-2404 3M 40C/75 | 97.2      | 0.21  | 0.18  | 0.58             | conditional |

## Review note

G217-2403 6M accelerated sample is the critical impurity trend row.

# Blend Uniformity

| Location     | G217-2401 | G217-2402 | G217-2403 | G217-2404 |
|--------------|-----------|-----------|-----------|-----------|
| Top left     | 98.7      | 99.1      | 100.2     | 101.8     |
| Top right    | 99.0      | 98.6      | 99.6      | 101.4     |
| Middle       | 99.4      | 99.0      | 100.1     | 101.2     |
| Bottom left  | 98.8      | 98.4      | 99.3      | 100.9     |
| Bottom right | 99.2      | 98.8      | 99.5      | 101.5     |
| RSD %        | 0.29      | 0.28      | 0.36      | 0.32      |

## Review note

All blend RSD values pass; this table does not clear later stability holds.

# Content Uniformity

| Batch     | Mean  | Min  | Max   | AV   | State                   |
|-----------|-------|------|-------|------|-------------------------|
| G217-2401 | 99.1  | 97.8 | 100.6 | 6.8  | pass                    |
| G217-2402 | 98.8  | 97.2 | 100.1 | 7.4  | pass                    |
| G217-2403 | 99.6  | 96.9 | 102.8 | 10.6 | pass                    |
| G217-2404 | 101.3 | 98.2 | 104.6 | 14.9 | borderline; conditional |

## Review note

G217-2404 AV 14.9 remains below the hard limit but triggers conditional release.

# Packaging Reconciliation

| Line item          | G217-2401 | G217-2402 | G217-2403 | G217-2404 |
|--------------------|-----------|-----------|-----------|-----------|
| Start count        | 90,240    | 88,800    | 92,400    | 47,520    |
| Good bottles/cards | 89,760    | 88,104    | 91,944    | 47,112    |
| Rejects            | 214       | 332       | 288       | 196       |
| Samples            | 266       | 364       | 168       | 212       |
| Reconciliation     | 100.00%   | 100.00%   | 100.00%   | 100.00%   |

## Review note

All reconciliations close at 100.00%; reject burst DV-217-13 has no product impact.

# Deviation and CAPA Register

| Deviation | Batch     | Description                     | Initial impact | Final state              |
|-----------|-----------|---------------------------------|----------------|--------------------------|
| DV-217-11 | G217-2403 | 6M accel dissolution S1 failure | major          | batch hold               |
| DV-217-12 | G217-2404 | CU AV 14.9 near limit           | minor          | conditional release      |
| DV-217-13 | G217-2402 | label camera reject burst       | minor          | closed no product impact |
| DV-217-14 | G217-2401 | HPLC vial reinjection           | minor          | accepted reinjection     |

## Review note

DV-217-11 is the release blocker; DV-217-14 uses accepted reinjection data.

# Source Conflict Register


| Source              | Value shown                   | Status     | Final treatment                  |
|---------------------|-------------------------------|------------|----------------------------------|
| Draft batch release | G217-2403 release             | superseded | ignore for release               |
| Stability minutes   | G217-2403 hold                | current    | controls                         |
| Packaging report    | G217-2403 reconciliation 100% | context    | does not override stability hold |
| QA disposition      | G217-2404 conditional         | current    | requires 9M accel review         |

## Review note

Current stability minutes and QA disposition override the draft release page.



# Dissolution Profiles



### Dissolution interpretation

G217-2403 6M accelerated reaches 81% at 45 min but fails S1 because the 30 min value is 73% below Q=80. G217-2404 3M passes only after S2 review.

# Stability Table Part 1

| Batch     | Condition | Time | Assay | Imp A | Water | Appearance |
|-----------|-----------|------|-------|-------|-------|------------|
| G217-2401 | 25C/60    | 0M   | 99.3  | 0.08  | 1.2   | white      |
| G217-2401 | 25C/60    | 3M   | 99.0  | 0.10  | 1.3   | white      |
| G217-2401 | 40C/75    | 3M   | 98.1  | 0.18  | 1.6   | white      |
| G217-2402 | 25C/60    | 0M   | 98.9  | 0.07  | 1.1   | white      |
| G217-2402 | 40C/75    | 3M   | 97.8  | 0.17  | 1.5   | white      |
| G217-2403 | 25C/60    | 0M   | 99.8  | 0.09  | 1.3   | white      |

## Continuation

This is the first part of the stability matrix. The same headers continue on the next page; repeated headers are not additional data rows.





# Stability Table Part 2

| Batch     | Condition | Time | Assay | Imp A | Water | Appearance |
|-----------|-----------|------|-------|-------|-------|------------|
| G217-2403 | 40C/75    | 3M   | 97.4  | 0.24  | 1.9   | cream tint |
| G217-2403 | 40C/75    | 6M   | 95.8  | 0.42  | 2.4   | cream tint |
| G217-2404 | 25C/60    | 0M   | 101.1 | 0.10  | 1.4   | white      |
| G217-2404 | 40C/75    | 1M   | 99.4  | 0.15  | 1.7   | white      |
| G217-2404 | 40C/75    | 3M   | 97.2  | 0.21  | 2.0   | white      |
| G217-2404 | 30C/65    | 3M   | 98.4  | 0.16  | 1.8   | white      |

### Critical rows

G217-2403 at 40C/75 6M has assay 95.8, Imp A 0.42, water 2.4, and cream tint. G217-2404 at 40C/75 3M remains conditional, not fully released.

# Chromatogram Plate and Peak Purity



| Panel | Peak / RT  | Value        | Interpretation        |
|-------|------------|--------------|-----------------------|
| A     | main 7.42  | purity 0.998 | release batch clean   |
| B     | Imp A 3.18 | 0.42%        | G217-2403 blocker     |
| C     | Imp B 5.66 | 0.31%        | G217-2403 trend       |
| D     | main 7.43  | 97.2%        | G217-2404 conditional |

# Particle and Appearance Register

| Frame  | Batch     | Cue              | Reviewer mark | Final treatment       |
|--------|-----------|------------------|---------------|-----------------------|
| VIS-41 | G217-2401 | no specks        | green check   | release               |
| VIS-42 | G217-2402 | label scuff only | blue note     | release               |
| VIS-43 | G217-2403 | cream tint at 6M | amber box     | hold                  |
| VIS-44 | G217-2404 | no particles     | green check   | conditional           |
| VIS-45 | G217-2403 | tablet edge chip | red circle    | stability retain only |

| Visual state | Affected source     | Meaning                  | Release impact      |
|--------------|---------------------|--------------------------|---------------------|
| cream tint   | G217-2403 6M        | matches impurity trend   | hold                |
| edge chip    | G217-2403 retain    | not commercial sample    | context only        |
| label scuff  | G217-2402 bottle    | secondary packaging only | no impact           |
| green check  | G217-2401/G217-2404 | visual pass              | release/conditional |

# Stability Chamber Tray Map

Chamber CH-40-75 shelf C, pull map reviewed 2026-06-28. Row letters and column numbers are printed on the tray rails.

|   | 1                            | 2                            | 3                            | 4                           | 5                         | 6 |
|---|------------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|---|
| A | G217-2401<br>3M reserve<br>R | G217-2402<br>3M reserve<br>R |                              |                             |                           |   |
| B |                              |                              | G217-2403<br>6M pulled<br>H  | G217-2403<br>9M retain<br>Q |                           |   |
| C |                              | G217-2404<br>3M pulled<br>C  | G217-2404<br>9M pending<br>C |                             |                           |   |
| D |                              |                              |                              |                             | empty clip<br>broken<br>X |   |





| Mark | Meaning               | Tray cells | Disposition effect             |
|------|-----------------------|------------|--------------------------------|
| R    | retained reserve      | A1, A2     | release support only           |
| H    | hold blocker          | B3         | G217-2403 remains held         |
| Q    | quarantined retain    | B4         | not a release sample           |
| C    | conditional stability | C2, C3     | G217-2404 pending 9M           |
| X    | empty broken clip     | D5         | do not count as missing sample |

### Tray interpretation

B3 is the pulled G217-2403 6M hold sample. B4 is a quarantined 9M retain and does not reverse the hold. C2 is the pulled G217-2404 3M conditional sample; C3 is the pending 9M sample.

# Hardness Drift Mini-Trends

Tablet hardness is plotted from retain pulls. Values are not repeated in the release tables because the chart is reviewed as visual trend evidence.



| Visual finding  | Batch     | Reviewer mark                         | Release meaning        |
|-----------------|-----------|---------------------------------------|------------------------|
| Stable hardness | G217-2401 | flat blue trace                       | supports release       |
| Stable hardness | G217-2402 | flat green trace                      | supports release       |
| Alert crossing  | G217-2403 | red trace crosses alert at final pull | supports hold          |
| Downward drift  | G217-2404 | purple trace stays above alert        | conditional monitoring |

# Regulatory Commitments

| Commitment             | Applies to | Due         | State        |
|------------------------|------------|-------------|--------------|
| Submit 6M accel update | G217-2403  | 2026-08-15  | required     |
| Complete REL-OG217-A   | G217-2404  | 2026-09-30  | open         |
| Annual report note     | DV-217-11  | 2027-01-31  | include      |
| Shelf-life claim       | 24 months  | not changed | no expansion |

## Regulatory interpretation

The file does not support expanding shelf life. G217-2403 data must be reported, and G217-2404 conditional release cannot be converted to unrestricted release until the reliability commitment closes.



# Final QA Decision and Audit Trail

| Time             | Actor | Entry                          | Effect                   |
|------------------|-------|--------------------------------|--------------------------|
| 2026-06-28 09:20 | QC    | G217-2403 6M result loaded     | stability hold opened    |
| 2026-06-28 14:05 | QA    | draft release page voided      | source conflict resolved |
| 2026-06-29 11:30 | MSAT  | G217-2404 conditional proposed | 9M review required       |
| 2026-07-01 10:10 | QA    | release G217-2401/G217-2402    | shipment allowed         |
| 2026-07-01 10:18 | QA    | G217-2403 hold remains         | shipment blocked         |

| Control item            | Final state             | Evidence                                         |
|-------------------------|-------------------------|--------------------------------------------------|
| Release                 | G217-2401 and G217-2402 | assay/dissolution/stability pass                 |
| Hold                    | G217-2403               | 6M accel dissolution S1 failure + impurity trend |
| Conditional             | G217-2404               | CU AV 14.9 + 3M trend                            |
| Draft G217-2403 release | voided                  | stability minutes override                       |