



Routing Algorithms in NDN Networks

shahab SHARIAT BAGHERI

Luca MUSCARIELLO
Beatrice PESQUET
Pablo PIANTANIDA

Internship Defense
Salle F801, TELECOM ParisTech



Plan

Internship Environment

CISCO & PIRL
Goals and objectives

Ideas and Strategies

ICN Brief Introduction
Virtualization and Linux Containers
 Virtualization and Linux Containers
 Routing Strategies
Routing Algorithms Results
 TreeOnConsumer
 TreeOnProducer
 MinCostMultiPath
 Maximum Flow

Conclusion



Plan

Internship Environment
CISCO & PIRL
Goals and objectives

Ideas and Strategies

Conclusion

CISCO & PIRL

Cisco Systems France.



Paris Innovation and and Research Laboratory.



Alain FIOCCO
Director CTO



Giovanna CAROFIGLIO
Distinguished Engineer




Luca MUSCARIELLO
Principle Engineer



Me
Intern Student

Goals and objectives

Net Revenue for Video Delivery Applications




Goals and objectives

In 2016, More than 96 % of internet traffic is content.

Video → 60%


File sharing → 20%

Web → 20%



Goals and objectives

Mobile vs PC Internet Traffic user → 5G mobile networks



Plan

Internship Environment

Ideas and Strategies

ICN Brief Introduction


Virtualization and Linux Containers

Routing Algorithms Results

Conclusion


Named Data networking (NDN)

- ▶ Named Data Networking \Rightarrow **Name** base Philosophy vs TCP/IP **Calling** Networking.
- ▶ V.Jacobson et al proposition, *Networking Named Content* 2009.
- ▶ A Good fit network desiging for Video Delivery Applications in **5G**.




Named Data networking (NDN)

- ▶ **Lurch** is an orchestrator originally developed for ccnx.
- ▶ We developed Lurch:
 - ▶ For NFD (NDN forwarder).
 - ▶ New Routing Strategies.
 - ▶ Different interfaces to interact with strategies at run time (Client, Repositories, forwarding strategies, ...)




Named Data networking (NDN)




Virtualization and Linux Containers

Virtual Machines (VM) vs Linux Containers.



Containers are isolated, but share OS and, where appropriate, bins/libraries





Routing Strategies

We proposed 4 different routing strategies for different situation of networks which can cover all of needs:

- ▶ **TreeOnConsumer** : N clients searching the same content from one repository detected by Lurch (Multicast mode).
- ▶ **TreeOnProducer**: One client who gets the packet from N Repositories of needed data.
- ▶ **MinCostMultiPath**: Using different paths with Equal Cost to retrieve the data using a proper forwarder strategy (load-balancing).
- ▶ **MaxFlow**: Allow to maximize the throughput using paths based on maximum flow algorithm between clients and repositories.



TreeOnConsumer

One producer to multiple consumer.





TreeOnConsumer

One producer to multiple consumer.





TreeOnProducer

One Consumer to multiple producer.





TreeOnProducer



One Consumer to multiple producer.



MinCostMultiPath





MinCostMultiPath





MinCostMultiPath

Producer Mobility with Routing update.





Maximum Flow

Maximum Flow algorithm chooses the path which maximizes through from consumer to producer.



Maximum Flow

Maximum Flow algorithm chooses the path which maximizes through from consumer to producer.





Plan

Internship Environment

Ideas and Strategies

Conclusion

Conclusion

- ▶ There is always some limitations in practical against pure theoretical works which can be seen when you work experimental..
- ▶ ICN is one of the most challenging domain who has a lot of passion in research and development.
- ▶ Software Define Networking is beautiful idea which allows to interact with your network on data centers and to shift heavy calculations.
- ▶ Coding is one of way that you can realize your system.

