Al Imam Mohammad Ibn Saud Islamic University

College of Computer and Information Sciences

Information Systems Department

Visit Saudi

Web Application Development Project

Course: App Development (IS337)

Academic Year: 2025–2026

Team-Based Academic Project

Prepared by: Shahad Alnasser and Team Members

Contents

Introduction 4
The database tables 5
Feedback table 6
Users table 7
Programming and Scripting Languages. 8
Website Implementation 9
Conclusions 15
CHAPTER 1: DESIGN 16
1.1 Home Page 16
1.2 Destinations Page 17
1.3 Hotel Booking Page 18
1.4 Gallery Page 19
1.5 Sign Up Page 20
1.6 sign in Page 20
1.7 Get a Visa Page 21
CHAPTER 2 (Implementation) 23

Table of figures

Figure 1 5
Figure 2 5
Figure 3 6
Figure 4 7
Figure 5 9
Figure 6 10
Figure 7 10
Figure 8 11
Figure 9 11
Figure 10 12
Figure 11 12
Figure 12 13
Figure 13 13
Figure 14 14
Figure 15 14
Figure 16 17
Figure 17 18
Figure 18 19
Figure 19 19

Figure 20 20
Figure 21 21
Figure 22 22

Introduction

The project will focus on creating and developing a professional web-based application in accordance with the objectives of Saudi Vision 2030. The idea of the project is to utilize the concepts of web development and technologies to create an appealing, user friendly and functional site that reflects technical and design capabilities.

The project covers some of the important requirements. It involves creation of a uniform and stable web environment in terms of a standardized layout, navigation menu, logo and footer across the rest of the pages. The introduction of an About Us page is done to showcase the profile of developers in the slideshow format. Another feature of the project is user registration and login functionality with appropriate validation; user data is saved and can be accessed in a database. Moreover, there are interactive elements that included in the website like a feedback system that gives the user the opportunity to post feedback and also view the feedback posted by other users. The website also has an AI-based feature to improve the user experience and allow showing how modern technologies are used. It is designed with the help of web technologies like HTML, CSS, JavaScript, PHP, and MySQL, and is in correspondence with the course outcomes and themes of Vision 2030.

The database tables




Figure 1




Figure 2

Feedback table

Feedback table is the place where feedbacks are provided by users in the system or the site. The records in the table are the individual feedbacks associated with each given user. This table is mainly aimed at gathering and accumulating the views and ratings by the users which may further be utilized to consider the system and aid in making improvement.

The fields in the table are as follows:

id: This is a unique identifier of a feedback entry.

user_id: this column refers to the user that gave a feedback, and it is related to the users table.

rating: A quantitative rating of the user.

message: comments/feedback that the user types.

created_at: The date and time at which the feedback has been posted.




Figure 3




Figure 4

Users table

Users table is a table in which the users of the site or system have their information stored. Every row in this table represents a registered user, who can communicate with the system, including the postage of feedback. The primary role of the table is to maintain identities of the users and the relationship between their activities in system which can be later analyzed or personalized or improved.

The table has the following fields:

id :This is a distinct identifier assigned to any user.

Fullname : It is the complete name of the user, and it is used as the identification key and a display name.

email: It has the email address of the user, which is a unique log-in credential and a communication channel.

password_hash : The user password that is kept on encrypted format in order to provide safety.

nationality: The nationality of the user .

mobile: Their mobile phone number to be verified or used as a notification.

Created_at: The date and time at which the user account was created.

Programming and Scripting Languages.

The “Visit Saudi” site has been designed and developed with the utilization of both the front-end and back-end programming languages, as well as the appropriate development tools, to create a working, engaging and interactive web application, which was user-friendly.

In the structure of the site, HTML5 was applied. The HTML was used to develop the overall structure of all the pages, the layout of the page that included the header, the navigation bar, the content area, the form pages, photographs, and the footer. Each page, along with Home, Destinations, Gallery, Sign Up, Login, Hotel Booking, and Get a Visa, was created using HTML to organize and present the information in a clear and organized way.

CSS3 was applied to control the design and appearance of the site. The pages have been styled with CSS using colors, fonts, spacing, backgrounds and layout. It was also applicable in ensuring that the design is similar throughout all the pages including the menu bar, buttons, cards, and footer. CSS was used to ensure that the web page appears clean, professional and easy to navigate through.

JavaScript was involved in interactivity and behavior on the client side. JavaScript was used to perform functions like verification of user input before form submission, checking of booking dates in a hotel, the use of alert messages, the appearance or disappearance of menu items depending on user activities and to make elements become dynamic like a slideshow. This has facilitated the interactivity of the site and served to discourage users from entering wrong or incomplete information.

The server side code was provided by the use of PHP to deal with the back-end logic of the site. PHP was used to process user registration and user login, user sessions, CAPTCHA validation and control access to some pages like the Get a Visa feature. It also linked the site to the database and managed the information in a safe manner when users filled the forms.

MySQL was used to create and manage the database. The user information and feedback data were kept in MySQL. In registering, logging in and providing feedback, all information was stored in the database to be accessed whenever desired. This enabled the site to accommodate authentic user accounts and dynamic pages instead of static pages.

XAMPP was deployed locally in order to develop and test. XAMPP provided an

Apache server with PHP and MySQL, which enabled the web site to have a local version which would run in a similar way as it would run on a real server. This facilitated more testing of features, correction of errors and ensuring that everything was right before final submission.

To conclude, the web site has been developed on HTML and CSS, JavaScript, PHP, MySQL, and XAMPP. All these technologies have been integrated to make a whole interactive web application that satisfies the project requirements.

Website Implementation




Figure 5

The “About Us” page consists of a JavaScript slideshow, which is the W3Schools example. It is made up of three slides showing the interests and personal information of the developers and degrees.




Figure 6

In this page, there is the Feedback form where the users make their rating and comments. The feedback received is saved in the database .




Figure 7

This figure displays the “All Feedbacks” page which presents all feedbacks filled in using the feedback form and fetched out of the database and presented. The feedbacks are represented by the user name, rating, comment, and the date of submission.




Figure 8

In this figure, we can see the Vision 2030 AI Assistant, and it was incorporated in the site with the help of Dialogflow. The chatbot model will solve the queries of the users concerning Saudi Vision 2030, tourism destinations, visas, and smart services, and provides prompt and interactive services to the visitors of the web pages.




Figure 9

This screenshot shows the user registration process in which the system will authenticate the information that has been inputted, before writing the information in the database. A failure of data accuracy and security is prevented.




Figure 10

This is a screenshot of the users table of the database, and it proves that invalid registration attempts were not inserted. To avoid data corruption and data loss in the database, the system enables verification of user inputs and then inserts accurate and valid data in the database so that data remains intact and confidential.




Figure 11

The validation of the data was successfully followed by the user registration.




Figure 12

This screen shot illustrates users table in the database following a successful registration. The user info of the registered user is properly saved and we know that the registration has been completed and the user data has been saved in a database.




Figure 13

This is a representation of the Sign In page of the "Visit Saudi" site. The page enables the registered users to log into the site using their email address and password in a clear and easy form where the user input is required to log into the site to gain access to the restricted features.




Figure 14

This image shows the confirmation message that the sign-in was on the Visit Saudi website. The alert establishes that the individual has successfully logged in by showing a welcome alert with the name of the user. This message will help the user ensure that was successfully authenticated and it will also direct the user to the main page where they can make use of customized features and services.




Figure 15

This figure demonstrates the website home page of the Visit Saudi site after an effective user log-in. The page has a navigation bar leading to the important sections of the page which include Home, Destinations, Gallery, About Us, Get Visa, Feedback and Chatbot. A welcome message is presented at the top, which validates the fact that the

user is logged in, and the main content indicates Saudi tourism, with a small introduction and a button to access Vision 2030.

Conclusions

Web development technologies and tools were combined in this project to successfully design and deploy a full web application that would go in line with the goals of Saudi Vision 2030. All technological devices and tools were involved in producing an effective, interactive and professional site. The web pages were structured based on HTML and styled with CSS to ensure consistency of the layout, visual design and enhanced general user experience. JavaScript was employed as a way of providing interactivity to the site, including form validation, as well as any dynamic parts like the slideshow on the About Us page. The server-side scripting language was PHP, which processed the backend logic that consisted of user registration, login authentication, and database communication. The database that was created to store user and feedback information was designed and managed using the MySQL. This project was created and tested in XAMPP which offered a local development environment in its combination with Apache server, PHP, and MySQL so as to carry out and test the web

application very easily. Moreover, an AI-based feature has been adopted with the Dialogflow that was incorporated into the site as a chatbot to increase the level of interaction and give smart feedbacks to users. HTML was used to organize and structure the site content and CSS was used to enhance the appeal and uniformity of the design across the website. JavaScript was useful to the site, as it made the site easier to interact with and more user-friendly by validating, displaying alerts, and creating dynamic content. PHP has enabled the system to perform back-end tasks like authentication and processing of information securely and MySQL enabled efficient storage and retrieval of information effectively. XAMPP was a good test and debugging environment to use because of the local setup, and Dialogflow improved the website by enhancing its user interaction with an intelligent chatbot. The combination of frontend (HTML, CSS, JavaScript) and backend (PHP and MySQL) technologies, development tools (XAMPP), and AI (Dialogflow) services created the fully complete, interactive, and AI 2030-focused web app that is able to achieve the requirements displayed by the project and it shows the successful collaboration between various technologies.

CHAPTER 1: DESIGN

This chapter presents the design of the "Visit Saudi" website, describing the layout, interface components, and visual consistency applied across all pages. The website was developed using HTML5 and CSS3, following a steady design environment including university logos, consistent color theme, navigation bar, background image, and copyright footer.

1.1 Home Page

The Home page welcomes users and introduces Saudi Arabia's tourism vision.
It contains:

- Header with contact information and social media links.
- Navigation menu with dropdown options.
- Background image representing Saudi culture.
- "Vision 2030" section explaining tourism goals.
- Internal links to "Map" and "Highlights" sections.
- Cards showing main destinations (Riyadh, Jeddah, AlUla).




Figure 16

1.2 Destinations Page

The Destinations page displays the main tourist cities in Saudi Arabia.
Each city section includes:

- City image and description.
- Hotel listings with star ratings.
- "Book Hotel" button linking to the hotel booking form.




Figure 17

1.3 Hotel Booking Page

This page allows users to fill in their booking information.
It includes:

- Form fields for hotel name, city, check-in, check-out, guests, and email.
- validation for correct input format.
- The check-in date has to be after the current day.
- The checkout date should be after the check-in date in order to have valid booking information.

- A booking confirmation is an alert message that validates the booking submission when all the conditions are satisfied.




Figure 18

1.4 Gallery Page

The Gallery page displays images and a promotional tourism video.
It includes:

- Grid layout for photos of various Saudi destinations.
- Embedded YouTube video introducing Saudi tourism.




Figure 19

1.5 Sign Up Page

The Sign-Up page allows new users to register.
It contains:

- Form fields for name, ID, date of birth, nationality, mobile number, email, password , Re-enter Password , Semester and CAPTCHA.
- validation for required fields.
- Minimum length of password will be 6 characters entered.
- Password shall include at least one number and at least one uppercase letter..
- Re-enter Password should be the same as the password.
- Minimum age is 18 years which is automatically calculated depending on the date of birth.
- A CAPTCHA comprising of a random image is produced in real time each time the page is loaded and the user input is compared to this generated CAPTCHA.
- The range in the semester value is limited to 1-8.
- A confirmation message is shown after submission.




Figure 20

1.6 sign in Page

The Login page allows registered users to sign in.
It includes:

- Fields for username and password.

- validation for required fields.
- Alert confirmation after login.
- When logged in, the “Get a Visa” menu becomes visible automatically and transfer to home page.
- Once the user is successfully logged in, the name appears in the top part of the webpage namely the website header.




Figure 21

1.7 Get a Visa Page

This page provides a visa application form for logged-in users.
It includes:

- Fields for nationality and visa type (eVisa, Tourist, Business).
- “Apply” button with submission confirmation.

• Both types of nationality and Visa type must be filled in before filling the form.
• As a type of visa is selected, related details regarding the visa are automatically shown.
• After using the button apply, a generic message is generated where the user is made aware of the type of visa chosen and this takes the user to the Home page.



Get a Visa | Visit Saudi
File C:/Users/shws1/Downloads/Telegram%20Desktop/371_Group7%20(4)assign2/371_Group7/visa.html
Chat
Import favorites
Google
YouTube
Other favorites
contact@ccis.imsiu.edu.sa | +966 11 000 0000
Instagram
Welcome, shahad
Home
Destinations
Gallery
Account
Get a Visa
Visa Application
Nationality
Select Nationality
Visa Type
Select type
Apply
ENG
4:08 AM
12/1/2025

Figure 22

CHAPTER 2 (Implementation)

Header

```
<?php
if (session_status() === PHP_SESSION_NONE) {
    session_start();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title><?= isset($pageTitle) ? $pageTitle : "Vision 2030 | Visit
Saudi" ?></title>
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <link rel="stylesheet" href="styles.css">
</head>
<body>

<header class="site-header">
  <div class="topbar">
    <div class="contact">
      <a
href="mailto:contact@ccis.imsiu.edu.sa">contact@ccis.imsiu.edu.sa</a>
      <span>|</span>
      <a href="tel:+966110000000">+966 11 000 0000</a>
```

```
  </div>
  <div class="social">
    <a href="https://x.com" target="_blank">X</a>
    <a href="https://www.instagram.com" target="_blank">Instagram</a>
  </div>
</div>

<div class="brandbar">
  <img src="assets/logo-ccis.png" alt="IMSIU CCIS Logo" class="logo">
  <h1 class="site-title">
    <?php if (isset($_SESSION['user'])): ?>
      Welcome, <?= htmlspecialchars($_SESSION['user']) ?>
    <?php else: ?>

      Visit Saudi
    <?php endif; ?>
  </h1>
</div>

<nav class="main-nav">
  <ul class="menu">
    <li><a href="index.php">Home</a></li>

    <li class="dropdown">
      <a href="destinations.php">Destinations</a>
      <ul class="submenu">
        <li><a href="destinations.php#riyadh">Riyadh</a></li>
        <li><a href="destinations.php#jeddah">Jeddah</a></li>
        <li><a href="destinations.php#alula">AlUla</a></li>
        <li><a href="destinations.php#abha">Abha</a></li>
      </ul>
    </li>

    <li><a href="gallery.php">Gallery</a></li>
    <li><a href="about.php">About Us</a></li>

    <?php if (isset($_SESSION['user'])): ?>
      <li><a href="visa.php">Get Visa</a></li>
      <li><a href="feedback_add.php">Feedback</a></li>
      <li><a href="feedback_list.php">All Feedbacks</a></li>
      <li><a href="ai_chat.php">Chatbot</a></li>
      <li><a href="logout.php">Logout</a></li>
    <?php else: ?>
      <li class="dropdown">
```

```
          <a href="#">Account</a>
          <ul class="submenu">
            <li><a href="signup.php">Sign Up</a></li>
            <li><a href="login.php">Sign In</a></li>
          </ul>
        </li>
      <?php endif; ?>
    </ul>
  </nav>
</header>

<main class="page">
```

footer

```
</main>

<footer class="site-footer">
  <p>&copy; 2025–2026 | Vision 2030 – Visit Saudi | IMSIU CCIS</p>
</footer>

</body>
</html>
```

Index (home page)

```
<?php
$pageTitle = "Home | Visit Saudi";
include "includes/header.php";
?>

<main class="page">

<section class="hero">
  <div class="hero-content">
    <h2>Welcome to Visit Saudi</h2>
    <p>Discover the Kingdom’s diverse destinations, unique culture, and
world-class hospitality.</p>
    <a class="btn" href="#vision2030">Explore Vision 2030</a>
  </div>
</section>

<section id="vision2030" class="content-section">
  <h3>Tourism in Saudi Vision 2030</h3>
  <p>
```

```
    Tourism is a key pillar in Saudi Arabia’s Vision 2030, driving
economic growth, creating jobs,
    and showcasing the Kingdom’s natural and cultural treasures.
  </p>
  <ul>
    <li>New giga-projects enabling sustainable, luxury tourism.</li>
    <li>Support for SMEs in hospitality and travel.</li>
    <li>Investment in transport and smart city infrastructure.</li>
  </ul>
  <a class="btn-outline" href="https://www.vision2030.gov.sa/en"
target="_blank">Open Vision 2030</a>
</section>

<section id="map" class="content-section">
  <h3>Saudi Map</h3>
  <p>Navigate the Kingdom’s regions and discover must-see
destinations.</p>
  <a href="https://www.google.com/maps/place/Saudi+Arabia"
target="_blank">
    <img src="assets/sa-06.jpg" alt="Saudi Map" class="wide">
  </a>
</section>

<section id="highlights" class="content-section">
  <h3>Highlights</h3>
  <div class="cards">

    <article class="card">
      <img src="assets/riyadh.jpg" alt="Riyadh">
      <h4>Riyadh</h4>
      <p>The capital city—modern skyline and heritage sites.</p>
      <a href="destinations.php#riyadh" class="btn-small">View</a>
    </article>

    <article class="card">
      <img src="assets/jeddah.jpg" alt="Jeddah">
      <h4>Jeddah</h4>
      <p>Gateway to the Red Sea and historic Al-Balad.</p>
      <a href="destinations.php#jeddah" class="btn-small">View</a>
    </article>

    <article class="card">
      <img src="assets/alula.jpg" alt="AlUla">
      <h4>AlUla</h4>
```

```
      <p>Ancient wonders and desert landscapes.</p>
      <a href="destinations.php#alula" class="btn-small">View</a>
    </article>

  </div>
</section>

</main>

<script>
// Welcome user + show Get Visa menu
let user = localStorage.getItem("vs_user");
if (user) {
  document.getElementById("welcomeUser").textContent = "Welcome, " +
user;
  document.getElementById("getVisaMenu").classList.remove("hidden");
}
</script>

<?php include "includes/footer.php"; ?>
```

Sign Up page

```
<?php
$pageTitle = "Sign Up | Vision 2030";
require "config/db.php";
include "includes/header.php";

if (session_status() === PHP_SESSION_NONE) {
    session_start();
}

// Create CAPTCHA in session (new one on first load)
if (!isset($_SESSION["captcha"])) {
    $chars = "ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789";
    $cap = "";
    for ($i = 0; $i < 6; $i++) {
        $cap .= $chars[random_int(0, strlen($chars) - 1)];
    }
    $_SESSION["captcha"] = $cap;
}

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $name        = trim($_POST["name"] ?? "");
    $sid         = trim($_POST["sid"] ?? "");
    $dob         = trim($_POST["dob"] ?? "");
    $nationality = trim($_POST["nationality"] ?? "");
    $mobile      = trim($_POST["mobile"] ?? "");
    $email       = trim($_POST["email"] ?? "");
    $semester    = trim($_POST["semester"] ?? "");
    $password    = $_POST["password"] ?? "";
    $repass      = $_POST["repass"] ?? "";
    $captchaIn   = strtoupper(trim($_POST["captchaInput"] ?? ""));

    // Required fields check
    if ($name === "" || $sid === "" || $dob === "" || $nationality ===
"" || $mobile === "" || $email === "" || $semester === "" || $password
=== "" || $repass === "" || $captchaIn === "") {
        echo "<script>alert('Please fill all required
fields.');</script>";
    } else {

        // Password match
        if ($password !== $repass) {
            echo "<script>alert('Passwords do not match.');</script>";
```

```
        }
        // Password rules
        elseif (strlen($password) < 6) {
            echo "<script>alert('Password must be at least 6
characters.');</script>";
        }
        elseif (!preg_match('/\d/', $password)) {
            echo "<script>alert('Password must contain at least 1
number.');</script>";
        }
        elseif (!preg_match('/[A-Z]/', $password)) {
            echo "<script>alert('Password must contain at least 1
uppercase letter.');</script>";
        }
        // Mobile pattern +9665XXXXXXXX
        elseif (!preg_match('/^\+9665\d{8}$/', $mobile)) {
            echo "<script>alert('Mobile number must follow
+9665XXXXXXXX format.');</script>";
        }
        // Semester 1-8
        elseif (!is_numeric($semester) || (int)$semester < 1 ||
(int)$semester > 8) {
            echo "<script>alert('Semester must be between 1 and
8.');</script>";
        }
        // Age 18+ exact
        else {
            $dobDate = date_create($dob);
            $today = new DateTime();
            if (!$dobDate) {
                echo "<script>alert('Invalid date of
birth.');</script>";
            } else {
                $age = $today->diff($dobDate)->y;
                if ($age < 18) {
                    echo "<script>alert('You must be at least 18 years
old.');</script>";
                }
                // CAPTCHA compare
                elseif ($captchaIn !== ($_SESSION["captcha"] ?? "")) {
                    echo "<script>alert('Incorrect
CAPTCHA.');</script>";
                    // regenerate captcha after wrong try
                    $chars = "ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789";
```

```
                    $cap = "";
                    for ($i = 0; $i < 6; $i++) {
                        $cap .= $chars[random_int(0, strlen($chars) -
1)];
                    }
                    $_SESSION["captcha"] = $cap;
                } else {

                    // Check if email exists
                    $check = $pdo->prepare("SELECT id FROM users WHERE
email = ?");
                    $check->execute([$email]);

                    if ($check->rowCount() > 0) {
                        echo "<script>alert('Email already registered.
Please login.');</script>";
                    } else {
                        $hash = password_hash($password,
PASSWORD_DEFAULT);

                        $stmt = $pdo->prepare(
                            "INSERT INTO users (full_name, email,
password_hash, nationality, mobile)
                             VALUES (?, ?, ?, ?, ?)"
                        );
                        $stmt->execute([$name, $email, $hash,
$nationality, $mobile]);

                        // Refresh captcha after success
                        unset($_SESSION["captcha"]);

                        echo "<script>alert('Registration successful.
Please login.'); window.location='login.php';</script>";
                    }
                }
            }
        }
    }
}
?>

<section class="content-section narrow">
  <h3>Create an Account</h3>
```

```
  <form class="form" id="signupForm" method="post">

    <label for="name">Name</label>
    <input id="name" name="name" type="text" required />

    <label for="sid">ID</label>
    <input id="sid" name="sid" type="text" required pattern="\d{6,12}"
/>

    <label for="dob">Date of Birth</label>
    <input id="dob" name="dob" type="date" required />

    <label for="nationality">Nationality</label>
    <select id="nationality" name="nationality" required>
      <option value="">Select Nationality</option>
      <option>Saudi</option>
      <option>Egyptian</option>
      <option>Indian</option>
      <option>Sudanese</option>
      <option>Pakistani</option>
    </select>

    <label for="mobile">Mobile Number</label>
    <input id="mobile" name="mobile" type="tel" required
placeholder="+9665xxxxxxxx"
           pattern="^\+9665\d{8}$" />

    <label for="email">Email</label>
    <input id="email" name="email" type="email" required />

    <label for="semester">Semester</label>
    <input id="semester" name="semester" type="number" required min="1"
max="8" />

    <label for="password">Password</label>
    <input id="password" name="password" type="password" required
minlength="6" />

    <label for="repass">Re-enter Password</label>
    <input id="repass" name="repass" type="password" required />

    <label>CAPTCHA</label>
    <div id="captchaBox"
```

```
        style="font-size:20px; font-weight:bold; background:#eee;
width:140px; padding:8px; margin-bottom:5px;">
      <?= htmlspecialchars($_SESSION["captcha"] ?? "") ?>
    </div>

    <input id="captchaInput" name="captchaInput" type="text"
placeholder="Enter CAPTCHA" required />

    <button type="submit" class="btn">Sign Up</button>
  </form>
</section>

<script>
document.getElementById("signupForm").addEventListener("submit",
function(e) {
  let pwd = document.getElementById("password").value;
  let repwd = document.getElementById("repass").value;

  if (pwd !== repwd) {
    e.preventDefault();
    alert("Passwords do not match.");
  }
});
</script>

<?php include "includes/footer.php"; ?>
```

Sign In page

```
<?php
$pageTitle = "Sign In | Vision 2030";
require "config/db.php";
include "includes/header.php";

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $email = trim($_POST["email"]);
    $password = $_POST["password"];

    $stmt = $pdo->prepare("SELECT * FROM users WHERE email = ?");
    $stmt->execute([$email]);
    $user = $stmt->fetch(PDO::FETCH_ASSOC);

    if ($user && password_verify($password, $user["password_hash"])) {
        $_SESSION["user_id"] = $user["id"];
        $_SESSION["user"] = $user["full_name"];

        echo "<script>alert('Welcome {$user['full_name']}');
window.location='index.php';</script>";
    } else {
        echo "<script>alert('Invalid email or password');</script>";
    }
}
?>

<section class="content-section narrow">
<h3>Sign In</h3>

<form method="post" class="form">

  <label>Email</label>
  <input type="email" name="email" required>

  <label>Password</label>
  <input type="password" name="password" required minlength="6">

  <button type="submit" class="btn">Sign In</button>
</form>
</section>

<?php include "includes/footer.php"; ?>
```

Log out

```
<?php
session_start();
session_destroy();
header("Location: index.php");
exit;
```

Destinations page

```
<?php
$pageTitle = "Destinations | Visit Saudi";
include "includes/header.php";
?>

<main class="page">
<section class="content-section">
  <h3>Destinations & Hotels</h3>
  <p>Select a city to view highlights, pictures, and hotels.</p>

  <div class="city-grid">

    <!-- Riyadh -->
    <article id="riyadh" class="city">
      <img src="assets/riyadh.jpg" alt="Riyadh">
      <h4>Riyadh</h4>
      <p>Modern capital with cultural heritage, museums, and mega
events.</p>

      <ul class="hotels">
        <li>
          <strong>Capital Grand Hotel</strong> — 5★ — Near Boulevard
City
          <a class="btn-small"

href="hotel_booking.php?hotel=Capital%20Grand%20Hotel&city=Riyadh">
            Book Hotel
          </a>
        </li>
        <li>
          <strong>Olaya Suites</strong> — 4★ — Business district
          <a class="btn-small"
             href="hotel_booking.php?hotel=Olaya%20Suites&city=Riyadh">
            Book Hotel
          </a>
```

```
        </li>
      </ul>
    </article>

    <!-- Jeddah -->
    <article id="jeddah" class="city">
      <img src="assets/jeddah.jpg" alt="Jeddah">
      <h4>Jeddah</h4>
      <p>Sea breeze, Corniche sunsets, and UNESCO heritage in Al-
Balad.</p>

      <ul class="hotels">
        <li>
          <strong>Red Sea Resort</strong> — 5★ — Corniche front
          <a class="btn-small"

href="hotel_booking.php?hotel=Red%20Sea%20Resort&city=Jeddah">
            Book Hotel
          </a>
        </li>
        <li>
          <strong>Al-Balad Heritage Inn</strong> — 4★ — Historic
district
          <a class="btn-small"
             href="hotel_booking.php?hotel=Al-
Balad%20Heritage%20Inn&city=Jeddah">
            Book Hotel
          </a>
        </li>
      </ul>
    </article>

    <!-- AlUla -->
    <article id="alula" class="city">
      <img src="assets/alula.jpg" alt="AlUla">
      <h4>AlUla</h4>
      <p>Rock formations, Nabatean tombs, and immersive desert
experiences.</p>

      <ul class="hotels">
        <li>
          <strong>Desert Star Camp</strong> — 4★ — Hegra vicinity
          <a class="btn-small"
```

```
href="hotel_booking.php?hotel=Desert%20Star%20Camp&city=AlUla">
            Book Hotel
          </a>
        </li>
        <li>
          <strong>Oasis Retreat</strong> — 3★ — Palm groves
          <a class="btn-small"
             href="hotel_booking.php?hotel=Oasis%20Retreat&city=AlUla">
            Book Hotel
          </a>
        </li>
      </ul>
    </article>

    <!-- Abha -->
    <article id="abha" class="city">
      <img src="assets/abha.jpg" alt="Abha">
      <h4>Abha</h4>
      <p>Mountain vistas, cool climate, cable cars, and Asir
heritage.</p>

      <ul class="hotels">
        <li>
          <strong>Asir Heights</strong> — 4★ — Mountain view
          <a class="btn-small"
             href="hotel_booking.php?hotel=Asir%20Heights&city=Abha">
            Book Hotel
          </a>
        </li>
        <li>
          <strong>Fog Valley Hotel</strong> — 3★ — Near parks
          <a class="btn-small"

href="hotel_booking.php?hotel=Fog%20Valley%20Hotel&city=Abha">
            Book Hotel
          </a>
        </li>
      </ul>
    </article>

  </div>
</section>
</main>
```

```
<?php include "includes/footer.php"; ?>
```

Hotel Booking page

```
<?php
$pageTitle = "Hotel Booking | Visit Saudi";
include "includes/header.php";

if (!isset($_SESSION["user_id"])) {
    echo "<script>alert('Please login first to book a hotel.');
window.location='login.php';</script>";
    exit;
}

$userName = $_SESSION["user"];
?>

<main class="page">
<section class="content-section narrow">

  <h3>Hotel Booking</h3>

  <form class="form" id="hotelForm">

    <label for="hotel">Hotel</label>
    <input id="hotel" type="text" required>

    <label for="city">City</label>
    <select id="city" required>
      <option value="">Select City</option>
      <option>Riyadh</option>
      <option>Jeddah</option>
      <option>AlUla</option>
      <option>Abha</option>
      <option>Taif</option>
      <option>Dammam</option>
    </select>

    <label for="checkin">Check-in</label>
    <input id="checkin" type="date" required>

    <label for="checkout">Check-out</label>
    <input id="checkout" type="date" required>
```

```
    <label for="guests">Guests</label>
    <input id="guests" type="number" min="1" max="10" value="2"
required>

    <label for="email">Email</label>
    <input id="email" type="email" placeholder="you@example.com"
required>

    <button type="submit" class="btn">Submit</button>
  </form>

</section>
</main>

<script>
// Auto-fill hotel name from URL
const params = new URLSearchParams(window.location.search);
if (params.get("hotel")) {
  document.getElementById("hotel").value = params.get("hotel");
}

// Booking validation
document.getElementById("hotelForm").addEventListener("submit",
function (e) {
  e.preventDefault();

  const checkInValue = document.getElementById("checkin").value;
  const checkOutValue = document.getElementById("checkout").value;

  if (!checkInValue || !checkOutValue) {
    alert("Please select both check-in and check-out dates.");
    return;
  }

  const today = new Date();
  today.setHours(0, 0, 0, 0);

  const minCheckIn = new Date(today);
  minCheckIn.setDate(today.getDate() + 1); // at least 1 days from
today

  const checkInDate = new Date(checkInValue);
  const checkOutDate = new Date(checkOutValue);
```

```
  if (checkInDate < minCheckIn) {
    alert("Check-in date must be at least 1 days from today.");
    return;
  }

  if (checkOutDate <= checkInDate) {
    alert("Check-out date must be after check-in date.");
    return;
  }

  alert("Thank you <?= htmlspecialchars($userName) ?>! Your hotel
booking has been submitted.");
});
</script>

<?php include "includes/footer.php"; ?>
```

About Us page

```
<?php
$pageTitle = "About Us | Visit Saudi";
include "includes/header.php";
?>

<main class="page">

<section class="content-section narrow">
  <h3>About the Developer</h3>

  <div class="slideshow-container">

    <div class="slide fade">
      <h4>Interests </h4>
      <p>
Our interests include technology, programming, artificial intelligence,
and developing innovative digital solutions. We are also interested in
learning new skills, collaborating on projects, and improving our
technical and academic abilities.
      </p>
    </div>

    <div class="slide fade">
```

```
      <h4>Personal Information</h4>
      <p><strong>Name:</strong> Shaden ,shahad ,maria</p>
      <p><strong>University:</strong> Imam Muhammad Ibn Saud Islamic
University</p>
      <p><strong>College:</strong> CCIS</p>
    </div>

    <div class="slide fade">
      <h4>Degrees</h4>
      <p>
       We are undergraduate students majoring in Information Systems,
 with academic background in programming, databases,
and information technology fundamentals.      </p>
    </div>




    <!-- Navigation -->
    <a class="prev" onclick="changeSlide(-1)">❮</a>
    <a class="next" onclick="changeSlide(1)">❯</a>

  </div>

  <div class="dots">
    <span class="dot" onclick="setSlide(1)"></span>
    <span class="dot" onclick="setSlide(2)"></span>
    <span class="dot" onclick="setSlide(3)"></span>

  </div>

</section>

</main>

<script src="js/slideshow.js"></script>

<?php include "includes/footer.php"; ?>
```

Gallery page

```
<?php
$pageTitle = "Gallery | Visit Saudi";
include "includes/header.php";
?>
```

```
<main class="page">

<section class="content-section">
  <h3>Photo Gallery</h3>

  <div class="gallery-grid">
    <img src="assets/riyadh.jpg" alt="Riyadh">
    <img src="assets/jeddah.jpg" alt="Jeddah">
    <img src="assets/alula.jpg" alt="AlUla">
    <img src="assets/abha.jpg" alt="Abha">
    <img src="assets/al khobar.jpg" alt="Al Khobar">
    <img src="assets/madinah.jpg" alt="Madinah">
  </div>
</section>

<section class="content-section">
  <h3>Videos</h3>
  <p>Sample external video embed:</p>

  <div class="video-wrap">
    <iframe width="560" height="315"
      src="https://www.youtube.com/embed/QcR3yeyBJ40"
      title="Tourism in Saudi Arabia"
      frameborder="0"
      allowfullscreen>
    </iframe>
  </div>
</section>

</main>

<?php include "includes/footer.php"; ?>
```

Get a Visa page

```
<?php
$pageTitle = "Get a Visa | Visit Saudi";
include "includes/header.php";

if (!isset($_SESSION["user_id"])) {
    echo "<script>alert('Please login first.');
window.location='login.php';</script>";
    exit;
}
```

```
$userName = $_SESSION["user"];
?>

<main class="page">
<section class="content-section narrow">

  <h3>Visa Application</h3>

  <form class="form" id="visaForm">

    <label for="nat">Nationality</label>
    <select id="nat" required>
      <option value="">Select Nationality</option>
      <option>Saudi</option>
      <option>Egyptian</option>
      <option>Indian</option>
      <option>Pakistani</option>
      <option>Sudanese</option>
      <option>Yemeni</option>
    </select>

    <label for="vtype">Visa Type</label>
    <select id="vtype" required>
      <option value="">Select type</option>
      <option value="eVisa">eVisa</option>
      <option value="Tourist Visa">Tourist Visa</option>
      <option value="Business Visa">Business Visa</option>
    </select>

    <p id="visaInfo"
       style="background:#eef; padding:10px; border-radius:6px;
display:none;">
    </p>

    <button type="submit" class="btn">Apply</button>
  </form>

</section>
</main>

<script>
// Visa Type Description
```

```
document.getElementById("vtype").addEventListener("change", function ()
{
  const info = document.getElementById("visaInfo");
  const type = this.value;

  if (!type) {
    info.style.display = "none";
    return;
  }

  let text = "";
  if (type === "eVisa") {
    text = "eVisa: A fast electronic visa for short-term visits.";
  } else if (type === "Tourist Visa") {
    text = "Tourist Visa: Explore Saudi Arabia’s tourism
destinations.";
  } else if (type === "Business Visa") {
    text = "Business Visa: For official meetings and business
activities.";
  }

  info.textContent = text;
  info.style.display = "block";
});

// Apply Validation
document.getElementById("visaForm").addEventListener("submit", function
(e) {
  e.preventDefault();

  const nationality = document.getElementById("nat").value;
  const visaType = document.getElementById("vtype").value;

  if (nationality === "") {
    alert("Please select your nationality.");
    return;
  }

  if (visaType === "") {
    alert("Please select a visa type.");
    return;
  }
```

```
  alert("Dear <?= htmlspecialchars($userName) ?>, you have selected " +
visaType +
        ". You will now be redirected to the Home page.");

  setTimeout(function () {
    window.location.href = "index.php";
  }, 1500);
});
</script>

<?php include "includes/footer.php"; ?>
```

AI Chatbot page

```
<?php
$pageTitle = "AI Chatbot | Visit Saudi";
include "includes/header.php";
?>

<main class="page">
<section class="content-section narrow">

  <h3>Vision 2030 AI Assistant</h3>
  <p>
    This smart assistant answers questions about Saudi Vision 2030,
    tourism, destinations, visas, and smart services.
  </p>

  <iframe
  src="https://console.dialogflow.com/api-
client/demo/embedded/36785c29-3d09-47b7-85bd-5a39b5cb42c8"
  width="100%"
  height="500"
  style="border:1px solid #ccc; border-radius:10px;">
</iframe>


</section>
</main>

<?php include "includes/footer.php"; ?>
```

Add Feedback page

```php
<?php
$pageTitle = "Add Feedback | Visit Saudi";
require "config/db.php";
include "includes/header.php";


// User must be logged in
if (!isset($_SESSION["user_id"])) {
    echo "<script>alert('Please login first to give feedback.');
window.location='login.php';</script>";
    exit;
}

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $user_id = $_SESSION["user_id"];
    $rating  = $_POST["rating"] ?? "";
    $message = trim($_POST["message"] ?? "");

    if ($rating === "" || $message === "") {
        echo "<script>alert('Please fill all fields.');</script>";
    } elseif ($rating < 1 || $rating > 5) {
        echo "<script>alert('Rating must be between 1 and
5.');</script>";
    } else {

        $stmt = $pdo->prepare(
            "INSERT INTO feedback (user_id, rating, message)
             VALUES (?, ?, ?)"
        );
        $stmt->execute([$user_id, $rating, $message]);

        echo "<script>alert('Thank you for your feedback!');</script>";
    }
}
?>

<main class="page">
<section class="content-section narrow">
  <h3>Send Us Your Feedback</h3>

  <form class="form" method="post">

    <label for="rating">Rating (1–5)</label>
```

```
    <select id="rating" name="rating" required>
      <option value="">Select Rating</option>
      <option value="1">1 – Very Bad</option>
      <option value="2">2 – Bad</option>
      <option value="3">3 – Good</option>
      <option value="4">4 – Very Good</option>
      <option value="5">5 – Excellent</option>
    </select>

    <label for="message">Feedback</label>
    <textarea id="message" name="message" rows="5" required></textarea>

    <button type="submit" class="btn">Submit Feedback</button>
  </form>

</section>
</main>

<?php include "includes/footer.php"; ?>
```

User Feedback page

```
<?php
$pageTitle = "User Feedback | Visit Saudi";
require "config/db.php";
include "includes/header.php";

$stmt = $pdo->query(
    "SELECT u.full_name, f.rating, f.message, f.created_at
     FROM feedback f
     JOIN users u ON f.user_id = u.id
     ORDER BY f.created_at DESC"
);
$feedbacks = $stmt->fetchAll(PDO::FETCH_ASSOC);
?>

<main class="page">
<section class="content-section">
  <h3>User Feedback</h3>

  <?php if (count($feedbacks) === 0): ?>
    <p>No feedback available yet.</p>
  <?php else: ?>
```

```
    <div class="feedback-list">
      <?php foreach ($feedbacks as $f): ?>
        <div class="feedback-card">

          <h4><?= htmlspecialchars($f["full_name"]) ?></h4>

          <p>
            <strong>Rating:</strong>
            <?= str_repeat("★", (int)$f["rating"]) ?>
            <?= str_repeat("☆", 5 - (int)$f["rating"]) ?>
          </p>

          <p><?= nl2br(htmlspecialchars($f["message"])) ?></p>

          <small><?= $f["created_at"] ?></small>

        </div>
      <?php endforeach; ?>
    </div>

  <?php endif; ?>

</section>
</main>

<?php include "includes/footer.php"; ?>
```

CSS Style

```
:root{
  --bg:#0b122a;
  --ink:#0f172a;
  --surface:#ffffff;
  --brand:#065f46;
  --brand-2:#10b981;
  --muted:#6b7280;
  --ring:#d1fae5;
}

*{box-sizing:border-box}
html,body{
    margin:0;
    padding:0;
```

```
    font-family:Inter, system-ui, Arial, Helvetica, sans-serif;
    color:var(--ink);
    background: url('assets/bg.jpg') no-repeat center center fixed;
    background-size: cover;
}
a{color:var(--brand);text-decoration:none}
a:hover{text-decoration:underline}

.site-header{position:sticky;top:0;z-index:20;background:var(--
surface);box-shadow:0 2px 10px rgba(0,0,0,.05)}
.topbar{display:flex;justify-content:space-between;align-
items:center;padding:.4rem 1rem;background:#ecfdf5;font-size:.9rem}
.topbar .social a{margin-left:.8rem}
.brandbar{display:flex;align-items:center;gap:1rem;padding:1rem}
.brandbar .logo{height:44px}
.site-title{margin-left:auto;font-size:1.4rem;color:var(--brand);font-
weight:800;letter-spacing:.5px}

.main-nav{border-top:1px solid #eef2f7}
.menu{list-style:none;margin:0;padding:0;display:flex;gap:1rem;align-
items:center;padding:0 1rem}
.menu>li{position:relative}
.menu>li>a{display:block;padding:1rem .8rem;font-weight:600}
.submenu{position:absolute;left:0;top:100%;background:#fff;border:1px
solid #e5e7eb;border-radius:.6rem;box-shadow:0 10px 30px
rgba(0,0,0,.08);list-style:none;padding:.4rem 0;min-
width:200px;display:none}
.submenu li a{display:block;padding:.6rem 1rem}
.dropdown:hover .submenu{display:block}
.hidden{display:none}

.page{min-height:60vh}

.hero{background-size:cover;background-position:center;padding:6rem
1rem;display:grid;place-items:center}
.hero-content{background:rgba(255,255,255,.85);backdrop-
filter:saturate(120%) blur(4px);border:1px solid #e5e7eb;border-
radius:1rem;padding:2rem;max-width:820px;text-align:center;box-shadow:0
10px 30px rgba(0,0,0,.08)}
.hero h2{margin:0 0 .6rem 0;font-size:2.2rem}
.btn,.btn-small,.btn-outline{display:inline-block;border-
radius:.8rem;padding:.8rem 1.2rem;border:2px solid var(--
brand);background:var(--brand);color:#fff;font-weight:700}
.btn:hover{filter:brightness(1.05)}
```

```
.btn-small{padding:.4rem .8rem;font-size:.9rem}
.btn-outline{background:#fff;color:var(--brand)}
.btn-outline:hover{background:#f0fdf4}

.content-section{padding:2rem 1rem;max-width:1100px;margin:0 auto}
.content-section h3{font-size:1.6rem;margin-bottom:.6rem}
.content-section .wide{width:100%;border-radius:.8rem;border:1px solid
#e5e7eb}

.cards{display:grid;grid-template-columns:repeat(auto-
fit,minmax(240px,1fr));gap:1rem;margin-top:1rem}
.card{background:#fff;border:1px solid #eef2f7;border-
radius:1rem;overflow:hidden;box-shadow:0 6px 20px rgba(0,0,0,.05)}
.card img{width:100%;height:160px;object-fit:cover;border-bottom:1px
solid #f1f5f9}
.card h4{margin:.8rem 1rem}
.card p{margin:0 1rem 1rem 1rem;color:#374151}
.card .btn-small{margin:0 1rem 1rem 1rem}

.city-grid{display:grid;grid-template-columns:repeat(auto-
fit,minmax(280px,1fr));gap:1rem}
.city{background:#fff;border:1px solid #eef2f7;border-
radius:1rem;overflow:hidden}
.city img{width:100%;height:180px;object-fit:cover;border-bottom:1px
solid #f1f5f9}
.city h4{margin:.8rem 1rem}
.city p{margin:0 1rem 1rem 1rem;color:#374151}
.hotels{list-style:none;margin:0 1rem 1rem 1.2rem;padding:0}
.hotels li{margin:.4rem 0;padding:.4rem .2rem;border-left:3px solid
var(--brand);background:#f8fafc}

.gallery-grid{display:grid;grid-template-columns:repeat(auto-
fit,minmax(220px,1fr));gap:1rem}
.gallery-grid img{width:100%;height:180px;object-fit:cover;border-
radius:.8rem;border:1px solid #e5e7eb;background:#fff}
.video-wrap{position:relative;padding-
bottom:56.25%;height:0;overflow:hidden;border-radius:.8rem;border:1px
solid #e5e7eb;background:#000}
.video-wrap
iframe{position:absolute;top:0;left:0;width:100%;height:100%}

.narrow{max-width:680px}
.form{display:grid;gap:.8rem;background:#fff;border:1px solid
#e5e7eb;border-radius:1rem;padding:1rem}
```

```
.form input,.form select{padding:.8rem;border:1px solid #e5e7eb;border-radius:.6rem;outline:none}
.form input:focus,.form select:focus{border-color:var(--brand-2);box-shadow:0 0 0 4px var(--ring)}
.form button{justify-self:start}

.site-footer{display:grid;place-items:center;background:#0b122a;color:#e5e7eb;padding:1.6rem;margin-top:2rem}
.site-footer p{margin:0}
.slideshow-container {
  position: relative;
  background: #fff;
  padding: 20px;
  border-radius: 10px;
}

.slide {
  display: none;
}

.prev, .next {
  cursor: pointer;
  position: absolute;
  top: 50%;
  padding: 10px;
  color: #333;
  font-size: 20px;
}

.next { right: 0; }

.dots {
  text-align: center;
  margin-top: 10px;
}

.dot {
  height: 12px;
  width: 12px;
  margin: 0 4px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
```

```
  cursor: pointer;
}

.dot.active {
  background-color: #2c7be5;
}
.feedback-list {
  display: grid;
  gap: 15px;
}

.feedback-card {
  background: #fff;
  padding: 15px;
  border-radius: 8px;
  box-shadow: 0 2px 6px rgba(0,0,0,0.1);
}

.feedback-card h4 {
  margin-bottom: 5px;
}
.chat-box {
  background: #fff;
  border-radius: 8px;
  padding: 10px;
  height: 300px;
  overflow-y: auto;
  margin-bottom: 10px;
}

.chat-user {
  text-align: right;
  background: #e3f2fd;
  padding: 8px;
  margin: 5px;
  border-radius: 8px;
}

.chat-bot {
  text-align: left;
  background: #f1f1f1;
  padding: 8px;
  margin: 5px;
  border-radius: 8px;
```

```
}

.chat-form {
  display: flex;
  gap: 10px;
}
.chat-form{display:grid;gap:.8rem;background:#fff;border:1px solid
#e5e7eb;border-radius:1rem;padding:1rem}
.chat-form input,.form select{padding:.8rem;border:1px solid
#e5e7eb;border-radius:.6rem;outline:none}
.chat-form input:focus,.form select:focus{border-color:var(--brand-
2);box-shadow:0 0 0 4px var(--ring)}
```

JAVA SCRIPT

Slides show

```
let slideIndex = 1;
showSlides(slideIndex);

function changeSlide(n) {
  showSlides(slideIndex += n);
}

function setSlide(n) {
  showSlides(slideIndex = n);
}

function showSlides(n) {
  let i;
  let slides = document.getElementsByClassName("slide");
  let dots = document.getElementsByClassName("dot");

  if (n > slides.length) { slideIndex = 1 }
  if (n < 1) { slideIndex = slides.length }

  for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
  }

  for (i = 0; i < dots.length; i++) {
    dots[i].className = dots[i].className.replace(" active", "");
  }

  slides[slideIndex - 1].style.display = "block";
```

```
  dots[slideIndex - 1].className += " active";
}
```

Validation

```
function checkRequired(fields) {
  for (let i = 0; i < fields.length; i++) {
    if (fields[i].value.trim() === "") {
      alert("Please fill all required fields.");
      return false;
    }
  }
  return true;
}

// Email validation
function isValidEmail(email) {
  let pattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  if (!pattern.test(email)) {
    alert("Please enter a valid email address.");
    return false;
  }
  return true;
}

// Saudi mobile validation
function isValidMobile(mobile) {
  let pattern = /^\+9665\d{8}$/;
  if (!pattern.test(mobile)) {
    alert("Mobile number must be in this format: +9665XXXXXXXX");
    return false;
  }
  return true;
}

// Password rules
function isValidPassword(password) {
  if (password.length < 6) {
    alert("Password must be at least 6 characters.");
    return false;
  }
  if (!/[A-Z]/.test(password)) {
    alert("Password must contain at least one uppercase letter.");
```

```
    return false;
  }
  if (!/\d/.test(password)) {
    alert("Password must contain at least one number.");
    return false;
  }
  return true;
}

function isValidAge(dobValue) {
  let dob = new Date(dobValue);
  let today = new Date();

  let age = today.getFullYear() - dob.getFullYear();
  let m = today.getMonth() - dob.getMonth();
  if (m < 0 || (m === 0 && today.getDate() < dob.getDate())) {
    age--;
  }

  if (age < 18) {
    alert("You must be at least 18 years old.");
    return false;
  }
  return true;
}
```