Instruction:

Complete all questions in 2 hrs.

- 1. Start the Terminal program from the top menu bar (Applications -> Accessories -> Terminal).
- 2. Use commands cd, cd .. , cd / to navigate through the directories. Create the directory HCK in the desktop.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cd kathmandu
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/kathmandu$ touch Barahi.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/kathmandu$ mv Barahi.txt ../Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/kathmandu$ ls
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/kathmandu$ cd ...
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cd Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Pokhara$ ls
Barahi.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Pokhara$ cd ...
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir HCK
aman098@DESKTOP-07MOSMD:/mnt/c/users/97798/desktop$ pwd
/mnt/c/users/97798/desktop
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls -1
'(Aman)Quote of the day png'
'(Tutorial9)np03cs4a220245@heraldcollege.edu.np.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cover-Letter.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cyber security.pdf'
'2330473_Aman Kumar Sah_Week8_Report.pdf'
'Aman Kumar Sah_2330473-_Wps05.pdf'
BlueJ.lnk
'Course structure.png'
Creators_Community.png
Gmail url
'Google Classroom.url'
OneNote Ink
```

3. Write the command to print current working directory. List the files and directories in the current working directories. Insert the image of your terminal here.

```
newuser@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Video
s$ ls -1
newuser@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Video
s$ pwd
/mnt/c/users/97798/desktop/Videos
newuser@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Video
s$
```

4. Create New.txt file containing text "Herald College Kathmandu", in the HCK directory.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/HCK$ cat New.txt aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/HCK$
```

5. Delete New.txt file from HCK directory.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/HCK$ rm New.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/HCK$
ls -1
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/HCK$
```

6. Remove directory HCK from the Desktop.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ rmdir HCK
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls
'(Aman)Quote of the day.png'
'(Tutorial9)np03cs4a220245@heraldcollege.edu.np.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cover-Letter.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cyber security.pdf'
'2330473_Aman Kumar Sah_Week8_Report.pdf'
'Aman Kumar Sah_2330473-_Wps05.pdf'
BlueJ lnk
'Course structure.png'
Creators_Community.png
Gmail url
'Google Classroom.url'
OneNote.lnk
'Programming Workshop 6 (np03cs4a220245@heraldcollege.edu.np).pdf'
'Report writing(np03cs4a220245@heraldcollege.edu.np).pdf'
'Report writing.pdf'
'Screenshot 2023-01-15 234618.png'
'Screenshot 2023-01-17 221639.png'
'Tutorial7(np03cs4a220245@heraldcollege.edu.np) (1).pdf''Visual Studio Code.lnk'
Word . Lnk
'Wordpress(Event).pdf'
'Workshop 7 (np03cs4a220245@heraldcollege.edu.np).pdf'
'Workshop6(np03cs4a220245@heraldcollege.edu.np).pdf'
canva.png
cesar_cipher_2330473..py
'cesarciphers(Aman Kumar shah)student Id=2330473(question answers).py.pdf'
'chat jpt.url'
desktop ini
'fundamental of computing tutorial.pdf'
'herald dev corps.jpg'
```

7. Create directory Kathmandu in the desktop containing file Swayambhu.txt, Rename Swayambhu.txt as Barahi.txt

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir Kathmandu
mkdir: cannot create directory 'Kathmandu': File exists
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ touch Swayambhu txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls
'(Aman)Quote of the day.png'
'(Tutorial9)np03cs4a220245@heraldcollege.edu.np.pdf'
(np03cs4a220245@heraldcollege.edu.np)Cover-Letter.pdf)
'(np03cs4a220245@heraldcollege.edu.np)Cyber security.pdf'
'2330473_Aman Kumar Sah_Week8_Report.pdf'
Aman Kumar Sah_2330473-_Wps05.pdf'
BlueJ.lnk
'Course structure.png'
 Creators_Community.png
 Gmail.url
Google Classroom.url'
 OneNote lnk
Programming Workshop 6 (np03cs4a220245@heraldcollege.edu.np).pdf'
'Report writing(np03cs4a220245@heraldcollege.edu.np).pdf'
'Report writing pdf'
Screenshot 2023-01-15 234618.png
'Screenshot 2023-01-17 221639 png'
 Swayambhu
'Tutorial7(np03cs4a220245@heraldcollege.edu.np) (1).pdf''Visual Studio Code.lnk'
Word Ink
Wordpress(Event).pdf'
Workshop 7 (np03cs4a220245@heraldcollege.edu.np).pdf*
Workshop6(np03cs4a220245@heraldcollege.edu.np).pdf'
cesar_cipher_2330473 py
cesarciphers(Aman Kumar shah)student Id=2330473(question answers).py.pdf*
'chat jpt.url'
desktop ini
 fundamental of computing tutorial.pdf'
 herald dev corps.jpg'
 herald_dev_corps-removebg-preview.png
 krish.txt
 logo-removebg-preview.png
 loga.png
 mood off.py'
 name txt
np03cs4a220245@heraldcollege.edu.np(Week 9)Tutorial (1).pdf'
'np03cs4a220245@heraldcollege.edu.np(Week 9)Tutorial.docx'
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mv Swayambhu.txt Barahi.txt
```

aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop\$ mv Swayambhu.txt Barahi.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop\$ ls

8. Create Directory Pokhara in the Desktop and move Bahari.txt of directory Kathmandu in directory Pokhara.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cd Kathmandu
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Kathmandu$ touch Barahi.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Kathmandu$ mv Barahi.txt ../Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Kathmandu$ ls
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Kathmandu$ cd ..
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cd Pokhara
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Pokhara$ ls
Barahi.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Pokhara$
```

9. What is the command to list all the invisible files and to display the directories in detail?

```
anam89880ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ touch name.txtaman8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ touch name.txt name.txt
anam89880ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts
Barahi.txt
anam89880ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -1
Barahi.txt
anam89880ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -al
total 8
drwxrwxrwx 1 amam898 amam898 4096 Jan 19 68:15
drwxrwxrwx 1 amam898 amam898 4096 Jan 19 68:15
-rwxrwxrwx 1 amam898 amam898 8 0 Jan 19 68:15 name.txt
-rwxrwxrwx 1 amam898 amam898 8 0 Jan 19 68:12 Barahi.txt
anam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -a
mam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -a
mam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -a
mam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$ ts -a
mam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$
anam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$
anam8980ESKTOP-07M05MD:/ent/c/users/97798/desktop/Pokhars$
```

10. What is the command to make a directory named IPHONE and IPAD and remove the directory named IPAD?

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir IPHONE
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ mkdir IPAD
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls
'(Aman)Quote of the day.png'
'(Tutorial9)np03cs4a220245@heraldcollege.edu.np.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cover-Letter.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cyber security.pdf'
'2330473_Aman Kumar Sah_Week8_Report.pdf'
'Aman Kumar Sah_2330473-_Wps05.pdf'
Barahi.txt
BlueJ.lnk
'Course structure.png'
Creators_Community.png
Gmail.url
'Google Classroom.url'
```

```
wst_update_x64 (1).ms1'
aman098@DESKTOP-O7M05MD:/mnt/c/users/97798/desktop$ rmdir IPAD
aman098@DESKTOP-O7M05MD:/mnt/c/users/97798/desktop$ ls
'(Aman)Quote of the day.png'
'(Tutorial9)np03cs4a228245@heraldcollege.edu.np.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cover-Letter.pdf'
'(np03cs4a220245@heraldcollege.edu.np)Cyber security.pdf'
'2330473_Aman Kumar Sah_Week8_Report.pdf'
'Aman Kumar Sah_2330473-_Wps05.pdf'
Barahi.txt
BlueJ.lnk
'Course structure.png'
Creators_Community.png
Gmail.url
'Google Classroom.url'
ustroll
OneNote.lnk
```

11. Create file hck.txt containing text "Herald College Kathmandu" and another file hck1.txt containing text "Sanugaucharan, Naxal" concatenate these two files and give name HCK.txt.

```
-07M05MD:/mnt/c/users/97798/desktop$ car >>hck.txt
Command 'car' not found, but can be installed with:
sudo apt install ucommon-utils
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cat >>HCK.txt
"Herald College Kathmandu"
[1]+ Stopped
                              cat >> HCK.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cat HCK.txt
"Herald College Kathmandu"
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cat >>HCK1.txt
"Sanogaucharan Naxal"
^Z
[2]+ Stopped
                              cat >> HCK1.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ cat HCK1.txt
"Sanogaucharan Naxal"
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$
```

12. Create filename1.txt and filename2.txt in the Desktop and create compressed file new.zip which contains filename1.txt and filename2.txt.

```
/mnt/c/users/97798/desktop
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ touch filename1.txt filename2.txt
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ zip
new.zip filename1.txt filename2.txt
adding: filename1.txt (stored 0%)
adding: filename2.txt (stored 0%)
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls
```

13. Check the permissions for User, group and world for new.zip and set read permission for user, read and write permission for group and read write and execute permission for world.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls -1 new.zip
new.zip
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ chmod 467 new.zip
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ ls -1 new.zip
new.zip
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$
```

14. Write the command to check your last 10 commands.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ history 10
385  zip new.zip filename1.txt filename2.txt
386  ls
387  copynew.zip
388  copy new.zip
389  sudo
390  ls -1 new.zip
391  chmod 467 new.zip
392  ls -1 new.zip
393  clear
394  history 10
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$
```

15. Write the command to check current user.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ whoa
mi
aman098
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$
```

16. Write the command to add user having user name newuser and switch to newuser.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ whoami
aman098
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ sudo adduser newuser
[sudo] password for aman098:
Adding user 'newuser' ...
Adding new group 'newuser' (1001) ...
Adding new user 'newuser' (1001) with group 'newuser' ...
Creating home directory '/home/newuser' ...
Copying files from '/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for newuser
Enter the new value, or press ENTER for the default
        Full Name []: Aman Kumar
        Room Number []: 2
        Work Phone []: 9999
        Home Phone []: 0000
        Other []: 888
Is the information correct? [Y/n] y
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ sudo su newuser
newuser@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$ whoami
newuser
newuser@DESKTOP-07M05MD:/mnt/c/users/97798/desktop$
```

17. Create the following directories in and paste your result here.

```
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Nepal$ sudo apt-get install tree [sudo] password for aman098:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package tree
aman098@DESKTOP-07M05MD:/mnt/c/users/97798/desktop/Nepal$ sudo apt update
```