

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)**Department of Computer Science and Engineering****ASSESSMENT TOOL 1 – Coding Challenge Task**

Course Code:	CSA06	Course Title:	Design and Analysis of Algorithms
CO Assessed:	CO4: Articulation (BL4, BL5)	Assessment:	Assessment Tool 1 – Coding Challenge Task
Weightage:	40% of CIA	Total Marks:	100
CO4 Statement:	Solve optimization problems using dynamic programming and greedy strategies.		
Student Name:	C shahanaj	Reg. No.:	192372292
Section / Batch:	CSE AI	Date:	15/08/2026

Instructions to Students

- Answer the following question. Total Marks: 100.
- Carefully analyze the given questions.
- Write clear code for the given problem.
- Analyze the Time complexity and Space complexity of your code using dynamic programming and greedy strategies

Question Type	Focus Area	Questions
Coding Challenge Task	Focus on Code and analyze optimization problems using dynamic programming and greedy strategies	Q1

SECTION A – Coding Challenge Task

Code of Conduct

I _____ shahanaj / 192372292_____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____ shahanaj_____

RUBRICS FOR CALCULATION

Coding Challenge Task

Criteria	Weightage	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Problem Understanding	20%	Clearly understands problem constraints, edge cases, and competitive requirements	Understands problem with minor gaps in constraints	Partial understanding; misses key constraints	Misinterprets problem or constraints
Algorithm	25%	Selects optimal algorithm with best time and space complexity for competitive constraints	Uses efficient algorithm with minor scope for improvement	Uses basic/inefficient approach	No clear algorithmic approach
Code	20%	Writes correct,	Code works	Partially correct	Code does not

Implementation		efficient, and clean code that passes all constraints	with minor errors or inefficiencies	code; fails for some cases	execute or gives incorrect results
Competitive Performance	20%	Solves problem within time limits and handles large inputs effectively	Solves within acceptable time with minor delays	Struggles with time limits or larger inputs	Unable to solve within time constraints
Test Case Handling	15%	Handles all test cases including edge and hidden cases	Handles most test cases	Misses important edge cases	Fails on multiple test cases

Marks Evaluation:

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Understanding	20%				
Algorithm	25%				
Code Implementation	20%				
Competitive Performance	20%				
Test Case Handling	15%				
Total Marks (100):					

Faculty In-charge	Course Coordinator	Head of Department
Name:	Name:	Name:
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

Code:

```
def subset_sum(arr, n, target):
    dp = [[False] * (target + 1) for _ in range(n + 1)]

    for i in range(n + 1):
        dp[i][0] = True

    for i in range(1, n + 1):
        for j in range(1, target + 1):
            if arr[i - 1] <= j:
                dp[i][j] = dp[i - 1][j] or dp[i - 1][j - arr[i - 1]]
            else:
                dp[i][j] = dp[i - 1][j]

    return dp[n][target]

n = int(input())
arr = list(map(int, input().split()))
target = int(input())
```

```
if subset_sum(arr, n, target):
```

```
    print("YES")
```

```
else:
```

```
    print("NO")
```

Output:

ASSESSMENT CO4-AT1-Coding Challenge Task

Language: Python C C++ Java

QUESTIONS

Q1

Subset Sum Problem

100 marks

1/1 answered

Q1

Subset Sum Problem

100 marks

Given a set of integers and a target value, determine whether there exists a subset whose sum is exactly equal to the target. Each element can either be included once or excluded from the subset. The objective is to check the existence of at least one valid subset combination. Use Dynamic Programming to solve the problem efficiently.

Input Format:

n = number of elements
arr[] = set elements
sum = target sum

Your Code

```
1 def is_subset_sum(arr, n, target):
2     dp = [[False for _ in range(target + 1)] for _ in range(n + 1)]
3     for i in range(n + 1):
4         dp[i][0] = True
5     for i in range(1, n + 1):
6         for j in range(1, target + 1):
7             if arr[i - 1] <= j:
8                 dp[i][j] = dp[i - 1][j] or dp[i - 1][j - arr[i - 1]]
9             else:
10                dp[i][j] = dp[i - 1][j]
11     return dp[n][target]
12 n = int(input())
13 arr = list(map(int, input().split()))
14 target_sum = int(input())
15 if is_subset_sum(arr, n, target_sum):
16     print("YES")
17 else:
18     print("NO")
```

Submitted

Input

```
4
2 3 5 7
10
```

Output

```
YES
```