

Excluded participants and reasons

prolific_pid	reasons
6946d43d6e37a8ebea7882bd	window_exits
6a0b57dda1f2bbc0f2c1398b	missing_session

Retained participants — % excluded of that session's original trial count

prolific_pid	study_session	n_trials	pct_excluded_total	pct_excluded_missing	pct_excluded_fast	pct_excluded_slow
2435e3af0001f05a15	session_1	99	5.7	0	0	5.7
2435e3af0001f05a15	session_2	104	1.0	0	0	1.0
2a4b3e0e55fc74390b3	session_1	92	12.4	0	0	12.4
2a4b3e0e55fc74390b3	session_2	104	1.0	0	0	1.0
78a28708e32bf4b451	session_1	105	0.0	0	0	0.0
78a28708e32bf4b451	session_2	105	0.0	0	0	0.0
8b821c7fcd0fae5faf58	session_1	99	5.7	0	0	5.7
8b821c7fcd0fae5faf58	session_2	102	2.9	0	0	2.9
9fdbaaead7656414805	session_1	104	1.0	0	0	1.0
9fdbaaead7656414805	session_2	104	1.0	0	0	1.0
6a4974d3dfbeb467ae	session_1	94	10.5	0	0	10.5
6a4974d3dfbeb467ae	session_2	75	28.6	0	0	28.6
8c77b290774b3626f62	session_1	102	2.9	0	0	2.9
8c77b290774b3626f62	session_2	102	2.9	0	0	2.9
9df2f95439c4b79d399	session_1	100	4.8	0	0	4.8
9df2f95439c4b79d399	session_2	101	3.8	0	0	3.8
3db3ca97e10bd6e4a	session_1	83	21.0	0	0	21.0
3db3ca97e10bd6e4a	session_2	85	19.0	0	0	19.0

Raw-to-processed summary

metric	value
Starting participants	11
Excluded participants	2
Retained participants	9
Final observations	1,760