

A


Participant 75y1tqf2

Most burdensome symptoms: Little interest or pleasure in doing things; Trouble falling or staying asleep; Feeling tired or having little energy

Not a problem (rated 'Not at all'): all 15 items (ladder shows relative burden only)

Choice consistency: 70% – moderate differentiation – ranking broadly informative

B



C

Differentiation gauge: moderate differentiation – ranking broadly informative



A


Participant 7v1pxg3v

Most burdensome symptoms: Trouble falling or staying asleep; Feeling tired or having little energy; Little interest or pleasure in doing things

Not a problem (rated 'Not at all'): Moving or speaking slowly; Fidgety or restless; Poor appetite; Sleeping too much

Choice consistency: 93% – high differentiation – rankings reliable

B



C

Differentiation gauge: high differentiation – rankings reliable




A

Participant pc4u2ske

Most burdensome symptoms: Trouble concentrating; Feeling down or depressed; Little interest or pleasure in doing things
Not a problem (rated 'Not at all'): Feeling that you have let yourself down; Moving or speaking slowly; Feeling hopeless; Poor appetite; Feeling that you have let your family down

Choice consistency: 94% – high differentiation – rankings reliable

B



C

Differentiation gauge: high differentiation – rankings reliable



A


Participant s2tddlj3

Most burdensome symptoms: Feeling that you have let your family down; Feeling that you are a failure; Feeling bad about yourself

Not a problem (rated 'Not at all'): 10 of 15 items (see ladder)

Choice consistency: 95% – high differentiation – rankings reliable

B



C

Differentiation gauge: high differentiation – rankings reliable

